

thm_2Erich_list_2EFOLDR_APPEND
(TML9UdUgiVVzzW3ZpmUiTWGdRZftbYgmk5a)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (3)$$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDR A_27a A_27b \in (((A_27b)^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b)^{A_27b})^{A_27a}} \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (5)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (6)$$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Assume the following.

$$True \tag{7}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \tag{8}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{9}$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\ & (\forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1e \in A_27b. ((ap (\\ & ap (ap (c_2Elist_2EFOLDR A_27a A_27b) V0f) V1e) (c_2Elist_2ENIL \\ & A_27a)) = V1e))) \wedge (\forall V2f \in ((A_27b^{A_27b})^{A_27a}). (\forall V3e \in \\ & A_27b. (\forall V4x \in A_27a. (\forall V5l \in (ty_2Elist_2Elist A_27a). \\ & ((ap (ap (ap (c_2Elist_2EFOLDR A_27a A_27b) V2f) V3e) (ap (ap (c_2Elist_2ECONS \\ & A_27a) V4x) V5l)) = (ap (ap V2f V4x) (ap (ap (ap (c_2Elist_2EFOLDR \\ & A_27a A_27b) V2f) V3e) V5l)))))))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ & A_27a). (\forall V1x \in A_27a. (\forall V2l2 \in (ty_2Elist_2Elist \\ & A_27a). ((ap (ap (c_2Elist_2EAPPEND A_27a) V0l1) (ap (ap (c_2Elist_2ESNOC \\ & A_27a) V1x) V2l2)) = (ap (ap (c_2Elist_2ESNOC A_27a) V1x) (ap (ap \\ & (c_2Elist_2EAPPEND A_27a) V0l1) V2l2)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\ & (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\ & A_27a). ((p (ap V0P V1l)) \Rightarrow (\forall V2x \in A_27a. (p (ap V0P (ap (ap (\\ & c_2Elist_2ESNOC A_27a) V2x) V1l)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a). (p (ap V0P V3l)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1e \in A_27b. (\forall V2x \in \\
& \quad A_27a. (\forall V3l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDR \\
& \quad A_27a\ A_27b)\ V0f)\ V1e)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V2x)\ V3l)) = \\
& \quad (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b)\ V0f)\ (ap\ (ap\ V0f\ V2x)\ V1e)) \\
& \quad V3l)))))) \\
& \hspace{15em} (13)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad A_27a)\ V0l)\ (c_2Elist_2ENIL\ A_27a)) = V0l)) \wedge (\forall V1l \in (ty_2Elist_2Elist \\
& \quad A_27b). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27b)\ (c_2Elist_2ENIL\ A_27b)) \\
& \quad V1l) = V1l))) \\
& \hspace{15em} (14)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1e \in A_27b. (\forall V2l1 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (\forall V3l2 \in (ty_2Elist_2Elist\ A_27a). \\
& \quad ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b)\ V0f)\ V1e)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad A_27a)\ V2l1)\ V3l2)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b) \\
& \quad V0f)\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b)\ V0f)\ V1e)\ V3l2)) \\
& \quad V2l1)))))) \\
& \hspace{15em} (15)
\end{aligned}$$