

# thm\_2Erich\_\_list\_2EFOLDR\_\_FOLDL\_\_REVERSE (TMGQ4tr2hLDx2YXAYMQKB82TKvfjrkSrkea)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EFOLDR A\_27a A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27b})^{A\_27a}} \quad (2)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (4)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EREVERSE A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \quad (5)$$



Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A.27a)}), \\
& (((p\ (ap\ V0P\ (c.2Elist\_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
& A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c.2Elist\_2ECONS\ A.27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& ((ap\ (c.2Elist\_2EREVERSE\ A.27b)\ (c.2Elist\_2ENIL\ A.27b)) = (c.2Elist\_2ENIL \\
& A.27b)) \wedge (\forall V0x \in A.27a.(\forall V1l \in (ty\_2Elist\_2Elist \\
& A.27a).((ap\ (c.2Elist\_2EREVERSE\ A.27a)\ (ap\ (ap\ (c.2Elist\_2ECONS \\
& A.27a\ V0x)\ V1l)) = (ap\ (ap\ (c.2Elist\_2ESNOC\ A.27a)\ V0x)\ (ap\ (c.2Elist\_2EREVERSE \\
& A.27a)\ V1l))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \forall V0f \in ((A.27b^{A.27a})^{A.27b}).(\forall V1e \in A.27b.(\forall V2x \in \\
& A.27a.(\forall V3l \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (ap\ (ap\ (c.2Elist\_2EFOLDL \\
& A.27a\ A.27b)\ V0f)\ V1e)\ (ap\ (ap\ (c.2Elist\_2ESNOC\ A.27a)\ V2x)\ V3l)) = \\
& (ap\ (ap\ V0f\ (ap\ (ap\ (ap\ (c.2Elist\_2EFOLDL\ A.27a\ A.27b)\ V0f)\ V1e)\ V3l)) \\
& V2x))))))
\end{aligned} \tag{15}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \forall V0f \in ((A.27b^{A.27b})^{A.27a}).(\forall V1e \in A.27b.(\forall V2l \in \\
& (ty\_2Elist\_2Elist\ A.27a).((ap\ (ap\ (ap\ (c.2Elist\_2EFOLDR\ A.27a \\
& A.27b)\ V0f)\ V1e)\ V2l) = (ap\ (ap\ (ap\ (c.2Elist\_2EFOLDL\ A.27a\ A.27b) \\
& (\lambda V3x \in A.27b.(\lambda V4y \in A.27a.(ap\ (ap\ V0f\ V4y)\ V3x)))))) V1e)\ ( \\
& ap\ (c.2Elist\_2EREVERSE\ A.27a)\ V2l))))))
\end{aligned}$$