

thm\_2Erich\_\_list\_2ELASTN\_\_1  
(TMV5pNrwpP3s7dJ2wRBGoVLa8ySqAhPtjaqc)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2EBIT1) V0n)$ .

**Definition 8** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E) V0t)$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (7)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (8)$$

Let  $c\_2Elist\_2EELAST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EELAST A\_27a \in (A\_27a^{(ty\_2Elist\_2Elist A\_27a)}) \quad (9)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ESNOC A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (10)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (11)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EREVERSE A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \quad (12)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ETAKE A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 12** We define  $c\_2Erich\_list\_2ELASTN$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1xs \in (ty\_2Enum\_2Enum V1xs)$ .

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t) V1t2) V0t1)$ .

Assume the following.

$$((ap \ c\_2Earithmic\_2ENUMERAL (ap \ c\_2Earithmic\_2EBIT1 \ c\_2Earithmic\_2EZERO)) = (ap \ c\_2Enum\_2ESUC \ c\_2Enum\_2E0)) = \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \quad (16)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((ap \ (ap \ (c\_2Elist\_2ESNOC \ A\_27a) \ V0x) \ (c\_2Elist\_2ENIL \ A\_27a)) = (ap \ (ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V0x) \ (c\_2Elist\_2ENIL \ A\_27a)))) \wedge (\forall V1x \in A\_27a.(\forall V2x.27 \in A\_27a.(\forall V3l \in (ty\_2Elist\_2Elist \ A\_27a).((ap \ (ap \ (c\_2Elist\_2ESNOC \ A\_27a) \ V1x) \ (ap \ (ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V2x.27) \ V3l)) = (ap \ (ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V2x.27) \ (ap \ (ap \ (c\_2Elist\_2ESNOC \ A\_27a) \ V1x) \ V3l))))))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1l \in (ty\_2Elist\_2Elist \ A\_27a).((ap \ (c\_2Elist\_2ELAST \ A\_27a) \ (ap \ (ap \ (c\_2Elist\_2ESNOC \ A\_27a) \ V0x) \ V1l)) = V0x))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist \ A\_27a)}).(((p \ (ap \ V0P \ (c\_2Elist\_2ENIL \ A\_27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \ A\_27a).((p \ (ap \ V0P \ V1l)) \Rightarrow (\forall V2x \in A\_27a.(p \ (ap \ V0P \ (ap \ (ap \ (c\_2Elist\_2ESNOC \ A\_27a) \ V2x) \ V1l)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \ A\_27a).(p \ (ap \ V0P \ V3l)))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0l \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\
& A\_27a)\ c\_2Enum\_2E0)\ V0l) = (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1n \in \\
& ty\_2Enum\_2Enum.(\forall V2x \in A\_27b.(\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27b).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27b)\ (ap\ c\_2Enum\_2ESUC \\
& V1n))\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A\_27b)\ V2x)\ V3l)) = (ap\ (ap\ (c\_2Elist\_2ESNOC \\
& A\_27b)\ V2x)\ (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27b)\ V1n)\ V3l)))))) \\
& \hspace{15em} (22)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a).((\neg(V0l = (c\_2Elist\_2ENIL\ A\_27a))) \Rightarrow ((ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\
& A\_27a)\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT1 \\
& c\_2Earithmic\_2EZERO)))\ V0l) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a) \\
& (ap\ (c\_2Elist\_2ELAST\ A\_27a)\ V0l))\ (c\_2Elist\_2ENIL\ A\_27a))))))
\end{aligned}$$