

thm\_2Erich\_list\_2ELASTN\_\_BUTLASTN  
 (TMF8XryKkrYj1pKWN49Tx1ktvHxtNHY9MmL)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a &\in (((ty\_2Elist\_2Elist \\ A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \end{aligned} \quad (2)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (3)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (5)$$

**Definition 6** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num ($

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 12** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP).$

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 17** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool\_2E$

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (11)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (12)$$

**Definition 18** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x.$

**Definition 19** We define  $c\_2\text{Enumeral\_2EiiSUC}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum.(ap } c\_2\text{Enum\_2ESUC } (ap$

Let  $c\_2\text{Earithmetic\_2E\_2B} : \iota$  be given. Assume the following.

$$c\_2\text{Earithmetic\_2E\_2B} \in ((ty\_2\text{Enum\_2Enum}^{ty\_2\text{Enum\_2Enum}})^{ty\_2\text{Enum\_2Enum}}) \quad (13)$$

**Definition 20** We define  $c\_2\text{Enumeral\_2EiZ}$  to be  $\lambda V0x \in ty\_2\text{Enum\_2Enum}.V0x$ .

**Definition 21** We define  $c\_2\text{Earithmetic\_2EBIT2}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum.(ap } (ap c\_2\text{Earithmetic}$

**Definition 22** We define  $c\_2\text{Earithmetic\_2EBIT1}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum.(ap } (ap c\_2\text{Earithmetic}$

**Definition 23** We define  $c\_2\text{Earithmetic\_2EZERO}$  to be  $c\_2\text{Enum\_2E0}$ .

Let  $c\_2\text{Elist\_2ESNOC} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2ESNOC } A\_27a \in (((ty\_2\text{Elist\_2Elist} \\ A\_27a)^{(ty\_2\text{Elist\_2Elist } A\_27a)})^{A\_27a}) \quad (14)$$

Let  $c\_2\text{Elist\_2ENIL} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2ENIL } A\_27a \in (ty\_2\text{Elist\_2Elist} \\ A\_27a) \quad (15)$$

Let  $c\_2\text{Elist\_2EREVERSE} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2EREVERSE } A\_27a \in ((ty\_2\text{Elist\_2Elist} \\ A\_27a)^{(ty\_2\text{Elist\_2Elist } A\_27a)}) \quad (16)$$

Let  $c\_2\text{Elist\_2ETAKE} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2ETAKE } A\_27a \in (((ty\_2\text{Elist\_2Elist} \\ A\_27a)^{(ty\_2\text{Elist\_2Elist } A\_27a)})^{ty\_2\text{Enum\_2Enum}}) \quad (17)$$

**Definition 24** We define  $c\_2\text{Erich\_list\_2ELASTN}$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2\text{Enum\_2Enum}. \lambda V1xs \in (ty$

Let  $c\_2\text{Elist\_2EDROP} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2EDROP } A\_27a \in (((ty\_2\text{Elist\_2Elist} \\ A\_27a)^{(ty\_2\text{Elist\_2Elist } A\_27a)})^{ty\_2\text{Enum\_2Enum}}) \quad (18)$$

**Definition 25** We define  $c\_2\text{Erich\_list\_2EBUTLASTN}$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2\text{Enum\_2Enum}. \lambda V1xs \in (ty$

Let  $c\_2\text{Elist\_2ELENGTH} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2ELENGTH } A\_27a \in (ty\_2\text{Enum\_2Enum}^{(ty\_2\text{Elist\_2Elist } A\_27a)}) \quad (19)$$

**Definition 26** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.$

Assume the following.

$$((\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0n) = V0n)) \wedge (\forall V1m \in ty\_2Enum\_2Enum. (\forall V2n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Enum\_2ESUC V1m)) V2n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V1m) V2n))))))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m)) \quad (21)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0m)))) \quad (22)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p))))))) \quad (23)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) V1m)))))) \quad (24)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) c\_2Enum\_2E0)))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
& (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
& (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
& V0m) V1n)))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
& V0m)) V1n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
& V1n)) V0m))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\
& c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO))) V0n)))
\end{aligned} \tag{29}$$

Assume the following.

$$True \tag{30}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{31}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& A\_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (35)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))))) \quad (36)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \quad (37)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t))))))) \end{aligned} \quad (39)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (((ap (c\_2Elist\_2ELENGTH A\_27a) \\ & (c\_2Elist\_2ENIL A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. ( \\ & \forall V1t \in (ty\_2Elist\_2Elist A\_27a). ((ap (c\_2Elist\_2ELENGTH \\ & A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap c\_2Enum\_2ESUC \\ & (ap (c\_2Elist\_2ELENGTH A\_27a) V1t))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1l \in \\ & (ty\_2Elist\_2Elist A\_27a). ((ap (c\_2Elist\_2ELENGTH A\_27a) (ap \\ & (ap (c\_2Elist\_2ESNOC A\_27a) V0x) V1l)) = (ap c\_2Enum\_2ESUC (ap ( \\ & c\_2Elist\_2ELENGTH A\_27a) V1l)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned}
 & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{ty\_2Elist\_2Elist A\_27a}). \\
 & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \\
 & A\_27a).((p (ap V0P V1l)) \Rightarrow (\forall V2x \in A\_27a.(p (ap V0P (ap (ap \\
 & c\_2Elist\_2ESNOC A\_27a) V2x) V1l))))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
 & A\_27a).(p (ap V0P V3l)))))) \\
 & (43)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p (ap V0P c\_2Enum\_2E0)) \wedge \\
 & (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC \\
 & V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))))) \\
 & (44)
 \end{aligned}$$

Assume the following.

$(\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B c_2Enum\_2E0) V0n) = V0n)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V1n) c_2Enum\_2E0) = V1n)) \wedge (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V3m) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2EiZ (ap (ap c_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge (\forall V4n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A c_2Enum\_2E0) V4n) = c_2Enum\_2E0)) \wedge (\forall V5n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A V5n) c_2Enum\_2E0) = c_2Enum\_2E0)) \wedge (\forall V6n \in ty\_2Enum\_2Enum. (\forall V7m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A (ap c_2Earithmetic\_2ENUMERAL V6n)) (ap c_2Earithmetic\_2ENUMERAL V7m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2A V6n) V7m)))))) \wedge (\forall V8n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D c_2Enum\_2E0) V8n) = c_2Enum\_2E0)) \wedge (\forall V9n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D V9n) c_2Enum\_2E0) = V9n)) \wedge (\forall V10n \in ty\_2Enum\_2Enum. (\forall V11m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D (ap c_2Earithmetic\_2ENUMERAL V10n)) (ap c_2Earithmetic\_2ENUMERAL V11m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2D V10n) V11m)))))) \wedge (\forall V12n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 V12n)))) = c_2Enum\_2E0)) \wedge (\forall V13n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT2 V13n)))) = c_2Enum\_2E0)) \wedge (\forall V14n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP V14n) c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))))) \wedge (\forall V15n \in ty\_2Enum\_2Enum. (\forall V16m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP (ap c_2Earithmetic\_2ENUMERAL V15n)) (ap c_2Earithmetic\_2ENUMERAL V16m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2EEEXP V15n) V16m)))))) \wedge (((ap c_2Enum\_2ESUC c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))) \wedge (\forall V17n \in ty\_2Enum\_2Enum. ((ap c_2Enum\_2ESUC (ap c_2Earithmetic\_2ENUMERAL V17n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2ESUC V17n)))))) \wedge (((ap c_2Eprim\_rec\_2EPRE c_2Enum\_2E0) = c_2Enum\_2E0) \wedge (\forall V18n \in ty\_2Enum\_2Enum. ((ap c_2Eprim\_rec\_2EPRE (ap c_2Earithmetic\_2ENUMERAL V18n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Eprim\_rec\_2EPRE V18n)))))) \wedge (\forall V19n \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V19n) = c_2Enum\_2E0) \Leftrightarrow (V19n = c_2Earithmetic\_2EZERO))) \wedge (\forall V20n \in ty\_2Enum\_2Enum. ((c_2Enum\_2E0 = (ap c_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic\_2EZERO))) \wedge (\forall V21n \in ty\_2Enum\_2Enum. ((\forall V22m \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V21n) = (ap c_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C V23n) c_2Enum\_2E0)) \Leftrightarrow False))) \wedge (\forall V24n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2EZERO) V24n)))) \wedge (\forall V25n \in ty\_2Enum\_2Enum. (\forall V26m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2ENUMERAL V25n) (ap c_2Earithmetic\_2ENUMERAL V26m)))) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge (\forall V28n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V28n)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Earithmetic\_2ENUMERAL V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V29n)) \Leftrightarrow True))) \wedge (\forall V30m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V30m)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Earithmetic\_2ENUMERAL V30m)))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge (\forall V32n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V32n)) \Leftrightarrow True)))$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ( \\
& (\forall V0l \in (ty\_2Elist\_2Elist A\_27a). ((ap (ap (c\_2Erich\_list\_2ELASTN \\
& A\_27a) c\_2Enum\_2E0) V0l) = (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1n \in \\
& ty\_2Enum\_2Enum. (\forall V2x \in A\_27b. (\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27b). ((ap (ap (c\_2Erich\_list\_2ELASTN A\_27b) (ap c\_2Enum\_2ESUC \\
& V1n)) (ap (ap (c\_2Elist\_2ESNOC A\_27b) V2x) V3l)) = (ap (ap (c\_2Elist\_2ESNOC \\
& A\_27b) V2x) (ap (ap (c\_2Erich\_list\_2ELASTN A\_27b) V1n) V3l))))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ( \\
& (\forall V0l \in (ty\_2Elist\_2Elist A\_27a). ((ap (ap (c\_2Erich\_list\_2EBUTLASTN \\
& A\_27a) c\_2Enum\_2E0) V0l) = V0l)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2x \in A\_27b. (\forall V3l \in (ty\_2Elist\_2Elist A\_27b). \\
& (ap (ap (c\_2Erich\_list\_2EBUTLASTN A\_27b) (ap c\_2Enum\_2ESUC V1n)) \\
& (ap (ap (c\_2Elist\_2ESNOC A\_27b) V2x) V3l)) = (ap (ap (c\_2Erich\_list\_2EBUTLASTN \\
& A\_27b) V1n) V3l))))))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. ( \\
& \forall V1l \in (ty\_2Elist\_2Elist A\_27a). ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) (ap (c\_2Elist\_2LENGTH A\_27a) V1l))) \Rightarrow ((ap (ap (c\_2Erich\_list\_2EBUTLASTN \\
& A\_27a) V0n) (ap (ap (c\_2Erich\_list\_2ELASTN A\_27a) V0n) V1l)) = \\
& (c\_2Elist\_2ENIL A\_27a)))))) \\
\end{aligned} \tag{50}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}.( \\ & \quad \forall V1m \in \text{ty\_2Enum\_2Enum}.(\forall V2l \in (\text{ty\_2Elist\_2Elist} \\ & \quad \quad A\_27a).((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2B \\ & \quad \quad \quad V0n) V1m)) (ap (c\_2Elist\_2ELENGTH A\_27a) V2l))) \Rightarrow ((ap (ap (c\_2Erich\_list\_2ELASTN \\ & \quad \quad \quad A\_27a) V0n) (ap (ap (c\_2Erich\_list\_2EBUTLASTN A\_27a) V1m) V2l)) = \\ & \quad \quad \quad (ap (ap (c\_2Erich\_list\_2EBUTLASTN A\_27a) V1m) (ap (ap (c\_2Erich\_list\_2ELASTN \\ & \quad \quad \quad A\_27a) (ap (ap c\_2Earithmetic\_2E\_2B V0n) V1m)) V2l))))))) \end{aligned}$$