

thm\_2Erich\_list\_2ELASTN\_DROP  
(TMaLDBGAz8Gq8KgpBAbpDSsykt41S5X5fq5)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 4** We define  $c\_2Ebool\_2E\_F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_F))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{3}$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \tag{4}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{5}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{omega}) \quad (6)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (7)$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EREVERSE\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (9)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ETAKE\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 9** We define  $c\_2Erich\_list\_2ELASTN$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1xs \in (ty\_2Enum\_2Enum)$

**Definition 10** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2))))$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (11)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ESNOC\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (12)$$

Let  $c\_2Elist\_2EDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EDROP\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (14)$$

**Definition 11** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 13** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

**Definition 15** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.( \\ & (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) (ap \\ & c\_2Enum\_2ESUC V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) \\ & V1m)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(\neg (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap c\_2Enum\_2ESUC V0n)) c\_2Enum\_2E0)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(((ap (ap c\_2Earithmetic\_2E\_2D \\ & c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge ((ap (ap c\_2Earithmetic\_2E\_2D \\ & V0m) c\_2Enum\_2E0) = V0m))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.( \\ & (ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC \\ & V1m)) = (ap (ap c\_2Earithmetic\_2E\_2D V0n) V1m)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.( \\ & p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2D \\ & V0n) V1m)) V0n)))) \end{aligned} \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (((ap\ (c\_2Elist\_2ELENGTH\ A\_27a) \\ & (c\_2Elist\_2ENIL\ A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. ( \\ & \forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2ELENGTH \\ & A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t)) = (ap\ c\_2Enum\_2ESUC \\ & (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V1t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1l \in \\ & (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ (ap \\ & (ap\ (c\_2Elist\_2ESNOC\ A\_27a)\ V0x)\ V1l)) = (ap\ c\_2Enum\_2ESUC\ (ap\ ( \\ & c\_2Elist\_2ELENGTH\ A\_27a)\ V1l)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \\ & A\_27a). ((p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A\_27a. (p\ (ap\ V0P\ (ap\ ( \\ & c\_2Elist\_2ESNOC\ A\_27a)\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\ & (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\ & V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ (\forall V0l \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\ A.27a)\ c\_2Enum\_2E0)\ V0l) = (c\_2Elist\_2ENIL\ A.27a))) \wedge (\forall V1n \in \\ ty\_2Enum\_2Enum.(\forall V2x \in A.27b.(\forall V3l \in (ty\_2Elist\_2Elist \\ A.27b).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A.27b)\ (ap\ c\_2Enum\_2ESUC \\ V1n))\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A.27b)\ V2x)\ V3l)) = (ap\ (ap\ (c\_2Elist\_2ESNOC \\ A.27b)\ V2x)\ (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A.27b)\ V1n)\ V3l))))))) \\ (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ A.27a).((ap\ (ap\ (c\_2Elist\_2EDROP\ A.27a)\ (ap\ (c\_2Elist\_2ELENGTH \\ A.27a)\ V0l))\ V0l) = (c\_2Elist\_2ENIL\ A.27a))) \\ (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\ \forall V1l \in (ty\_2Elist\_2Elist\ A.27a).((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ V0n)\ (ap\ (c\_2Elist\_2ELENGTH\ A.27a)\ V1l))) \Rightarrow (\forall V2x \in A.27a. \\ ((ap\ (ap\ (c\_2Elist\_2EDROP\ A.27a)\ V0n)\ (ap\ (ap\ (c\_2Elist\_2ESNOC \\ A.27a)\ V2x)\ V1l)) = (ap\ (ap\ (c\_2Elist\_2ESNOC\ A.27a)\ V2x)\ (ap\ (ap\ ( \\ c\_2Elist\_2EDROP\ A.27a)\ V0n)\ V1l))))))) \\ (33) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\ \forall V1l \in (ty\_2Elist\_2Elist\ A.27a).((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ V0n)\ (ap\ (c\_2Elist\_2ELENGTH\ A.27a)\ V1l))) \Rightarrow ((ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\ A.27a)\ V0n)\ V1l) = (ap\ (ap\ (c\_2Elist\_2EDROP\ A.27a)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2D \\ (ap\ (c\_2Elist\_2ELENGTH\ A.27a)\ V1l))\ V0n))\ V1l)))))) \end{aligned}$$