

thm\_2Erich\_\_list\_2ELASTN\_\_LASTN (TMSvYR-  
WshG6urpRTN4MrN7W6WJ9b9FsA688)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (2)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (3)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (4)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num (c\_2Enum\_2ESUC\_REP m))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (5)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (6)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ESNOC\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (8)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (9)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EREVERSE\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (11)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ETAKE\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 15** We define  $c\_2Erich\_list\_2ELASTN$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2Enum\_2Enum. \lambda V1xs \in (ty$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. (p (ap (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m))) \Leftrightarrow (p (ap (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) V1m)))))) \tag{13}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Enum\_2E0) V0n))) \tag{14}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{19}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (((ap (c\_2Elist\_2ELENGTH A\_27a) (c\_2Elist\_2ENIL A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. (\forall V1t \in (ty\_2Elist\_2Elist A\_27a). ((ap (c\_2Elist\_2ELENGTH A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap c\_2Enum\_2ESUC (ap (c\_2Elist\_2ELENGTH A\_27a) V1t)))))) \tag{22}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1l \in \\ (ty\_2Elist\_2Elist\ A.27a). ((ap\ (c\_2Elist\_2ELENGTH\ A.27a)\ (ap \\ (ap\ (c\_2Elist\_2ESNOC\ A.27a)\ V0x)\ V1l)) = (ap\ c\_2Enum\_2ESUC\ (ap\ ( \\ c\_2Elist\_2ELENGTH\ A.27a)\ V1l)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A.27a)}). \\ (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A.27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \\ A.27a). ((p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A.27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\ c\_2Elist\_2ESNOC\ A.27a)\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ A.27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg((ap\ c\_2Enum\_2ESUC\ V0n) = c\_2Enum\_2E0))) \quad (25)$$

Assume the following.

$$\begin{aligned} (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\ (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\ V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\ V0n)\ c\_2Enum\_2E0)))) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ (\forall V0l \in (ty\_2Elist\_2Elist\ A.27a). ((ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\ A.27a)\ c\_2Enum\_2E0)\ V0l) = (c\_2Elist\_2ENIL\ A.27a))) \wedge (\forall V1n \in \\ ty\_2Enum\_2Enum. (\forall V2x \in A.27b. (\forall V3l \in (ty\_2Elist\_2Elist \\ A.27b). ((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A.27b)\ (ap\ c\_2Enum\_2ESUC \\ V1n))\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A.27b)\ V2x)\ V3l)) = (ap\ (ap\ (c\_2Elist\_2ESNOC \\ A.27b)\ V2x)\ (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A.27b)\ V1n)\ V3l))))))))) \end{aligned} \quad (28)$$

### Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ A.27a). (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2m \in ty\_2Enum\_2Enum. \\ ((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V2m)\ (ap\ (c\_2Elist\_2ELENGTH \\ A.27a)\ V0l))) \Rightarrow ((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V1n)\ V2m)) \Rightarrow \\ ((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A.27a)\ V1n)\ (ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\ A.27a)\ V2m)\ V0l)) = (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A.27a)\ V1n) \\ V0l))))))))) \end{aligned}$$