

thm_2Erich__list_2ELENGTH__FLAT (TMXAKhJbhLHjHSL7njhvSzBrSpKjy52rUcr)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ESUM : \iota$ be given. Assume the following.

$$c_2Elist_2ESUM \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)}) \tag{3}$$

Let $c_2Elist_2EFLAT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EFLAT\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ (ty_2Elist_2Elist\ A_27a))}) \tag{4}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{7}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{8}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a}})) \end{aligned} \tag{9}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \tag{10}$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \tag{11}$$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{12}$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \tag{13}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{14}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{16}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\begin{aligned} & (((ap\ c_2Elist_2ESUM\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)) = c_2Enum_2E0) \wedge \\ & (\forall V0h \in ty_2Enum_2Enum. (\forall V1t \in (ty_2Elist_2Elist \\ & ty_2Enum_2Enum). ((ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2ECONS \\ & ty_2Enum_2Enum)\ V0h)\ V1t)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0h) \\ & (ap\ c_2Elist_2ESUM\ V1t))))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2EFLAT\ A_27a)\ (\\ & c_2Elist_2ENIL\ (ty_2Elist_2Elist\ A_27a))) = (c_2Elist_2ENIL \\ & A_27a)) \wedge (\forall V0h \in (ty_2Elist_2Elist\ A_27a). (\forall V1t \in \\ & (ty_2Elist_2Elist\ (ty_2Elist_2Elist\ A_27a)). ((ap\ (c_2Elist_2EFLAT \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Elist_2Elist\ A_27a)\ V0h) \\ & V1t)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0h)\ (ap\ (c_2Elist_2EFLAT \\ & A_27a)\ V1t))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2ELENGTH\ A_27a) \\ & (c_2Elist_2ENIL\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\\ & \forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ELENGTH \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\ & (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1t))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in (A_27b^{A_27a}). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\ & V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\ & (A_27b^{A_27a}). (\forall V2h \in A_27a. (\forall V3t \in (ty_2Elist_2Elist \\ & A_27a). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h)) \\ & (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\
& \quad A_{.27a}).(\forall V1l2 \in (ty_2Elist_2Elist\ A_{.27a}).((ap\ (c_2Elist_2ELENGTH \\
A_{.27a})\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_{.27a})\ V0l1)\ V1l2)) = (ap\ (ap\ c_2Earithmetic_2E_2B \\
& \quad (ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ V0l1))\ (ap\ (c_2Elist_2ELENGTH\ A_{.27a}) \\
& \quad \quad V1l2)))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& \quad (ty_2Elist_2Elist\ A_{.27a}).((ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ (ap \\
(c_2Elist_2EFLAT\ A_{.27a})\ V0l)) = (ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2EMAP \\
& \quad (ty_2Elist_2Elist\ A_{.27a})\ ty_2Enum_2Enum)\ (c_2Elist_2ELENGTH \\
& \quad \quad A_{.27a})\ V0l))))))
\end{aligned}$$