

thm_2Erich__list_2ELIST__ELEM__COUNT__THM
 (TM-
 Lep6j2j6SwGRoxdHDGGuQrgwQVbZDbvFD)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \quad \forall V2p \in ty_2Enum_2Enum. (((ap (ap c_2Earithmic_2E_2B V0m) \\ & \quad V2p) = (ap (ap c_2Earithmic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & \quad A_27a. (p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\ & \quad True)) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & \quad A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. (\forall V5y_27 \in A_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) V5y_27))))))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0f \in (2^{A_27a}). (\forall V1v \in A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (((ap (c_2Elist_2ELENGTH A_27a) (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap c_2Enum_2ESUC (ap (c_2Elist_2ELENGTH A_27a) V1t)))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0P \in (2^{A_27a}).((ap\ (\\
& ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL \\
& A_27a))) \wedge (\forall V1P \in (2^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in \\
& (ty_2Elist_2Elist\ A_27a).((ap\ (ap\ (c_2Elist_2EFILTER\ A_27a) \\
& V1P)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\
& (ty_2Elist_2Elist\ A_27a))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V2h)\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V1P)\ V3t))))\ (ap\ (ap \\
& (c_2Elist_2EFILTER\ A_27a)\ V1P)\ V3t))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\
& A_27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A_27a).((ap\ (c_2Elist_2ELENGTH \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2)) = (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V0l1))\ (ap\ (c_2Elist_2ELENGTH\ A_27a) \\
& V1l2))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1L \in \\
& (ty_2Elist_2Elist\ A_27a).(\forall V2M \in (ty_2Elist_2Elist\ A_27a). \\
& ((ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& A_27a)\ V1L)\ V2M)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ (ap\ (c_2Elist_2EFILTER \\
& A_27a)\ V0P)\ V1L))\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ V2M))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\
& ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{34}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow ((\forall V0e \in A_27a. \\
& ((ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT\ A_27a)\ V0e)\ (c_2Elist_2ENIL \\
& A_27a)) = c_2Enum_2E0)) \wedge ((\forall V1e \in A_27b. (\forall V2l1 \in (\\
& ty_2Elist_2Elist\ A_27b). (\forall V3l2 \in (ty_2Elist_2Elist\ A_27b). \\
& ((ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT\ A_27b)\ V1e)\ (ap \\
& (ap\ (c_2Elist_2EAPPEND\ A_27b)\ V2l1)\ V3l2)) = (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT\ A_27b)\ V1e)\ V2l1)) \\
& (ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT\ A_27b)\ V1e)\ V3l2)))))) \wedge \\
& ((\forall V4e \in A_27c. (\forall V5h \in A_27c. (\forall V6l \in (ty_2Elist_2Elist \\
& A_27c). ((V5h = V4e) \Rightarrow ((ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT \\
& A_27c)\ V4e)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27c)\ V5h)\ V6l)) = (ap\ c_2Enum_2ESUC \\
& (ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT\ A_27c)\ V4e)\ V6l)))))) \wedge \\
& (\forall V7e \in A_27d. (\forall V8h \in A_27d. (\forall V9l \in (ty_2Elist_2Elist \\
& A_27d). ((\neg(V8h = V7e)) \Rightarrow ((ap\ (ap\ (c_2Erich_list_2ELIST_ELEM_COUNT \\
& A_27d)\ V7e)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27d)\ V8h)\ V9l)) = (ap\ (ap\ (\\
& c_2Erich_list_2ELIST_ELEM_COUNT\ A_27d)\ V7e)\ V9l)))))))))
\end{aligned}$$