

thm_2Erich__list_2EMEM__FOLDR__MAP
(TMK-
sXRZYRsi6gDEHeBdmGjZXGW2V73skfTU)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EMAP A_27a A_27b \in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a})}) \quad (2)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDR A_27a A_27b \in (((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b^{A_27b})^{A_27a})}) \quad (3)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (4)$$

Definition 7 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Assume the following.

$$True \tag{5}$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{6}$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1e \in \\ & A_27b. (\forall V2g \in (A_27a^{A_27c}). (\forall V3l \in (ty_2Elist_2Elist \\ & A_27c). ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b)\ V0f)\ V1e)\ (ap \\ & (ap\ (c_2Elist_2EMAP\ A_27c\ A_27a)\ V2g)\ V3l)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR \\ & A_27c\ A_27b)\ (\lambda V4x \in A_27c. (\lambda V5y \in A_27b. (ap\ (ap\ V0f\ (ap\ V2g \\ & V4x))\ V5y))))\ V1e)\ V3l)))))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0y \in A_27a. (\forall V1l \in \\ & (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0y) \\ & (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ V1l))) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR \\ & A_27a\ 2)\ (\lambda V2x \in A_27a. (\lambda V3l_27 \in 2. (ap\ (ap\ c_2Ebool_2E_5C_2F \\ & (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V0y)\ V2x))\ V3l_27))))\ c_2Ebool_2EF \\ & V1l)))))) \end{aligned} \tag{9}$$

Theorem 1

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1l \in \\ & (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x) \\ & (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ V1l))) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR \\ & 2\ 2)\ c_2Ebool_2E_5C_2F)\ c_2Ebool_2EF)\ (ap\ (ap\ (c_2Elist_2EMAP \\ & A_27a\ 2)\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V0x))\ V1l)))))) \end{aligned}$$