

thm\_2Erich\_list\_2EREVERSE\_FLAT  
 (TMTvxmwgCnZ8ypVcydKa5HcXEXG2RnD8PF9)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a A\_27b \in (((ty\_2Elist\_2Elist A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (2)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \end{aligned} \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \end{aligned} \quad (4)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EREVERSE A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \end{aligned} \quad (5)$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2EAPPEND A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (6)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ESNOC A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (7)$$

Let  $c\_2Elist\_2EFLAT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2EFLAT A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist (ty\_2Elist\_2Elist A\_27a))}) \quad (8)$$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (10)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (((ap(c\_2Elist\_2EFLAT A\_27a) (c\_2Elist\_2ENIL (ty\_2Elist\_2Elist A\_27a))) = (c\_2Elist\_2ENIL A\_27a)) \wedge (\forall V0h \in (ty\_2Elist\_2Elist A\_27a).(\forall V1t \in (ty\_2Elist\_2Elist (ty\_2Elist\_2Elist A\_27a)).((ap(c\_2Elist\_2EFLAT A\_27a) (ap(ap(c\_2Elist\_2ECONS (ty\_2Elist\_2Elist A\_27a)) V0h) V1t)) = (ap(ap(c\_2Elist\_2EAPPEND A\_27a) V0h) (ap(c\_2Elist\_2EFLAT A\_27a) V1t))))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& (\forall V0f \in (A_{27b}^{A_{27a}}).((ap (ap (c_2Elist\_2EMAP A_{27a} A_{27b}) \\
& V0f) (c_2Elist\_2ENIL A_{27a})) = (c_2Elist\_2ENIL A_{27b}))) \wedge (\forall V1f \in \\
& (A_{27b}^{A_{27a}}).(\forall V2h \in A_{27a}.(\forall V3t \in (ty\_2Elist\_2Elist \\
& A_{27a}).((ap (ap (c_2Elist\_2EMAP A_{27a} A_{27b}) V1f) (ap (ap (c_2Elist\_2ECONS \\
& A_{27a}) V2h) V3t)) = (ap (ap (c_2Elist\_2ECONS A_{27b}) (ap V1f V2h)) \\
& (ap (ap (c_2Elist\_2EMAP A_{27a} A_{27b}) V1f) V3t))))))) \\
& (14)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A_{27a})}). \\
& (((p (ap V0P (c_2Elist\_2ENIL A_{27a}))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
& A_{27a}).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_{27a}.(p (ap V0P (ap (ap \\
& c_2Elist\_2ECONS A_{27a}) V2h) V1t))))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A_{27a}).(p (ap V0P V3l)))) \\
& (15)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\
& A_{27a}).(\forall V1l2 \in (ty\_2Elist\_2Elist A_{27a}).((ap (c_2Elist\_2EREVERSE \\
& A_{27a}) (ap (ap (c_2Elist\_2EAPPEND A_{27a}) V0l1) V1l2)) = (ap (ap ( \\
& c_2Elist\_2EAPPEND A_{27a}) (ap (c_2Elist\_2EREVERSE A_{27a}) V1l2)) \\
& (ap (c_2Elist\_2EREVERSE A_{27a}) V0l1)))))) \\
& (16)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& ((ap (c_2Elist\_2EREVERSE A_{27b}) (c_2Elist\_2ENIL A_{27b})) = (c_2Elist\_2ENIL \\
& A_{27b})) \wedge (\forall V0x \in A_{27a}.(\forall V1l \in (ty\_2Elist\_2Elist \\
& A_{27a}).((ap (c_2Elist\_2EREVERSE A_{27a}) (ap (ap (c_2Elist\_2ECONS \\
& A_{27a}) V0x) V1l)) = (ap (ap (c_2Elist\_2ESNOC A_{27a}) V0x) (ap (c_2Elist\_2EREVERSE \\
& A_{27a}) V1l)))))) \\
& (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in (ty\_2Elist\_2Elist \\
& A_{27a}).(\forall V1l \in (ty\_2Elist\_2Elist (ty\_2Elist\_2Elist A_{27a})). \\
& ((ap (c_2Elist\_2EFLAT A_{27a}) (ap (ap (c_2Elist\_2ESNOC (ty\_2Elist\_2Elist \\
& A_{27a}) V0x) V1l)) = (ap (ap (c_2Elist\_2EAPPEND A_{27a}) (ap (c_2Elist\_2EFLAT \\
& A_{27a}) V1l)) V0x)))))) \\
& (18)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ (ty\_2Elist\_2Elist A\_27a)).((ap (c\_2Elist\_2EREVERSE A\_27a) ( \\ ap (c\_2Elist\_2EFLAT A\_27a) V0l)) = (ap (c\_2Elist\_2EFLAT A\_27a) \\ (ap (c\_2Elist\_2EREVERSE (ty\_2Elist\_2Elist A\_27a)) (ap (ap (c\_2Elist\_2EMAP \\ (ty\_2Elist\_2Elist A\_27a) (ty\_2Elist\_2Elist A\_27a)) (c\_2Elist\_2EREVERSE \\ A\_27a)) V0l)))))) \end{aligned}$$