

thm_2Erich__list_2ESEG__LENGTH__ID
(TMLK6spztjAjPUkfGXocsgpmkWRD2VxPTU3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \tag{4}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{7}$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num ($

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (8)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 6 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Erich_list_2ESEG : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Erich_list_2ESEG A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)} ty_2Enum_2Enum)^{ty_2Enum_2Enum} \quad (10)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (12)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (((ap (c_2Elist_2ELENGTH A_27a) (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap c_2Enum_2ESUC (ap (c_2Elist_2ELENGTH A_27a) V1t))))))) \quad (14)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist A_27a). ((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a. (p (ap V0P (ap (ap (c_2Elist_2ECONS A_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist A_27a). (p (ap V0P V3l)))))) \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0k \in ty_2Enum_2Enum. \\
& (\forall V1l \in (ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (ap\ (c.2Erich_list_2ESEG \\
& A.27a)\ c.2Enum_2E0)\ V0k)\ V1l) = (c.2Elist_2ENIL\ A.27a)))) \wedge ((\forall V2m \in \\
& ty_2Enum_2Enum.(\forall V3x \in A.27a.(\forall V4l \in (ty_2Elist_2Elist \\
& A.27a).((ap\ (ap\ (ap\ (c.2Erich_list_2ESEG\ A.27a)\ (ap\ c.2Enum_2ESUC \\
& V2m))\ c.2Enum_2E0)\ (ap\ (ap\ (c.2Elist_2ECONS\ A.27a)\ V3x)\ V4l)) = \\
& (ap\ (ap\ (c.2Elist_2ECONS\ A.27a)\ V3x)\ (ap\ (ap\ (ap\ (c.2Erich_list_2ESEG \\
& A.27a)\ V2m)\ c.2Enum_2E0)\ V4l)))))) \wedge (\forall V5m \in ty_2Enum_2Enum. \\
& (\forall V6k \in ty_2Enum_2Enum.(\forall V7x \in A.27a.(\forall V8l \in \\
& (ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (ap\ (c.2Erich_list_2ESEG \\
& A.27a)\ (ap\ c.2Enum_2ESUC\ V5m))\ (ap\ c.2Enum_2ESUC\ V6k))\ (ap\ (ap\ (\\
& c.2Elist_2ECONS\ A.27a)\ V7x)\ V8l)) = (ap\ (ap\ (ap\ (c.2Erich_list_2ESEG \\
& A.27a)\ (ap\ c.2Enum_2ESUC\ V5m))\ V6k)\ V8l)))))))))
\end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& A.27a).((ap\ (ap\ (ap\ (c.2Erich_list_2ESEG\ A.27a)\ (ap\ (c.2Elist_2ELENGTH \\
& A.27a)\ V0l))\ c.2Enum_2E0)\ V0l) = V0l))
\end{aligned}$$