

thm_2Erich_list_2ESEG_LENGTH_SNOC
 (TMa6DEnS3guKnfUnheiCYQuCm4zKQ1RWf3a)

October 26, 2020

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2ABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2ABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be ($ap\ c_2Enum_2ABS_num\ c_2Enum_2ZERO_REP$).

Definition 3 We define $c_2Earithmetic_2ZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 4 We define c_2Ebool_2ET to be ($ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$).

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x)))$.

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2ABS_num\ m)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = (ap c_2Ebool_2EF)$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (7)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (8)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}))^{A_27a} \quad (9)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}))^{A_27a} \quad (10)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (11)$$

Let $c_2Erich_list_2ESEG : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Erich_list_2ESEG A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (12)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.((ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = (ap c_2Enum_2ESUC c_2Enum_2E0))))))$

Assume the following.

$$((ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = (ap c_2Enum_2ESUC c_2Enum_2E0)) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_{27a}.(p V0t)) \Leftrightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (((ap(c_2Elist_2ELENGTH A_{27a}) \\ & (c_2Elist_2ENIL A_{27a})) = c_2Enum_2E0) \wedge (\forall V0h \in A_{27a}.(\\ & \forall V1t \in (ty_2Elist_2Elist A_{27a}).((ap(c_2Elist_2ELENGTH \\ & A_{27a})(ap(ap(c_2Elist_2ECONS A_{27a}) V0h) V1t)) = (ap c_2Enum_2ESUC \\ & (ap(c_2Elist_2ELENGTH A_{27a}) V1t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist A_{27a})}). \\ & (((p(ap V0P(c_2Elist_2ENIL A_{27a}))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A_{27a}).((p(ap V0P V1t)) \Rightarrow (\forall V2h \in A_{27a}.(p(ap V0P(ap \\ & (c_2Elist_2ECONS A_{27a}) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_{27a}).(p(ap V0P V3l)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & ((\forall V0x \in A_{27a}.((ap(ap(c_2Elist_2ESNOC \\ & A_{27a}) V0x)(c_2Elist_2ENIL A_{27a})) = (ap(ap(c_2Elist_2ECONS \\ & A_{27a}) V0x)(c_2Elist_2ENIL A_{27a}))) \wedge (\forall V1x \in A_{27a}.(\forall V2x_27 \in \\ & A_{27a}.(\forall V3l \in (ty_2Elist_2Elist A_{27a}).((ap(ap(c_2Elist_2ESNOC \\ & A_{27a}) V1x)(ap(ap(c_2Elist_2ECONS A_{27a}) V2x_27) V3l)) = (ap \\ & (ap(c_2Elist_2ECONS A_{27a}) V2x_27)(ap(ap(c_2Elist_2ESNOC A_{27a}) \\ & V1x) V3l))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0k \in \text{ty_2Enum_2Enum.} \\
& (\forall V1l \in (\text{ty_2Elist_2Elist } A_27a).((\text{ap } (\text{ap } (\text{ap } (\text{c_2Erich_list_2ESEG } \\
& A_27a) \text{ c_2Enum_2E0}) V0k) V1l) = (\text{c_2Elist_2ENIL } A_27a)))) \wedge ((\forall V2m \in \\
& \text{ty_2Enum_2Enum.} (\forall V3x \in A_27a.(\forall V4l \in (\text{ty_2Elist_2Elist } \\
& A_27a).((\text{ap } (\text{ap } (\text{ap } (\text{c_2Erich_list_2ESEG } A_27a) (\text{ap } \text{c_2Enum_2ESUC } \\
& V2m) \text{ c_2Enum_2E0}) (\text{ap } (\text{ap } (\text{c_2Elist_2ECONS } A_27a) V3x) V4l)) = \\
& (\text{ap } (\text{ap } (\text{c_2Elist_2ECONS } A_27a) V3x) (\text{ap } (\text{ap } (\text{ap } (\text{c_2Erich_list_2ESEG } \\
& A_27a) V2m) \text{ c_2Enum_2E0}) V4l))))))) \wedge ((\forall V5m \in \text{ty_2Enum_2Enum.} \\
& (\forall V6k \in \text{ty_2Enum_2Enum.} (\forall V7x \in A_27a.(\forall V8l \in \\
& (\text{ty_2Elist_2Elist } A_27a).((\text{ap } (\text{ap } (\text{ap } (\text{c_2Erich_list_2ESEG } \\
& A_27a) (\text{ap } \text{c_2Enum_2ESUC } V5m)) (\text{ap } \text{c_2Enum_2ESUC } V6k)) (\text{ap } (\text{ap } (\text{c_2Elist_2ECONS } A_27a) V7x) V8l)) = (\text{ap } (\text{ap } (\text{ap } (\text{c_2Erich_list_2ESEG } \\
& A_27a) (\text{ap } \text{c_2Enum_2ESUC } V5m)) V6k) V8l))))))) \\
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (\text{ty_2Elist_2Elist } \\
& A_27a).(\forall V1x \in A_27a.((\text{ap } (\text{ap } (\text{ap } (\text{c_2Erich_list_2ESEG } \\
& A_27a) (\text{ap } \text{c_2Earithmetic_2ENUMERAL } (\text{ap } \text{c_2Earithmetic_2EBIT1 } \\
& \text{c_2Earithmetic_2EZERO}))) (\text{ap } (\text{c_2Elist_2ELENGTH } A_27a) V0l)) \\
& (\text{ap } (\text{ap } (\text{c_2Elist_2ESNOC } A_27a) V1x) V0l)) = (\text{ap } (\text{ap } (\text{c_2Elist_2ECONS } \\
& A_27a) V1x) (\text{c_2Elist_2ENIL } A_27a)))) \\
\end{aligned}$$