

thm_2Erich_list_2ESEG__REVERSE
 (TMEx7e9sAgyaF9s9zKSjyuYWfwj2e9YvUhs)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (V0t1 = V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_{_2Ebool_2E_3F}$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\; V0P\; (ap\; (c_{_2Emin_2E_40}$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Earthmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_{\text{Ebool}} \cdot 2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_{\text{Ebool}} \cdot 2E_21_2)(\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$

define c_2Enum_2E0 to be ($ap\ c_2Enum_2EABS_num\ c_2E$

Definition 16 We define \in 2Ebool 2ECOND to be $\lambda A \exists \vec{a} : \nu. (\lambda V 0 t \in 2. (\lambda V 1 t_1 \in A \exists \vec{a}. (\lambda V 2 t_2 \in A \exists \vec{a}. ($

Definition 17. We define \mathcal{C} -2Eprim-rec-2EPRE to be $\forall V \exists m \in t_V \text{ 2Enum_2Enum_} (\alpha_1 \cdot \alpha_2 \cdot \alpha_3 \cdot \mathcal{C}\text{-2Ebool_2Bool_} (\alpha_4 \cdot \alpha_5 \cdot \alpha_6 \cdot \alpha_7 \cdot \alpha_8 \cdot \alpha_9 \cdot \alpha_{10}))$

Let α be a 2E arithmetic 2EF EXPR that be given. Assume the following.

$\neg \exists E_{\text{with}} \exists t \exists EEXR \in ((t, \neg \exists E_{\text{enum}}, \neg \exists E_{\text{enum}}, t, \neg \exists E_{\text{enum}}, \neg \exists E_{\text{enum}}))$

Let c_2 be given. Assume the following. (8)

$$O_{\text{LL}} \text{ at } \tau = 0 \in \langle \phi_{\text{LL}}(r) \rangle_{\text{LL}} \quad , \quad (9)$$

Definition 18 We define $c_{\text{Z}-\text{enumeration}}$ to be $\lambda x. \text{length}(\text{enum_name}.v\; x)$.

Definition 19 We define C₂Arithmetical ENUMERATION to be $\lambda V\,\lambda x\in tg_Enum_Enum.\,V\,x$.

Let t be an arithmetic variable. Assume the following.

$$c_2 \text{earithmetic_2E_2B} \in ((\text{try_2Enum_2Enum}^*)^{\text{2Bname2Bname}})^{\text{2Bname2Bname}} \quad (10)$$

Definition 20 We define $c_2Earthmetic_2EBIT\ z$ to be $\lambda V \ \Theta n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic$

Definition 21 We define $c_2Earthmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic$

Definition 22 We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2EO`.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (11)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. nonempty\ A \Rightarrow nonempty\ (ty_2Elist_2Elist\ A) \quad (12)$$

Let $c_2Erich_list_2ESEG : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Erich_list_2ESEG A_27a \in ((\\((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EREVERSE A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (14)$$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EDROP A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (15)$$

Definition 23 We define $c_2Erich_list_2EBUTLASTN$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.\lambda V1xs$

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ETAKE\ A_27a \in (((ty_2Elist_2Elist\\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (16)$$

Definition 24 We define $c_2Erich_list_2ELASTN$ to be $\lambda A_27a : \lambda V0n \in ty_2Enum_2Enum. \lambda V1xs \in (ty$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (\text{ty_2Enum_2Enum}^{(\text{ty_2Elist_2Elist}\ A_27a)})$$

(17)

Definition 25 We define $c_2Earthmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Assume the following.

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B V1n) V0m)))) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B V0m) V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) = (ap (ap c_2Earithmetic_2E_2B V0m) V1n) V2p)))) \quad (20)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D c_2Enum_2E0) V0n))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\ & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\ & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A V0m) V1n))))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \wedge (p (ap c_2Earithmetic_2E_3C_3D V0m) V2p))) \Rightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p))))))) \quad (23)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D (ap (ap c_2Earithmetic_2E_2D V0n) V1m)) V0n)))) \quad (24)$$

Assume the following.

$$(\forall V0a \in ty_2Enum_2Enum. (\forall V1c \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B V0a) V1c)) V1c) = V0a))) \quad (25)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0b \in ty_2Enum_2Enum. (\forall V1c \in ty_2Enum_2Enum. \\
 & (p (ap (ap c_2Earithmetic_2E_3C_3D V1c) V0b)) \Rightarrow (\forall V2a \in ty_2Enum_2Enum. \\
 & ((ap (ap c_2Earithmetic_2E_2D V2a) (ap (ap c_2Earithmetic_2E_2D \\
 & V0b) V1c)) = (ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B \\
 & V2a) V1c)) V0b))))))) \\
 \end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & (V0m = V1n) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \wedge (p \\
 & (ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m)))))) \\
 \end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & (\forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
 & V0m) V2p)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))) \\
 \end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & (ap c_2Enum_2ESUC V1n) V0m)))))) \\
 \end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & (\neg(V0m = V1n) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
 & V0m) V1n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
 & V1n) V0m))))))) \\
 \end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\
 & c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 & c_2Earithmetic_2EZERO)) V0n))) \\
 \end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0P \in (2^{ty_2Enum_2Enum}). (\forall V1a \in ty_2Enum_2Enum. \\
 & (\forall V2b \in ty_2Enum_2Enum. ((p (ap V0P (ap (ap c_2Earithmetic_2E_2D \\
 & V1a) V2b)) \Leftrightarrow (\forall V3d \in ty_2Enum_2Enum. (((V2b = (ap (ap c_2Earithmetic_2E_2B \\
 & V1a) V3d)) \Rightarrow (p (ap V0P c_2Enum_2E0))) \wedge ((V1a = (ap (ap c_2Earithmetic_2E_2B \\
 & V2b) V3d)) \Rightarrow (p (ap V0P V3d)))))))))) \\
 \end{aligned} \tag{32}$$

Assume the following.

$$True \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0t \in 2.((\forall V1x \in \\ A_27a.(p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge \\ ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3))))))) \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ (p V0t)) \Leftrightarrow (p V0t))))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow \\ (p V0t)) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (37)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (\\ (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow (\neg(p V0A) \\ \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (44)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (45)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ & A_27a).((ap (c_2Elist_2ELENGTH A_27a) (ap (c_2Elist_2EREVERSE \\ & A_27a) V0l)) = (ap (c_2Elist_2ELENGTH A_27a) V0l))) \end{aligned} \quad (47)$$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. \\
& \forall V1l \in (ty_2Elist_2Elist A_27a). ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) (ap (c_2Elist_2ELENGTH A_27a) V1l))) \Rightarrow ((ap (c_2Elist_2ELENGTH \\
& A_27a) (ap (ap (c_2Erich_list_2EBUTLASTN A_27a) V0n) V1l)) = (\\
& ap (ap c_2Earithmetic_2E_2D (ap (c_2Elist_2ELENGTH A_27a) V1l) \\
& V0n)))))) \\
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. \\
& \forall V1m \in ty_2Enum_2Enum. (\forall V2l \in (ty_2Elist_2Elist \\
& A_27a). ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap (ap c_2Earithmetic_2E_2B \\
& V0n) V1m)) (ap (c_2Elist_2ELENGTH A_27a) V2l))) \Rightarrow ((ap (ap (ap (c_2Erich_list_2ESEG \\
& A_27a) V0n) V1m) V2l) = (ap (ap (c_2Elist_2ETAKE A_27a) V0n) (ap (\\
& ap (c_2Elist_2EDROP A_27a) V1m) V2l))))))) \\
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. \\
& \forall V1m \in ty_2Enum_2Enum. (\forall V2l \in (ty_2Elist_2Elist \\
& A_27a). ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap (ap c_2Earithmetic_2E_2B \\
& V0n) V1m)) (ap (c_2Elist_2ELENGTH A_27a) V2l))) \Rightarrow ((ap (ap (ap (c_2Erich_list_2ESEG \\
& A_27a) V0n) V1m) V2l) = (ap (ap (c_2Erich_list_2ELASTN A_27a) V0n) \\
& (ap (ap (c_2Erich_list_2EBUTLASTN A_27a) (ap (ap c_2Earithmetic_2E_2D \\
& (ap (c_2Elist_2ELENGTH A_27a) V2l)) (ap (ap c_2Earithmetic_2E_2B \\
& V0n) V1m))) V2l))))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0n \in ty_{.2Enum}.2Enum. (\\ & \forall V1l \in (ty_{.2Elist}.2Elist\ A_{.27a}).((p\ (ap\ (ap\ c_{.2E}arithmetic_{.2E}.3C.3D} \\ & V0n)\ (ap\ (c_{.2Elist}.2ELENGTH\ A_{.27a})\ V1l))) \Rightarrow ((ap\ (ap\ (c_{.2Elist}.2EDROP} \\ & A_{.27a})\ V0n)\ (ap\ (c_{.2Elist}.2EREVERSE\ A_{.27a})\ V1l)) = (ap\ (c_{.2Elist}.2EREVERSE} \\ & A_{.27a})\ (ap\ (ap\ (c_{.2E}rich_list_{.2EBUTLASTN}\ A_{.27a})\ V0n)\ V1l)))))) \\ & (53) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0n \in ty_{.2Enum}.2Enum. (\\ & \forall V1l \in (ty_{.2Elist}.2Elist\ A_{.27a}).((p\ (ap\ (ap\ c_{.2E}arithmetic_{.2E}.3C.3D} \\ & V0n)\ (ap\ (c_{.2Elist}.2ELENGTH\ A_{.27a})\ V1l))) \Rightarrow ((ap\ (ap\ (c_{.2Elist}.2ETAKE} \\ & A_{.27a})\ V0n)\ (ap\ (c_{.2Elist}.2EREVERSE\ A_{.27a})\ V1l)) = (ap\ (c_{.2Elist}.2EREVERSE} \\ & A_{.27a})\ (ap\ (ap\ (c_{.2E}rich_list_{.2ELASTN}\ A_{.27a})\ V0n)\ V1l)))))) \\ & (54) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (59)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee ((\neg(p\ V1q)) \wedge ((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p))))))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))) \quad (60) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & ((\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))))) \quad (61) \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
 & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
 \end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
 & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))))
 \end{aligned} \tag{63}$$

Theorem 1

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0n \in \text{ty_2Enum_2Enum}.(\\
 & \quad \forall V1m \in \text{ty_2Enum_2Enum}.(\forall V2l \in (\text{ty_2Elist_2Elist} \\
 & \quad A_27a).((p (ap (ap c_2Earithmetic_2E_3C_3D (ap (ap c_2Earithmetic_2E_2B \\
 & \quad V0n) V1m)) (ap (c_2Elist_2ELENGTH A_27a) V2l))) \Rightarrow ((ap (ap (ap (c_2Erich_list_2ESEG \\
 & \quad A_27a) V0n) V1m) (ap (c_2Elist_2EREVERSE A_27a) V2l)) = (ap (c_2Elist_2EREVERSE \\
 & \quad A_27a) (ap (ap (ap (c_2Erich_list_2ESEG A_27a) V0n) (ap (ap c_2Earithmetic_2E_2D \\
 & \quad (ap (c_2Elist_2ELENGTH A_27a) V2l)) (ap (ap c_2Earithmetic_2E_2B \\
 & \quad V0n) V1m))) V2l)))))))
 \end{aligned}$$