

# thm\_2Erich\_list\_2ESNOC\_EL\_TAKE (TMX-ExhKv5PosE4A7fNVZhK78DQRUb3rLm3Z)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (2)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (3)$$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 6** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. inj\_o (V0t1 = V1t2))))$

Let  $c\_2Elist\_2EHd : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EHd\ A\_27a \in (A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (4)$$

Let  $c\_2Elist\_2EEL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2EEL\ A_{27a} \in ((A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})})^{ty\_2Enum\_2Enum} \quad (5)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ESNOC\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})})^{A_{27a}}) \quad (6)$$

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

**Definition 12** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ECONS\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})})^{A_{27a}}) \quad (10)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ENIL\ A_{27a} \in (ty\_2Elist\_2Elist\ A_{27a}) \quad (11)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (12)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP).$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ETAKE\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})})^{ty\_2Enum\_2Enum}) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Enum\_2ESUC \\ & V1n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)))))) \\ & \end{aligned} \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \quad (20)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t))))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow \quad (24) \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0h \in A\_27a.(\forall V1t \in \\ (ty\_2Elist\_2Elist A\_27a).((ap (c\_2Elist\_2EHD A\_27a) (ap (ap ( \\ c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = V0h))) \quad (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (((ap (c\_2Elist\_2ELENGTH A\_27a) \\ (c\_2Elist\_2ENIL A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a.(\forall V1t \in (ty\_2Elist\_2Elist A\_27a).((ap (c\_2Elist\_2ELENGTH \\ A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap c\_2Enum\_2ESUC \\ (ap (c\_2Elist\_2ELENGTH A\_27a) V1t))))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ A\_27a).((V0l = (c\_2Elist\_2ENIL A\_27a)) \vee (\exists V1h \in A\_27a.(\forall V2t \in (ty\_2Elist\_2Elist A\_27a).((V0l = (ap (ap (c\_2Elist\_2ECONS \\ A\_27a) V1h) V2t))))))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0a0 \in A\_27a.(\forall V1a1 \in \\ (ty\_2Elist\_2Elist A\_27a).(\forall V2a0\_27 \in A\_27a.(\forall V3a1\_27 \in \\ (ty\_2Elist\_2Elist A\_27a).(((ap (ap (c\_2Elist\_2ECONS A\_27a) V0a0) \\ V1a1) = (ap (ap (c\_2Elist\_2ECONS A\_27a) V2a0\_27) V3a1\_27)) \Leftrightarrow ((V0a0 = \\ V2a0\_27) \wedge (V1a1 = V3a1\_27))))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1l \in A\_27b.(\forall V2ls \in \\ (ty\_2Elist\_2Elist A\_27b).(((ap (c\_2Elist\_2EEL A\_27a) c\_2Enum\_2E0) = \\ (c\_2Elist\_2EHD A\_27a)) \wedge ((ap (ap (c\_2Elist\_2EEL A\_27b) (ap c\_2Enum\_2ESUC \\ V0n)) (ap (ap (c\_2Elist\_2ECONS A\_27b) V1l) V2ls)) = (ap (ap (c\_2Elist\_2EEL \\ A\_27b) V0n) V2ls))))))) \quad (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0x \in A_{27a}.((ap\ (ap\ (c\_2Elist\_2ESNOC \\ A_{27a})\ V0x)\ (c\_2Elist\_2ENIL\ A_{27a})) = (ap\ (ap\ (c\_2Elist\_2ECONS \\ A_{27a})\ V0x)\ (c\_2Elist\_2ENIL\ A_{27a})))) \wedge (\forall V1x \in A_{27a}.(\forall V2x\_27 \in \\ A_{27a}.(\forall V3l \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (ap\ (c\_2Elist\_2ESNOC \\ A_{27a})\ V1x)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2x\_27)\ V3l)) = (ap\ ( \\ ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2x\_27)\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A_{27a}) \\ V1x)\ V3l))))))) \\ (30) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\ (\forall V1n \in ty\_2Enum\_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\ V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p\ (ap\ V0P\ V2n)))) \\ (31) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\ V0n)\ c\_2Enum\_2E0)))) \\ (32)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0) \\ (ap\ c\_2Enum\_2ESUC\ V0n)))) \\ (33)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l \in (ty\_2Elist\_2Elist \\ A_{27a}).((ap\ (ap\ (c\_2Elist\_2ETAKE\ A_{27a})\ c\_2Enum\_2E0)\ V0l) = (c\_2Elist\_2ENIL \\ A_{27a}))) \wedge (\forall V1n \in ty\_2Enum\_2Enum.(\forall V2x \in A_{27a}.( \\ \forall V3l \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (ap\ (c\_2Elist\_2ETAKE \\ A_{27a})\ (ap\ c\_2Enum\_2ESUC\ V1n))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2x))\ (ap\ (ap\ (c\_2Elist\_2ETAKE \\ A_{27a})\ V1n)\ V3l))))))) \\ (34) \end{aligned}$$

### Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0n \in ty\_2Enum\_2Enum.( \\ \forall V1l \in (ty\_2Elist\_2Elist\ A_{27a}).((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\ V0n)\ (ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V1l))) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2ESNOC \\ A_{27a})\ (ap\ (ap\ (c\_2Elist\_2EEL\ A_{27a})\ V0n)\ V1l))\ (ap\ (ap\ (c\_2Elist\_2ETAKE \\ A_{27a})\ V0n)\ V1l)) = (ap\ (ap\ (c\_2Elist\_2ETAKE\ A_{27a})\ (ap\ c\_2Enum\_2ESUC \\ V0n))\ V1l)))))) \\ \end{aligned}$$