

# thm\_2Erich\_list\_2ETAKE\_APPEND

(TMQwuwR8HD3pd2DKQ6rgRw4VD1dab2unrka)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (2)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (3)$$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. inj\_o (p V0t1 \Rightarrow p V1t2))))$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}))^{(ty\_2Elist\_2Elist\ A\_27a)} \quad (4)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ZERO\_REP \in \omega \quad (5)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (6)$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $\text{c\_2Earithmetic\_2EZERO}$  to be  $\text{c\_2Enum\_2E0}$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^\omega) \quad (8)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c_2$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V \alpha \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\ \alpha\ V)\ \alpha)$

**Definition 13** We define  $c\_2Earthmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c_2$  be given. Assume the following.

$$c_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum ty\_2Enum\_2Enum) ty\_2Enum\_2Enum) \\ (10)$$

**Definition 14** We define  $c_{\text{C\_Ebool\_2E\_2F\_5C}}$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_{\text{C\_Ebool\_2E\_21}}) 2)) (\lambda V2t \in$

**Definition 15** We define  $c_2Ebool\_2ECOND$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let  $c_2Elist_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist\_2ECONS\ A_27a \in (((ty\_2Elist\_2Elist\\ A_27a)(ty\_2Elist\_2Elist\ A_27a))^{A_27a}) \quad (11)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A \neq \emptyset \Rightarrow c \in A$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ETAKE A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)} ty\_2Enum\_2Enum)) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge ((ap (ap c\_2Earithmetic\_2E\_2D V0m) c\_2Enum\_2E0) = V0m))) \quad (14)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m)) = (ap (ap c\_2Earithmetic\_2E\_2D V0n) V1m)))) \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist A\_27a).((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (c\_2Elist\_2ENIL A\_27a)) V0l) = V0l)) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a).(\forall V2l2 \in (ty\_2Elist\_2Elist A\_27a).(\forall V3h \in A\_27a.((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) V1l1)) V2l2) = (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) V1l1) V2l2)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c\_2Elist\_2ELENGTH\ A_{27a}) \\ & (c\_2Elist\_2ENIL\ A_{27a})) = c\_2Enum\_2E0) \wedge (\forall V0h \in A_{27a}.( \\ & \forall V1t \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (c\_2Elist\_2ELENGTH \\ & A_{27a})\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ c\_2Enum\_2ESUC \\ & (ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V1t))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty\_2Elist\_2Elist\ A_{27a}).((V0l = (c\_2Elist\_2ENIL\ A_{27a})) \vee (\exists V1h \in A_{27a}.( \\ & \exists V2t \in (ty\_2Elist\_2Elist\ A_{27a}).(V0l = (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A_{27a})\ V1h)\ V2t))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0a0 \in A_{27a}.(\forall V1a1 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(\forall V2a0\_27 \in A_{27a}.(\forall V3a1\_27 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(((ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V0a0) \\ & V1a1) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2a0\_27)\ V3a1\_27)) \Leftrightarrow ((V0a0 = \\ & V2a0\_27) \wedge (V1a1 = V3a1\_27))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l1 \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V1l2 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(\forall V2l3 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V0l1) \\ & V1l2) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\ & V2l3))) \wedge (\forall V3l1 \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V4l2 \in \\ & (ty\_2Elist\_2Elist\ A_{27a}).(\forall V5l3 \in (ty\_2Elist\_2Elist\ A_{27a}). \\ & (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A_{27a})\ V4l2)\ V3l1) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & A_{27a})\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0n \in ty\_2Enum\_2Enum. \\ & ((ap\ (ap\ (c\_2Elist\_2ETAKE\ A_{27a})\ V0n)\ (c\_2Elist\_2ENIL\ A_{27a})) = \\ & (c\_2Elist\_2ENIL\ A_{27a}))) \wedge (\forall V1n \in ty\_2Enum\_2Enum.(\forall V2x \in \\ & A_{27a}.(\forall V3xs \in (ty\_2Elist\_2Elist\ A_{27a}).((ap\ (ap\ (c\_2Elist\_2ETAKE \\ & A_{27a})\ V1n)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2x)\ V3xs)) = (ap\ (ap \\ & (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Elist\_2Elist\ A_{27a})))\ (ap\ (ap\ (c\_2Emin\_2E\_3D \\ & ty\_2Enum\_2Enum)\ V1n)\ c\_2Enum\_2E0))\ (c\_2Elist\_2ENIL\ A_{27a})))\ ( \\ & ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27a})\ V2x)\ (ap\ (ap\ (c\_2Elist\_2ETAKE\ A_{27a}) \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V1n)\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ & (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))))\ V3xs))))))) \end{aligned} \quad (25)$$

Assume the following.

$$(\forall V0P \in (2^{ty\_2Enum\_2Enum}).((p (ap V0P c\_2Enum\_2E0)) \wedge (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))) \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0l \in (\text{ty\_2Elist\_2Elist } \\
& A\_27a).((ap (ap (c\_2Elist\_2ETAKE A\_27a) c\_2Enum\_2E0) V0l) = (c\_2Elist\_2ENIL \\
& A\_27a))) \wedge (\forall V1n \in \text{ty\_2Enum\_2Enum}.(\forall V2x \in A\_27a.( \\
& \forall V3l \in (\text{ty\_2Elist\_2Elist } A\_27a).((ap (ap (c\_2Elist\_2ETAKE \\
& A\_27a) (ap c\_2Enum\_2ESUC V1n)) (ap (ap (c\_2Elist\_2ECONS A\_27a) \\
& V2x) V3l)) = (ap (ap (c\_2Elist\_2ECONS A\_27a) V2x) (ap (ap (c\_2Elist\_2ETAKE \\
& A\_27a) V1n) V3l)))))))
\end{aligned} \tag{27}$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}.( \\ & \quad \forall V1l1 \in (\text{ty\_2Elist\_2Elist } A\_27a).(\forall V2l2 \in (\text{ty\_2Elist\_2Elist } \\ & \quad A\_27a).((\text{ap } (\text{ap } (c\_2Elist\_2ETAKE } A\_27a) V0n) (\text{ap } (\text{ap } (c\_2Elist\_2EAPPEND } \\ & \quad A\_27a) V1l1) V2l2)) = (\text{ap } (\text{ap } (c\_2Elist\_2EAPPEND } A\_27a) (\text{ap } (\text{ap } ( \\ & \quad c\_2Elist\_2ETAKE } A\_27a) V0n) V1l1)) (\text{ap } (\text{ap } (c\_2Elist\_2ETAKE } A\_27a) \\ & \quad (\text{ap } (\text{ap } c\_2Earithmetic\_2E\_2D V0n) (\text{ap } (c\_2Elist\_2ELENGTH } A\_27a) \\ & \quad V1l1)))) V2l2))))))) \end{aligned}$$