

# thm\_2Erich\_\_list\_2EZIP\_\_COUNT\_\_LIST (TM- RHfBdK8Q2CeMbZnLeiL8NTGw9tUUECv3f)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (2)$$

Let  $c\_2Elist\_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EZIP A\_27a A\_27b \in ((ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod A\_27a A\_27b))^{(ty\_2Epair\_2Eprod (ty\_2Elist\_2Elist A\_27a A\_27b))}) \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EGENLIST A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{ty\_2Enum\_2Enum})^{(A\_27a)^{ty\_2Enum\_2Enum}}) \quad (5)$$

**Definition 7** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21) 2) (\lambda V2t \in 2)))$

Let  $c\_Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (6)$$

**Definition 8** We define  $c\_Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2EABS\_prod) (A\_27a\ A\_27b))$

Let  $c\_Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

Let  $c\_Erich\_list\_2ECOUNT\_LIST : \iota$  be given. Assume the following.

$$c\_Erich\_list\_2ECOUNT\_LIST \in ((ty\_2Elist\_2Elist\ ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_Elist\_2EEL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Elist\_2EEL\ A\_27a \in ((A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (11)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (12)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P (ap (c\_2Emin\_2E\_40) (A\_27a\ P))))$

**Definition 12** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (c\_2Eprim\_rec\_2E\_3C) (m\ n))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (15)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (16)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\
& True)) \quad (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p V0t)))))) \quad (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0l1 \in (ty.2Elist.2Elist \\
& A.27a).(\forall V1l2 \in (ty.2Elist.2Elist \ A.27a).((V0l1 = V1l2) \Leftrightarrow \\
& (((ap (c.2Elist.2ELENGTH \ A.27a) \ V0l1) = (ap (c.2Elist.2ELENGTH \\
& A.27a) \ V1l2)) \wedge (\forall V2x \in ty.2Enum.2Enum.((p (ap (ap \ c.2Eprim\_rec.2E.3C \\
& V2x) (ap (c.2Elist.2ELENGTH \ A.27a) \ V0l1))) \Rightarrow ((ap (ap (c.2Elist.2EEL \\
& A.27a) \ V2x) \ V0l1) = (ap (ap (c.2Elist.2EEL \ A.27a) \ V2x) \ V1l2)))))) \quad (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0l1 \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1l2 \in (ty\_2Elist\_2Elist \\
& \quad A\_27b). (((ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V0l1) = (ap\ (c\_2Elist\_2ELENGTH \\
& \quad A\_27b)\ V1l2)) \Rightarrow (((ap\ (c\_2Elist\_2ELENGTH\ (ty\_2Epair\_2Eprod\ A\_27a \\
& \quad A\_27b))\ (ap\ (c\_2Elist\_2EZIP\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad (ty\_2Elist\_2Elist\ A\_27a)\ (ty\_2Elist\_2Elist\ A\_27b))\ V0l1)\ V1l2)))) = \\
& \quad (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V0l1)) \wedge ((ap\ (c\_2Elist\_2ELENGTH \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ (ap\ (c\_2Elist\_2EZIP\ A\_27a\ A\_27b) \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ (ty\_2Elist\_2Elist\ A\_27a)\ (ty\_2Elist\_2Elist \\
& \quad A\_27b))\ V0l1)\ V1l2)))) = (ap\ (c\_2Elist\_2ELENGTH\ A\_27b)\ V1l2)))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0l1 \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1l2 \in (ty\_2Elist\_2Elist \\
& \quad A\_27b). (\forall V2n \in ty\_2Enum\_2Enum. (((ap\ (c\_2Elist\_2ELENGTH \\
& \quad A\_27a)\ V0l1) = (ap\ (c\_2Elist\_2ELENGTH\ A\_27b)\ V1l2)) \wedge (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\
& \quad V2n)\ (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V0l1)))) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EEL \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ V2n)\ (ap\ (c\_2Elist\_2EZIP\ A\_27a \\
& \quad A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (ty\_2Elist\_2Elist\ A\_27a)\ (ty\_2Elist\_2Elist \\
& \quad A\_27b))\ V0l1)\ V1l2)))) = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ (ap \\
& \quad (ap\ (c\_2Elist\_2EEL\ A\_27a)\ V2n)\ V0l1))\ (ap\ (ap\ (c\_2Elist\_2EEL\ A\_27b) \\
& \quad V2n)\ V1l2)))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ (c\_2Elist\_2ELENGTH\ A\_27a) \\
& \quad (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ V0f)\ V1n)) = V1n))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2x \in ty\_2Enum\_2Enum. ( \\
& \quad (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V2x)\ V1n)) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EEL \\
& \quad A\_27a)\ V2x)\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ V0f)\ V1n)) = (ap\ V0f \\
& \quad V2x)))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\
& \quad A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap (c\_2Elist\_2ELENGTH ty\_2Enum\_2Enum) (ap c\_2Erich\_list\_2ECOUNT\_LIST V0n)) = V0n)) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Rightarrow ((ap (ap (c\_2Elist\_2EEL ty\_2Enum\_2Enum) V0m) (ap c\_2Erich\_list\_2ECOUNT\_LIST V1n)) = V0m)))) \quad (29)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. ( \\ & \forall V1l1 \in (ty\_2Elist\_2Elist A\_27a). ((V0n = (ap (c\_2Elist\_2ELENGTH A\_27a) V1l1)) \Rightarrow ((ap (c\_2Elist\_2EZIP A\_27a ty\_2Enum\_2Enum) (ap \\ & (ap (c\_2Epair\_2E\_2C (ty\_2Elist\_2Elist A\_27a) (ty\_2Elist\_2Elist ty\_2Enum\_2Enum)) V1l1) (ap c\_2Erich\_list\_2ECOUNT\_LIST V0n))) = \\ & (ap (ap (c\_2Elist\_2EGENLIST (ty\_2Epair\_2Eprod A\_27a ty\_2Enum\_2Enum)) (\lambda V2n \in ty\_2Enum\_2Enum. (ap (ap (c\_2Epair\_2E\_2C A\_27a ty\_2Enum\_2Enum) \\ & (ap (ap (c\_2Elist\_2EEL A\_27a) V2n) V1l1)) V2n))) (ap (c\_2Elist\_2ELENGTH A\_27a) V1l1)))))) \end{aligned}$$