

thm_2Erich_list_2EZIP__TAKE (TMGSC- thw363v7W5hDbbzoaALCGVzAqHrMoo)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1Q \in 2.V1Q)) (\lambda V2R \in 2.V2R)) P Q))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (2)$$

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ETAKE A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))^{ty_2Enum_2Enum}) \quad (3)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)) t1 t2))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (4)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A-27b})^{A-27a}}) \quad (5)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Elist_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Elist_2EZIP A_27a A_27b \in ((ty_2Elist_2Elist (ty_2Epair_2Eprod A_27a A_27b))^{(ty_2Epair_2Eprod (ty_2Elist_2Elist A_27a A_27b))}) \quad (6)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (7)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num (c_2Enum_2EREP_num V0m))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 A_27a) V0P)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap (c_2Eprim_rec_2E_3C V0m) V1n)$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_3F V0t1) V2t))))$

Definition 14 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap (c_2Earithmetic_2E_3C_3D V0m) V1n)$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (p (ap (ap (c_2Earithmetic_2E_3C_3D V0m) V0m)))) \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t) \Leftrightarrow (p V0t)))) \quad (13)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (14)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (15)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\
& True)) \quad (16)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t)))))) \quad (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in \\
& 2.(((p \ V0x) \Leftrightarrow (p \ V1x.27)) \wedge ((p \ V1x.27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y.27)))))) \Rightarrow \\
& (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x.27) \Rightarrow (p \ V3y.27)))))) \quad (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0l \in (ty.2Elist.2Elist \\
& A.27a).((ap \ (ap \ (c.2Elist.2ETAKE \ A.27a) \ (ap \ (c.2Elist.2ELENGTH \\
& A.27a) \ V0l)) \ V0l) = V0l)) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \quad \forall V0n \in ty_2Enum_2Enum. (\forall V1a \in (ty_2Elist_2Elist \\
& \quad A_{.27a}). (\forall V2b \in (ty_2Elist_2Elist\ A_{.27b}). (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
V0n)\ (ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ V1a))) \wedge (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& \quad (ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ V1a))\ (ap\ (c_2Elist_2ELENGTH\ A_{.27b}) \\
& \quad V2b)))) \Rightarrow ((ap\ (c_2Elist_2EZIP\ A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad (ty_2Elist_2Elist\ A_{.27a})\ (ty_2Elist_2Elist\ A_{.27b}))\ (ap\ (ap\ (c_2Elist_2ETAKE \\
& \quad A_{.27a})\ V0n)\ V1a))\ (ap\ (ap\ (c_2Elist_2ETAKE\ A_{.27b})\ V0n)\ V2b))) = (\\
& \quad ap\ (ap\ (c_2Elist_2ETAKE\ (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b}))\ V0n)\ (\\
& \quad ap\ (c_2Elist_2EZIP\ A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist \\
& \quad A_{.27a})\ (ty_2Elist_2Elist\ A_{.27b}))\ V1a)\ (ap\ (ap\ (c_2Elist_2ETAKE \\
& \quad A_{.27b})\ (ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ V1a))\ V2b))))))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \quad \forall V0n \in ty_2Enum_2Enum. (\forall V1a \in (ty_2Elist_2Elist \\
& \quad A_{.27a}). (\forall V2b \in (ty_2Elist_2Elist\ A_{.27b}). (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
V0n)\ (ap\ (c_2Elist_2ELENGTH\ A_{.27a})\ V1a))) \wedge ((ap\ (c_2Elist_2ELENGTH \\
& \quad A_{.27a})\ V1a) = (ap\ (c_2Elist_2ELENGTH\ A_{.27b})\ V2b)))) \Rightarrow ((ap\ (c_2Elist_2EZIP \\
& \quad A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A_{.27a}) \\
& \quad (ty_2Elist_2Elist\ A_{.27b}))\ (ap\ (ap\ (c_2Elist_2ETAKE\ A_{.27a})\ V0n) \\
V1a))\ (ap\ (ap\ (c_2Elist_2ETAKE\ A_{.27b})\ V0n)\ V2b))) = (ap\ (ap\ (c_2Elist_2ETAKE \\
& \quad (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b}))\ V0n)\ (ap\ (c_2Elist_2EZIP\ A_{.27a} \\
& \quad A_{.27b})\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A_{.27a})\ (ty_2Elist_2Elist \\
& \quad A_{.27b}))\ V1a)\ V2b)))))))))
\end{aligned}$$