

thm\_2Erich\_list\_2Eall\_distinct\_count\_list  
(TMFADkqjG2VcADh9xiEmzSnPRgcsBiP4xBP)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2E_2F` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V0t \in 2. V0t)$ .

**Definition 5** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define `c_2Ebool_2E_3F` to be  $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A))))$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A0) \quad (1)$$

Let `c_2Elist_2EALL_DISTINCT` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27a. \text{c\_2Elist\_2EALL\_DISTINCT } A. \lambda 27a \in (2^{(\text{ty\_2Elist\_2Elist } A. 27a)}) \quad (2)$$

Let `c_2Elist_2EELIST_TO_SET` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27a. \text{c\_2Elist\_2EELIST\_TO\_SET } A. \lambda 27a \in ((2^{A. 27a}) (\text{ty\_2Elist\_2Elist } A. 27a)) \quad (3)$$

**Definition 7** We define `c_2Ebool_2E_2IN` to be  $\lambda A. \lambda 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x)))$

**Definition 8** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t)) (\text{c\_2Ebool\_2E\_2F } A)))$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a}})) \quad (4)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (5)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (6)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (10)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (11)$$

**Definition 11** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Erich\_list\_2ECOUNT\_LIST : \iota$  be given. Assume the following.

$$c\_2Erich\_list\_2ECOUNT\_LIST \in ((ty\_2Elist\_2Elist\ ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ t1\ t2)))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0l \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2x \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V2x)\ (ap\ ( \\
& \quad c\_2Elist\_2ELIST\_TO\_SET\ A\_27b)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a \\
& \quad A\_27b)\ V1f)\ V0l)))) \Leftrightarrow (\exists V3y \in A\_27a. ((V2x = (ap\ V1f\ V3y)) \wedge ( \\
& \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3y)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad A\_27a)\ V0l)))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT \\
& \quad A\_27a)\ (c\_2Elist\_2ENIL\ A\_27a))) \Leftrightarrow True) \wedge (\forall V0h \in A\_27a. ( \\
& \quad \forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). ((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT \\
& \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t))) \Leftrightarrow ((\neg(p\ (ap\ (ap \\
& \quad (c\_2Ebool\_2EIN\ A\_27a)\ V0h)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a) \\
& \quad V1t)))) \wedge (p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT\ A\_27a)\ V1t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0ls \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1f \in (A\_27b^{A\_27a}). \\
& \quad (((\forall V2x \in A\_27a. (\forall V3y \in A\_27a. (((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V2x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V0ls))) \wedge ((p \\
& \quad (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3y)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad A\_27a)\ V0ls))) \wedge ((ap\ V1f\ V2x) = (ap\ V1f\ V3y)))) \Rightarrow (V2x = V3y)))) \wedge (p \\
& \quad (ap\ (c\_2Elist\_2EALL\_DISTINCT\ A\_27a)\ V0ls))) \Rightarrow (p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT \\
& \quad A\_27b)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ V0ls))))))
\end{aligned} \tag{27}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg((ap\ c\_2Enum\_2ESUC\ V0n) = c\_2Enum\_2E0))) \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\
& \quad V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{29}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ c\_2Enum\_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))) \tag{30}$$

Assume the following.

$$\begin{aligned}
& (((ap\ c\_2Erich\_list\_2ECOUNT\_LIST\ c\_2Enum\_2E0) = (c\_2Elist\_2ENIL \\
& ty\_2Enum\_2Enum)) \wedge (\forall V0n \in ty\_2Enum\_2Enum. ((ap\ c\_2Erich\_list\_2ECOUNT\_LIST \\
& (ap\ c\_2Enum\_2ESUC\ V0n)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Enum\_2Enum) \\
& c\_2Enum\_2E0) (ap\ (ap\ (c\_2Elist\_2EMAP\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum) \\
& c\_2Enum\_2ESUC) (ap\ c\_2Erich\_list\_2ECOUNT\_LIST\ V0n)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

**Theorem 1**

$$(\forall V0n \in ty\_2Enum\_2Enum. (p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT\ ty\_2Enum\_2Enum) (ap\ c\_2Erich\_list\_2ECOUNT\_LIST\ V0n))))$$