

thm_2Erich_list_2Ecommon_prefixes__NIL (TM- PLAR48zqBgUpzzSWv74HLNkW6P4eE5QeK)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V 0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2.V 0t))$.

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A 0) \quad (1)$$

Let `c_2Elist_2Elist_CASE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow \text{c_2Elist_2Elist_CASE } A_27a \ A_27b \in (((A_27b^{(A_27b^{(\text{ty_2Elist_2Elist } A_27a)})^{A_27a}}))^{A_27b})^{(\text{ty_2Elist_2Elist } A_27a)} \quad (2)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2ECONS } A_27a \in (((\text{ty_2Elist_2Elist } A_27a)^{(\text{ty_2Elist_2Elist } A_27a)})^{A_27a}) \quad (3)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2ENIL } A_27a \in (\text{ty_2Elist_2Elist } A_27a) \quad (4)$$

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow P \Rightarrow Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 2t \in 2. V 2t))))$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Ebool_2E_3F` to be $\lambda A_{.27a} : \iota. (\lambda V0P \in (2^{A_{.27a}}). (ap\ V0P\ (ap\ (c_{.2Emin_2E_40}\ A_{.27a}\ V0P))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (5)$$

Definition 9 We define `c_2Epred_set_2EEMPTY` to be $\lambda A_{.27a} : \iota. (\lambda V0x \in A_{.27a}. c_{.2Ebool_2E_EF})$.

Definition 10 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap\ (ap\ c_{.2Emin_2E_3D_3D_3E}\ V0t)\ c_{.2Ebool_2E_7E}))$

Definition 11 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_{.2Ebool_2E_21}\ 2)\ (\lambda V2t \in 2. (ap\ (c_{.2Ebool_2E_5C_2F}\ V2t)\ V1t2))))$

Definition 12 We define `c_2Ebool_2EIN` to be $\lambda A_{.27a} : \iota. (\lambda V0x \in A_{.27a}. (\lambda V1f \in (2^{A_{.27a}}). (ap\ V1f\ V0x)))$

Let `c_2Epair_2EABS_produ` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow c_{.2Epair_2EABS_prod}\ A_{.27a}\ A_{.27b} \in ((ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b})^{(2^{A_{.27b}})^{A_{.27a}}}) \quad (6)$$

Definition 13 We define `c_2Epair_2E_2C` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda V0x \in A_{.27a}. \lambda V1y \in A_{.27b}. (ap\ (c_{.2Epair_2E_2C}\ V0x\ V1y))$

Let `c_2Epred_set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow c_{.2Epred_set_2EGSPEC}\ A_{.27a}\ A_{.27b} \in ((2^{A_{.27a}})^{(ty_2Epair_2Eprod\ A_{.27a}\ 2)^{A_{.27b}}}) \quad (7)$$

Definition 14 We define `c_2Epred_set_2EINSERT` to be $\lambda A_{.27a} : \iota. \lambda V0x \in A_{.27a}. \lambda V1s \in (2^{A_{.27a}}). (ap\ (c_{.2Epred_set_2EINSERT}\ V0x\ V1s))$

Let `c_2Elist_2EisPREFIX` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow c_{.2Elist_2EisPREFIX}\ A_{.27a} \in ((2^{(ty_2Elist_2Elist\ A_{.27a})})^{(ty_2Elist_2Elist\ A_{.27a})}) \quad (8)$$

Definition 15 We define `c_2Erich_list_2Ecommon_prefixes` to be $\lambda A_{.27a} : \iota. \lambda V0s \in (2^{(ty_2Elist_2Elist\ A_{.27a})})$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (17)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ A_27a)\ (c_2Elist_2ENIL\ A_27a))\ V0l)) \Leftrightarrow True)) \wedge (\forall V1h \in A_27a. (\forall V2t \in (ty_2Elist_2Elist\ A_27a). (\forall V3l \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V1h)\ V2t))\ V3l)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Elist_2Elist_CASE\ A_27a\ 2)\ V3l)\ c_2Ebool_2EF)\ (\lambda V4h_27 \in A_27a. (\lambda V5t_27 \in (ty_2Elist_2Elist\ A_27a). (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V1h)\ V4h_27))\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ A_27a)\ V2t)\ V5t_27)))))))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Elist_2Elist \\ & A_27a).((p\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ A_27a)\ V0x)\ (c_2Elist_2ENIL \\ & A_27a)))) \Leftrightarrow (V0x = (c_2Elist_2ENIL\ A_27a)))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\ & A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ & (2^{A_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b)\ V0f)) \Leftrightarrow (\exists V2x \in A_27b.((ap\ (ap\ (c_2Epair_2E_2C \\ & A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\neg(p\ (ap\ (ap \\ & (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ & A_27a.(\forall V2s \in (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ & V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s)) \Leftrightarrow ((V0x = \\ & V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (25)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Elist_2Elist\ A_27a)\ (c_2Elist_2ENIL \\ & A_27a)\ V0s)) \Rightarrow ((ap\ (c_2Erich_list_2Ecommon_prefixes\ A_27a) \\ & V0s) = (ap\ (ap\ (c_2Epred_set_2EINSERT\ (ty_2Elist_2Elist\ A_27a) \\ & (c_2Elist_2ENIL\ A_27a)\ (c_2Epred_set_2EEMPTY\ (ty_2Elist_2Elist \\ & A_27a)))))) \end{aligned}$$