

thm_2Erich_list_2Eis_prefix_el (TMVm-NyBFNcnYp6WXjT765P9Tg5HS9j6to9G)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (2)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap\ P\ x)) \text{ then } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y) \text{ of type } \iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ V0)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p\ Q) \text{ of type } \iota$.

Definition 5 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ V0)))$

Definition 7 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))))$

Let $c_2Elist_2EHd : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHd\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (4)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2EEL\ A_{27a} \in ((A_{27a}^{(ty_2Elist_2Elist\ A_{27a})})^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Elist_2Elist_CASE \\ A_{27a}\ A_{27b} \in & (((A_{27b}^{(A_{27b}^{(ty_2Elist_2Elist\ A_{27a})})^{A_{27a}})})^{A_{27b}})^{(ty_2Elist_2Elist\ A_{27a})} \end{aligned} \quad (6)$$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ECONS\ A_{27a} \in (((ty_2Elist_2Elist\ A_{27a})^{(ty_2Elist_2Elist\ A_{27a})})^{A_{27a}}) \quad (7)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ENIL\ A_{27a} \in (ty_2Elist_2Elist\ A_{27a}) \quad (8)$$

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2EisPREFIX\ A_{27a} \in ((2^{(ty_2Elist_2Elist\ A_{27a})})^{(ty_2Elist_2Elist\ A_{27a})}) \quad (9)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (12)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (13)$$

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E))$

Definition 13 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC \\ & V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))))) \end{aligned} \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \\ & V0t))))))) \end{aligned} \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0h \in A_{27a}.(\forall V1t \in \\ (ty_2Elist_2Elist\ A_{27a}).((ap\ (c_2Elist_2EHD\ A_{27a})\ (ap\ (ap\ (\\ c_2Elist_2ECONS\ A_{27a})\ V0h)\ V1t)) = V0h))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c_2Elist_2ELENGTH\ A_{27a})\ \\ (c_2Elist_2ENIL\ A_{27a})) = c_2Enum_2E0) \wedge (\forall V0h \in A_{27a}.(\\ \forall V1t \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (c_2Elist_2ELENGTH\ \\ A_{27a})\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\ (ap\ (c_2Elist_2ELENGTH\ A_{27a})\ V1t))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty_2Elist_2Elist\ \\ A_{27a}).((V0l = (c_2Elist_2ENIL\ A_{27a})) \vee (\exists V1h \in A_{27a}.(\\ \exists V2t \in (ty_2Elist_2Elist\ A_{27a}).(V0l = (ap\ (ap\ (c_2Elist_2ECONS\ \\ A_{27a})\ V1h)\ V2t))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\ \forall V0n \in ty_2Enum_2Enum.(\forall V1l \in A_{27b}.(\forall V2ls \in \\ (ty_2Elist_2Elist\ A_{27b}).(((ap\ (c_2Elist_2EEL\ A_{27a})\ c_2Enum_2E0) = \\ (c_2Elist_2EHD\ A_{27a})) \wedge ((ap\ (ap\ (c_2Elist_2EEL\ A_{27b})\ (ap\ c_2Enum_2ESUC \\ V0n))\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27b})\ V1l)\ V2ls)) = (ap\ (ap\ (c_2Elist_2EEL \\ A_{27b})\ V0n)\ V2ls))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0l \in (ty_2Elist_2Elist\ \\ A_{27a}).((p\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ A_{27a})\ (c_2Elist_2ENIL\ \\ A_{27a}))\ V0l)) \Leftrightarrow True)) \wedge (\forall V1h \in A_{27a}.(\forall V2t \in (ty_2Elist_2Elist\ \\ A_{27a}).(\forall V3l \in (ty_2Elist_2Elist\ A_{27a}).((p\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ \\ A_{27a})\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V1h)\ V2t))\ V3l)) \Leftrightarrow (p\ (ap\ (\\ ap\ (ap\ (c_2Elist_2Elist_CASE\ A_{27a}\ 2)\ V3l)\ c_2Ebool_2EF)\ (\lambda V4h_27 \in \\ A_{27a}.(\lambda V5t_27 \in (ty_2Elist_2Elist\ A_{27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C \\ (ap\ (ap\ (c_2Emin_2E_3D\ A_{27a})\ V1h)\ V4h_27))\ (ap\ (ap\ (c_2Elist_2EisPREFIX\ \\ A_{27a})\ V2t)\ V5t_27))))))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (\text{ty_2Elist_2Elist } A_27a). \\
& (\forall V1h \in A_27a.(\forall V2t \in (\text{ty_2Elist_2Elist } A_27a). \\
& (\forall V3h1 \in A_27a.(\forall V4t1 \in (\text{ty_2Elist_2Elist } A_27a). \\
& (\forall V5h2 \in A_27a.(\forall V6t2 \in (\text{ty_2Elist_2Elist } A_27a). \\
& (((p (ap (ap (c_2Elist_2EisPREFIX A_27a) (c_2Elist_2ENIL A_27a)) \\
& V0l)) \Leftrightarrow \text{True}) \wedge (((p (ap (ap (c_2Elist_2EisPREFIX A_27a) (ap (ap (\\
& c_2Elist_2ECONS A_27a) V1h) V2t)) (c_2Elist_2ENIL A_27a))) \Leftrightarrow \text{False}) \wedge \\
& ((p (ap (ap (c_2Elist_2EisPREFIX A_27a) (ap (ap (c_2Elist_2ECONS \\
& A_27a) V3h1) V4t1)) (ap (ap (c_2Elist_2ECONS A_27a) V5h2) V6t2))) \Leftrightarrow \\
& ((V3h1 = V5h2) \wedge (p (ap (ap (c_2Elist_2EisPREFIX A_27a) V4t1) V6t2))))))))))) \\
& (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{\text{ty_2Enum_2Enum}}).(((p (ap V0P c_2Enum_2E0)) \wedge \\
& (\forall V1n \in \text{ty_2Enum_2Enum}.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\
& V1n))))))) \Rightarrow (\forall V2n \in \text{ty_2Enum_2Enum}.(p (ap V0P V2n)))))) \\
& (30)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in \text{ty_2Enum_2Enum}.(\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
V0n) c_2Enum_2E0)))) \quad (31)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0n \in \text{ty_2Enum_2Enum}.(\\
& (\forall V1l1 \in (\text{ty_2Elist_2Elist } A_27a).(\forall V2l2 \in (\text{ty_2Elist_2Elist } \\
& A_27a).(((p (ap (ap (c_2Elist_2EisPREFIX A_27a) V1l1) V2l2)) \wedge \\
& ((p (ap (ap c_2Eprim_rec_2E_3C V0n) (ap (c_2Elist_2ELENGTH A_27a) \\
& V1l1))) \wedge (p (ap (ap c_2Eprim_rec_2E_3C V0n) (ap (c_2Elist_2ELENGTH \\
& A_27a) V2l2))))))) \Rightarrow ((ap (ap (c_2Elist_2EEL A_27a) V0n) V1l1) = (ap \\
& (ap (c_2Elist_2EEL A_27a) V0n) V2l2)))))))
\end{aligned}$$