

thm_2Erich_list_2Elongest_prefix_NIL
(TMJ82AGyJcG7ZqzbNZoaH79vcSD6ydQoAW8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.nonempty\ A \Rightarrow c_2Elist_2ELENGTH\ A \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A)}) \tag{3}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Definition 15 We define $c_2Epred_set_2Eis_measure_maximal$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Enum_2Enum$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EisPREFIX\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (9)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b}}) \quad (10)$$

Definition 18 We define $c_2Erich_list_2Ecommon_prefixes$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{(ty_2Elist_2Elist\ A_27a$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (11)$$

Definition 19 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 20 We define $c_2Erich_list_2Elongest_prefix$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{(ty_2Elist_2Elist\ A_27a)}).$

Definition 21 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in 2.(\forall V1t \in A_27a. \\ ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V0b)\ V1t)\ V1t) = V1t))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((ap\ (c_2Emin_2E_40 \\ A_27a)\ (\lambda V1y \in A_27a.(ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V1y)\ V0x))) = \\ V0x)) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ (\forall V5y_27 \in A_27a.(((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ V5y_27)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (ty_2Enum_2Enum^{A_{27a}}). \\ & (\forall V1x \in A_{27a}. (\forall V2y \in A_{27a}. ((p (ap (ap (ap (c_2Epred_set_2Eis_measure_maximal \\ & A_{27a}) V0m) (ap (ap (c_2Epred_set_2EINSERT A_{27a}) V1x) (c_2Epred_set_2EEMPTY \\ & A_{27a}))) V2y)) \Leftrightarrow (V2y = V1x)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{(ty_2Elist_2Elist A_{27a})}). \\ & ((p (ap (ap (c_2Ebool_2EIN (ty_2Elist_2Elist A_{27a}) (c_2Elist_2ENIL \\ & A_{27a}) V0s)) \Rightarrow ((ap (c_2Erich_list_2Ecommon_prefixes A_{27a}) \\ & V0s) = (ap (ap (c_2Epred_set_2EINSERT (ty_2Elist_2Elist A_{27a}) \\ & (c_2Elist_2ENIL A_{27a})) (c_2Epred_set_2EEMPTY (ty_2Elist_2Elist \\ & A_{27a})))))) \end{aligned} \quad (22)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{(ty_2Elist_2Elist A_{27a})}). \\ & ((p (ap (ap (c_2Ebool_2EIN (ty_2Elist_2Elist A_{27a}) (c_2Elist_2ENIL \\ & A_{27a}) V0s)) \Rightarrow ((ap (c_2Erich_list_2Elongest_prefix A_{27a}) \\ & V0s) = (c_2Elist_2ENIL A_{27a})))) \end{aligned}$$