

thm_2EringNorm_2Einterp__m__def (TMMJg-
GbMv7qy2XGndZndnRHrLwC6vMehwdK)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{A.27a}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \quad (3)$$

Let $ty_2Ering_2Ering : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ering_2Ering\ A0) \quad (4)$$

Let $c_2Ering_2Ering_RM : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ering_2Ering_RM\ A.27a \in (((A.27a^{A.27a})^{A.27a})^{(ty_2Ering_2Ering\ A.27a)}) \quad (5)$$

Let $c_2Ering_2Ering_RP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ering_2Ering_RP\ A.27a \in (((A.27a^{A.27a})^{A.27a})^{(ty_2Ering_2Ering\ A.27a)}) \quad (6)$$

Let $c_2Ering_2Ering_R1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ering_2Ering_R1\ A.27a \in (A.27a^{(ty_2Ering_2Ering\ A.27a)}) \quad (7)$$

Let $c_2Ering_2Ering_R0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ering_2Ering_R0\ A.27a \in (A.27a^{(ty_2Ering_2Ering\ A.27a)}) \quad (8)$$

Let $ty_2Esemi_ring_2Esemi_ring : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Esemi_ring_2Esemi_ring\ A0) \quad (9)$$

Let $ty_2Equote_2Eindex : \iota$ be given. Assume the following.

$$nonempty\ ty_2Equote_2Eindex \quad (10)$$

Let $ty_2Equote_2Evarmap : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Equote_2Evarmap\ A0) \quad (11)$$

Let $c_2Ecanonical_2Einterp_m : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ecanonical_2Einterp_m\ A_27a \in \\ (((A_27a^{(ty_2Elist_2Elist\ ty_2Equote_2Eindex)})_{A_27a})^{(ty_2Equote_2Evarmap\ A_27a)})^{(ty_2Esemi_ring_2Esemi_ring\ A_27a)} \quad (12)$$

Let $c_2Esemi_ring_2Erecordtype_2Esemi_ring : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Esemi_ring_2Erecordtype_2Esemi_ring\ A_27a \in \\ ((((((ty_2Esemi_ring_2Esemi_ring\ A_27a)^{(A_27a^{A_27a}})^{A_27a})^{(A_27a^{A_27a}})^{A_27a})_{A_27a})^{A_27a})_{A_27a}) \quad (13)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V0x \in 2.V0x)))$

Definition 4 We define $c_2Ering_2Esemi_ring_of$ to be $\lambda A_27a : \iota.\lambda V0r \in (ty_2Ering_2Ering\ A_27a).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V0x \in 2.V0x)))$

Definition 5 We define $c_2EringNorm_2Er_interp_m$ to be $\lambda A_27a : \iota.\lambda V0r \in (ty_2Ering_2Ering\ A_27a).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V0x \in 2.V0x)))$

Let $c_2Ecanonical_2Eivl_aux : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ecanonical_2Eivl_aux\ A_27a \in \\ (((((A_27a^{(ty_2Elist_2Elist\ ty_2Equote_2Eindex)})_{ty_2Equote_2Eindex})^{(ty_2Equote_2Evarmap\ A_27a)})_{(ty_2Esemi_ring_2Esemi_ring\ A_27a)})^{A_27a}) \quad (14)$$

Definition 6 We define $c_2EringNorm_2Er_ivl_aux$ to be $\lambda A_27a : \iota.\lambda V0r \in (ty_2Ering_2Ering\ A_27a).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V0x \in 2.V0x)))$

Let $c_2Esemi_ring_2Esemi_ring_SRM : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Esemi_ring_2Esemi_ring_SRM\ A_27a \in \\ (((A_27a^{A_27a})_{A_27a})^{(ty_2Esemi_ring_2Esemi_ring\ A_27a)}) \quad (15)$$

Let $c_2Esemi_ring_2Esemi_ring_SRP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Esemi_ring_2Esemi_ring_SRP \\ A_27a \in (((A_27a^{A_27a})^{A_27a})^{(ty_2Esemi_ring_2Esemi_ring\ A_27a)}) \end{aligned} \quad (16)$$

Let $c_2Esemi_ring_2Esemi_ring_SR1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Esemi_ring_2Esemi_ring_SR1 \\ A_27a \in (A_27a^{(ty_2Esemi_ring_2Esemi_ring\ A_27a)}) \end{aligned} \quad (17)$$

Let $c_2Esemi_ring_2Esemi_ring_SR0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Esemi_ring_2Esemi_ring_SR0 \\ A_27a \in (A_27a^{(ty_2Esemi_ring_2Esemi_ring\ A_27a)}) \end{aligned} \quad (18)$$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in 2.$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0sr \in (ty_2Esemi_ring_2Esemi_ring \\ A_27a).(\forall V1vm \in (ty_2Equote_2Evarmap\ A_27a).(\forall V2c \in \\ A_27a.((ap (ap (ap (ap (c_2Ecanonical_2Einterp_m\ A_27a)\ V0sr) \\ V1vm)\ V2c)\ (c_2Elist_2ENIL\ ty_2Equote_2Eindex)) = V2c)))) \wedge (\forall V3sr \in \\ (ty_2Esemi_ring_2Esemi_ring\ A_27a).(\forall V4vm \in (ty_2Equote_2Evarmap \\ A_27a).(\forall V5c \in A_27a.(\forall V6x \in ty_2Equote_2Eindex. \\ (\forall V7t \in (ty_2Elist_2Elist\ ty_2Equote_2Eindex).((ap (ap \\ (ap (ap (c_2Ecanonical_2Einterp_m\ A_27a)\ V3sr)\ V4vm)\ V5c)\ (ap \\ (ap (c_2Elist_2ECONS\ ty_2Equote_2Eindex)\ V6x)\ V7t)) = (ap (ap (\\ ap (c_2Esemi_ring_2Esemi_ring_SRM\ A_27a)\ V3sr)\ V5c)\ (ap (ap \\ (ap (ap (c_2Ecanonical_2Eivl_aux\ A_27a)\ V3sr)\ V4vm)\ V6x)\ V7t)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0a \in A.27a. (\forall V1a0 \in \\
& A.27a. (\forall V2f \in ((A.27a^{A.27a})^{A.27a}). (\forall V3f0 \in ((A.27a^{A.27a})^{A.27a}). \\
& ((ap\ (c.2Esemi_ring_2Esemi_ring_SR0\ A.27a)\ (ap\ (ap\ (ap\ (ap \\
& (c.2Esemi_ring_2Erecordtype_2Esemi_ring\ A.27a)\ V0a)\ V1a0) \\
& V2f)\ V3f0)) = V0a)))) \wedge ((\forall V4a \in A.27a. (\forall V5a0 \in A.27a. \\
& (\forall V6f \in ((A.27a^{A.27a})^{A.27a}). (\forall V7f0 \in ((A.27a^{A.27a})^{A.27a}). \\
& ((ap\ (c.2Esemi_ring_2Esemi_ring_SR1\ A.27a)\ (ap\ (ap\ (ap\ (ap \\
& (c.2Esemi_ring_2Erecordtype_2Esemi_ring\ A.27a)\ V4a)\ V5a0) \\
& V6f)\ V7f0)) = V5a0)))) \wedge ((\forall V8a \in A.27a. (\forall V9a0 \in A.27a. \\
& (\forall V10f \in ((A.27a^{A.27a})^{A.27a}). (\forall V11f0 \in ((A.27a^{A.27a})^{A.27a}). \\
& ((ap\ (c.2Esemi_ring_2Esemi_ring_SRP\ A.27a)\ (ap\ (ap\ (ap\ (ap \\
& (c.2Esemi_ring_2Erecordtype_2Esemi_ring\ A.27a)\ V8a)\ V9a0) \\
& V10f)\ V11f0)) = V10f)))) \wedge ((\forall V12a \in A.27a. (\forall V13a0 \in \\
& A.27a. (\forall V14f \in ((A.27a^{A.27a})^{A.27a}). (\forall V15f0 \in ((\\
& A.27a^{A.27a})^{A.27a}). ((ap\ (c.2Esemi_ring_2Esemi_ring_SRM \\
& A.27a)\ (ap\ (ap\ (ap\ (ap\ (c.2Esemi_ring_2Erecordtype_2Esemi_ring \\
& A.27a)\ V12a)\ V13a0)\ V14f)\ V15f0)) = V15f0)))))))))
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0r \in (ty_2Ering_2Ering \\
& A.27a). ((\forall V1vm \in (ty_2Equote_2Evarmap\ A.27a). (\forall V2c \in \\
& A.27a. ((ap\ (ap\ (ap\ (ap\ (c.2EringNorm_2Er_interp_m\ A.27a)\ V0r) \\
& V1vm)\ V2c)\ (c.2Elist_2ENIL\ ty_2Equote_2Eindex)) = V2c))) \wedge (\forall V3vm \in \\
& (ty_2Equote_2Evarmap\ A.27a). (\forall V4c \in A.27a. (\forall V5x \in \\
& ty_2Equote_2Eindex. (\forall V6t \in (ty_2Elist_2Elist\ ty_2Equote_2Eindex). \\
& ((ap\ (ap\ (ap\ (ap\ (c.2EringNorm_2Er_interp_m\ A.27a)\ V0r)\ V3vm) \\
& V4c)\ (ap\ (ap\ (c.2Elist_2ECONS\ ty_2Equote_2Eindex)\ V5x)\ V6t)) = \\
& (ap\ (ap\ (ap\ (c.2Ering_2Ering_RM\ A.27a)\ V0r)\ V4c)\ (ap\ (ap\ (ap\ (ap \\
& (c.2EringNorm_2Er_ivl_aux\ A.27a)\ V0r)\ V3vm)\ V5x)\ V6t)))))))))
\end{aligned}$$