

thm_2Eset__relation__2Edomain__rrestrict__SUBSET
(TMHD-
czWm52zrrDHmtZiwFWfurG7AVG28sm5)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(\lambda p V1f V0x)))$

Definition 4 We define c_2Ebool_2EET to be $(\lambda p (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\lambda p (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1t \in 2.V1t))))$

Definition 6 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(\lambda p (c_2Emin_2E_3D (2^{A_27a})) (\lambda V2x \in 2.V2x)))$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** $(\lambda x.x \in A \wedge p (ap P x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\lambda p V0P (ap (c_2Emin_2E_40 (2^{A_27a})) (\lambda V1t \in 2.V1t))))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (3)$$

Definition 11 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (4)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (5)$$

Definition 12 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a \times A_27b})$

Definition 13 We define $c_2Eset_relation_2Errestrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$ Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ \forall V0x \in A_27a.(\forall V1r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)}). \\ ((p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (ap (c_2Eset_relation_2Edomain \\ A_27a A_27b) V1r))) \Leftrightarrow (\exists V2y \in A_27b.(p (ap (ap (c_2Ebool_2EIN \\ (ty_2Epair_2Eprod A_27a A_27b)) (ap (ap (c_2Epair_2E_2C A_27a \\ A_27b) V0x) V2y)) V1r)))))) \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.(\forall V2r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)}).(\forall V3s \in \\ (2^{A_27a}).((p (ap (ap (c_2Ebool_2EIN (ty_2Epair_2Eprod A_27a \\ A_27a) (ap (ap (c_2Epair_2E_2C A_27a A_27a) V0x) V1y)) (ap (ap (\\ c_2Eset_relation_2Errestrict A_27a) V2r) V3s))) \Leftrightarrow ((p (ap (ap \\ (c_2Ebool_2EIN (ty_2Epair_2Eprod A_27a A_27a) (ap (ap (c_2Epair_2E_2C \\ A_27a A_27a) V0x) V1y)) V2r)) \wedge ((p (ap (ap (c_2Ebool_2EIN A_27a) \\ V0x) V3s)) \wedge (p (ap (ap (c_2Ebool_2EIN A_27a) V1y) V3s)))))))))) \quad (7)$$

Theorem 1

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)}). \\ (\forall V1s \in (2^{A_27a}).(p (ap (ap (c_2Epred_set_2ESUBSET A_27a) \\ (ap (c_2Eset_relation_2Edomain A_27a A_27a) (ap (ap (c_2Eset_relation_2Errestrict \\ A_27a) V0r) V1s))) V1s))))$$