

thm\_2Eset\_relation\_2Efinite\_acyclic\_has\_maximal\_path  
(TMNUHGohgt-  
gDWs9d4qbqioRv8imumuaxUqR)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EFST A.27a A.27b \in (A.27a^{(ty\_2Epair\_2Eprod A.27a A.27b)}) \tag{2}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2ESND A.27a A.27b \in (A.27b^{(ty\_2Epair\_2Eprod A.27a A.27b)}) \tag{3}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2E$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (5)$$

**Definition 10** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota. \lambda V0xs \in (2^{A\_27a}). \lambda V1r \in$

**Definition 11** We define  $c\_2Epair\_2ESWAP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0a \in (ty\_2Epair\_2Eprod\ A\_27b$

**Definition 12** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in$

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 15** We define  $c\_2Eset\_relation\_2Etc$  to be  $\lambda A\_27a : \iota. (\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}).$

**Definition 16** We define  $c\_2Eset\_relation\_2Eminimal\_elements$  to be  $\lambda A\_27a : \iota. \lambda V0xs \in (2^{A\_27a}). \lambda V1r \in$

**Definition 17** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 18** We define  $c\_2Eset\_relation\_2Eacyclic$  to be  $\lambda A\_27a : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}$

**Definition 19** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2E$

**Definition 20** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF).$

**Definition 21** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge (((\neg(p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27b.(\forall V2a \in A.27a.(\forall V3b \in A.27b.(((ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c.2Epair\_2EFS\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c.2Epair\_2ESND\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}).((\exists V1p \in (ty\_2Epair\_2Eprod\ A.27a\ A.27b).(p\ (ap\ V0P\ V1p))) \Leftrightarrow (\exists V2p\_1 \in A.27a.(\exists V3p\_2 \in A.27b.(p\ (ap\ V0P\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V2p\_1)\ V3p\_2)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0y \in A.27b.(\forall V1s \in (2^{A.27a}).(\forall V2f \in (A.27b^{A.27a}).((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27b)\ V0y)\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE\ A.27a\ A.27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A.27a.((V0y = (ap\ V2f\ V3x)) \wedge (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V3x)\ V1s)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0s \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}).(\forall V1t \in \\ (2^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}).((V0s = V1t) \Leftrightarrow (\forall V2x \in \\ A\_27a.(\forall V3y \in A\_27b.((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod \\ A\_27a A\_27b)) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V2x) V3y)) V0s)) \Leftrightarrow \\ (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod A\_27a A\_27b)) (ap ( \\ ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V2x) V3y)) V1t)))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}). \\ ((ap (c\_2Eset\_relation\_2Etc A\_27a) (ap (ap (c\_2Epred\_set\_2EIMAGE \\ (ty\_2Epair\_2Eprod A\_27a A\_27a) (ty\_2Epair\_2Eprod A\_27a A\_27a)) \\ (c\_2Epair\_2ESWAP A\_27a A\_27a)) V0r)) = (ap (ap (c\_2Epred\_set\_2EIMAGE \\ (ty\_2Epair\_2Eprod A\_27a A\_27a) (ty\_2Epair\_2Eprod A\_27a A\_27a)) \\ (c\_2Epair\_2ESWAP A\_27a A\_27a)) (ap (c\_2Eset\_relation\_2Etc A\_27a \\ V0r)))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}). \\ ((p (ap (c\_2Eset\_relation\_2Eacyclic A\_27a) (ap (ap (c\_2Epred\_set\_2EIMAGE \\ (ty\_2Epair\_2Eprod A\_27a A\_27a) (ty\_2Epair\_2Eprod A\_27a A\_27a)) \\ (c\_2Epair\_2ESWAP A\_27a A\_27a)) V0r))) \Leftrightarrow (p (ap (c\_2Eset\_relation\_2Eacyclic \\ A\_27a) V0r)))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0xs \in (2^{A_{.27a}}).(\forall V1r \in \\
& (2^{(ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27a})}).((ap\ (ap\ (c\_2Eset\_relation\_2Eminimal\_elements \\
& \quad A_{.27a}\ V0xs)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Epair\_2Eprod \\
& \quad A_{.27a}\ A_{.27a})\ (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27a}))\ (c\_2Epair\_2ESWAP \\
& \quad A_{.27a}\ A_{.27a}))\ V1r)) = (ap\ (ap\ (c\_2Eset\_relation\_2Emaximal\_elements \\
& \quad A_{.27a}\ V0xs)\ V1r))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1r \in \\
& (2^{(ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27a})}).(\forall V2x \in A_{.27a}.(((p \\
& \quad (ap\ (c\_2Epred\_set\_2EFINITE\ A_{.27a})\ V0s)) \wedge ((p\ (ap\ (c\_2Eset\_relation\_2Eacyclic \\
& \quad A_{.27a})\ V1r)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ V0s)) \wedge (\neg(p \\
& \quad (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ (ap\ (ap\ (c\_2Eset\_relation\_2Eminimal\_elements \\
& \quad A_{.27a})\ V0s)\ V1r)))))) \Rightarrow (\exists V3y \in A_{.27a}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A_{.27a})\ V3y)\ (ap\ (ap\ (c\_2Eset\_relation\_2Eminimal\_elements\ A_{.27a}) \\
& \quad V0s)\ V1r))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A_{.27a} \\
& \quad A_{.27a}))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27a})\ V3y)\ V2x))\ (ap\ (c\_2Eset\_relation\_2Etc \\
& \quad A_{.27a})\ V1r))))))))))
\end{aligned} \tag{47}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1r \in \\
& (2^{(ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27a})}).(\forall V2x \in A_{.27a}.(((p \\
& \quad (ap\ (c\_2Epred\_set\_2EFINITE\ A_{.27a})\ V0s)) \wedge ((p\ (ap\ (c\_2Eset\_relation\_2Eacyclic \\
& \quad A_{.27a})\ V1r)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ V0s)) \wedge (\neg(p \\
& \quad (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ (ap\ (ap\ (c\_2Eset\_relation\_2Emaximal\_elements \\
& \quad A_{.27a})\ V0s)\ V1r)))))) \Rightarrow (\exists V3y \in A_{.27a}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A_{.27a})\ V3y)\ (ap\ (ap\ (c\_2Eset\_relation\_2Emaximal\_elements\ A_{.27a}) \\
& \quad V0s)\ V1r))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A_{.27a} \\
& \quad A_{.27a}))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27a})\ V2x)\ V3y))\ (ap\ (c\_2Eset\_relation\_2Etc \\
& \quad A_{.27a})\ V1r))))))))))
\end{aligned}$$