

thm_2Eset_relation_2Efinite_prefix_linear_order_has_unique_mi
 (TM-
 baSgS98uGjy9x19T7kBvDg4RNrNEFKoXM)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 5 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Definition 6 We define `c_2Epred_set_2EEMPTY` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. \text{c_2Ebool_2E_21})$.

Definition 7 We define `c_2Ebool_2EIN` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f \ V0x)))$

Definition 8 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 9 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Definition 10 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Epair_2Eprod \ A0 \ A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow c_2Epair_2EABS_prod \ A. 27a \ A. 27b \in ((ty_2Epair_2Eprod \ A. 27a \ A. 27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (3)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_3F$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 14 We define $c_2Epred_set_2ESING$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_3F A_27a$

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Definition 16 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 (2$

Definition 17 We define $c_2Eset_relation_2Efinite_prefixes$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod$

Definition 18 We define $c_2Eset_relation_2Eantisym$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a$

Definition 19 We define $c_2Eset_relation_2Ereflexive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a$

Definition 20 We define $c_2Eset_relation_2Etransitive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a$

Definition 21 We define $c_2Eset_relation_2ERange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a$

Definition 22 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap ($

Definition 23 We define $c_2Eset_relation_2EDomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod$

Definition 24 We define $c_2Eset_relation_2Epartial_order$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a$

Definition 25 We define $c_2Eset_relation_2Eminimal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in$

Definition 26 We define $c_2Eset_relation_2Elinear_order$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (7)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (8)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in 2.(((\forall V2x \in A.27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A.27a.((p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (11)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A-27a}).(((\forall V2x \in A.27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a.(p (ap V1P V3x))) \vee (p V0Q)))))) \quad (13)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge ((p V2C) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (16)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1s \in \\ & (2^{A_{.27a}}).(((p (ap (ap (c_{.2Ebool_{.2EIN} A_{.27a}) V0x) V1s)) \wedge (\forall V2y \in \\ & A_{.27a}.((p (ap (ap (c_{.2Ebool_{.2EIN} A_{.27a}) V2y) V1s)) \Rightarrow (V0x = V2y)))))) \Leftrightarrow \\ & (V1s = (ap (ap (c_{.2Epred_{.set_{.2EINSERT} A_{.27a}) V0x} (c_{.2Epred_{.set_{.2EEMPTY} A_{.27a}})))))) \end{aligned} \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{29}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod A.27a A.27a)}). \\
& (\forall V1s \in (2^{A.27a}). ((p (ap (ap (c.2Eset_relation_2Elinear_order \\
& A.27a) V0r) V1s)) \Rightarrow (p (ap (ap (c.2Eset_relation_2Epartial_order \\
& A.27a) V0r) V1s))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod A.27a A.27a)}). \\
& (\forall V1s \in (2^{A.27a}). (\forall V2x \in A.27a. (\forall V3s.27 \in \\
& (2^{A.27a}). (((p (ap (ap (c.2Eset_relation_2Epartial_order \\
& A.27a) V0r) V1s)) \wedge ((p (ap (ap (c.2Eset_relation_2Efinite_prefixes \\
& A.27a A.27a) V0r) V1s)) \wedge ((\neg(p (ap (ap (c.2Ebool_2EIN A.27a) V2x) \\
& (ap (ap (c.2Eset_relation_2Eminimal_elements A.27a) V3s.27) \\
& V0r)))) \wedge ((p (ap (ap (c.2Ebool_2EIN A.27a) V2x) V3s.27)) \wedge (p (ap \\
& (ap (c.2Epred_set_2ESUBSET A.27a) V3s.27) V1s)))))) \Rightarrow (\exists V4x.27 \in \\
& A.27a. ((p (ap (ap (c.2Ebool_2EIN A.27a) V4x.27) (ap (ap (c.2Eset_relation_2Eminimal_elements \\
& A.27a) V3s.27) V0r))) \wedge (p (ap (ap (c.2Ebool_2EIN (ty_2Epair_2Eprod \\
& A.27a A.27a) (ap (ap (c.2Epair_2E_2C A.27a A.27a) V4x.27) V2x) \\
& V0r))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod \ A_{.27a} \ A_{.27a})}), \\
& \quad (\forall V1s \in (2^{A_{.27a}}). (\forall V2s_{.27} \in (2^{A_{.27a}}). (\forall V3x \in \\
& \quad A_{.27a}. (\forall V4y \in A_{.27a}. (((p \ (ap \ (ap \ (c_2Eset_relation_2Elinear_order \\
& \quad A_{.27a}) \ V0r) \ V1s)) \wedge ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_{.27a}) \ V3x) \ (ap \ (ap \\
& \quad (c_2Eset_relation_2Eminimal_elements \ A_{.27a}) \ V2s_{.27}) \ V0r)))) \wedge \\
& \quad ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_{.27a}) \ V4y) \ (ap \ (ap \ (c_2Eset_relation_2Eminimal_elements \\
& \quad A_{.27a}) \ V2s_{.27}) \ V0r)))) \wedge (p \ (ap \ (ap \ (c_2Epred_set_2ESUBSET \ A_{.27a}) \\
& \quad V2s_{.27}) \ V1s)))))) \Rightarrow (V3x = V4y))))))
\end{aligned} \tag{33}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1r \in \\
& \quad (2^{(ty_2Epair_2Eprod \ A_{.27a} \ A_{.27a})}). (\forall V2s \in (2^{A_{.27a}}). \\
& \quad (\forall V3s_{.27} \in (2^{A_{.27a}}). (((p \ (ap \ (ap \ (c_2Eset_relation_2Elinear_order \\
& \quad A_{.27a}) \ V1r) \ V2s)) \wedge ((p \ (ap \ (ap \ (c_2Eset_relation_2Efinite_prefixes \\
& \quad A_{.27a} \ A_{.27a}) \ V1r) \ V2s)) \wedge ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_{.27a}) \ V0x) \ V3s_{.27})) \wedge \\
& \quad (p \ (ap \ (ap \ (c_2Epred_set_2ESUBSET \ A_{.27a}) \ V3s_{.27}) \ V2s)))))) \Rightarrow (p \\
& \quad (ap \ (c_2Epred_set_2ESING \ A_{.27a}) \ (ap \ (ap \ (c_2Eset_relation_2Eminimal_elements \\
& \quad A_{.27a}) \ V3s_{.27}) \ V1r))))))
\end{aligned}$$