

thm_2Eset_relation_2Efinite_prefixes_inj_image
(TMMP88c74WEQC35PPeEqqEyCzwKoHBp3QL5m)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A.\lambda b})^{A.\lambda a}))$

Definition 3 We define $c_2Ecombin_2EC$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A.\lambda b})^{A.\lambda a}))$

Definition 4 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A.\lambda a})).(ap (ap (c_2Emin_2E3D (2^{A.\lambda a})))$

Definition 6 We define $c_2Ecombin_2Eo$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in (A.\lambda b^{A.\lambda c})).\lambda V1g$

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda a.(\lambda V1y \in A.\lambda b.V0x))$

Definition 8 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda a : \iota.(ap (ap (c_2Ecombin_2ES A.\lambda a (A.\lambda a^{A.\lambda a})))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.nonempty A.\lambda a \Rightarrow \forall A.\lambda b.nonempty A.\lambda b \Rightarrow c_2Epair_2ESND A.\lambda a A.\lambda b \in (A.\lambda b)^{(ty_2Epair_2Eprod A.\lambda a A.\lambda b)} \quad (2)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.nonempty A.\lambda a \Rightarrow \forall A.\lambda b.nonempty A.\lambda b \Rightarrow c_2Epair_2EFST A.\lambda a A.\lambda b \in (A.\lambda a)^{(ty_2Epair_2Eprod A.\lambda a A.\lambda b)} \quad (3)$$

Definition 9 We define $c_2Epair_2EUNCURRY$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A.\lambda b}))$

Definition 10 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A) \text{ of type } \iota \Rightarrow \iota.$

Definition 11 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40$

Definition 12 We define `c_2Ebool_2EIN` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f \ V0x))$

Definition 13 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \ P \Rightarrow \ p \ Q)$ of type $\iota.$

Definition 14 We define `c_2Epred_set_2ESUBSET` to be $\lambda A. 27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (\text{ap ($

Definition 15 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) \ (\lambda V2t \in$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epair_2EABS_prod} \\ A. 27a \ A. 27b \in ((\text{ty_2Epair_2Eprod } A. 27a \ A. 27b))^{((2^{A-27b})^{A-27a})} \end{aligned} \quad (4)$$

Definition 16 We define `c_2Epair_2E_2C` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0x \in A. 27a. \lambda V1y \in A. 27b. (\text{ap (c_2$

Let `c_2Epred_set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epred_set_2EGSPEC} \\ A. 27a \ A. 27b \in ((2^{A-27a})^{((\text{ty_2Epair_2Eprod } A. 27a \ 2)^{A-27b})}) \end{aligned} \quad (5)$$

Definition 17 We define `c_2Epred_set_2EIMAGE` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0f \in (A. 27b^{A-27a}). \lambda V1s \in$

Definition 18 We define `c_2Ebool_2E_2F` to be $(\text{ap (c_2Ebool_2E_21 } 2) \ (\lambda V0t \in 2. V0t)).$

Definition 19 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) \ (\lambda V2t \in$

Definition 20 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap (ap c_2Emin_2E_3D_3D_3E } V0t) \ \text{c_2Ebool_2E_40$

Definition 21 We define `c_2Epred_set_2EINSERT` to be $\lambda A. 27a : \iota. \lambda V0x \in A. 27a. \lambda V1s \in (2^{A-27a}). (\text{ap (c_2$

Definition 22 We define `c_2Epred_set_2EEMPTY` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. \text{c_2Ebool_2E_2F}).$

Definition 23 We define `c_2Epred_set_2EFINITE` to be $\lambda A. 27a : \iota. \lambda V0s \in (2^{A-27a}). (\text{ap (c_2Ebool_2E_21 } 2)$

Definition 24 We define `c_2Eset_relation_2Efinite_prefixes` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0r \in (2^{(\text{ty_2Epair_2EABS_prod$

Assume the following.

$$\text{True} \quad (6)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & (p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b). ((ap\ (ap\ (c_2Epair_2E_2C \\ A_27a\ A_27b)\ (ap\ (c_2Epair_2EFST\ A_27a\ A_27b)\ V0x))\ (ap\ (c_2Epair_2ESND \\ A_27a\ A_27b)\ V0x)) = V0x)) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1x \in \\ A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Epair_2EUNCURRY\ A_27a \\ A_27b\ A_27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y)) = \\ (ap\ (ap\ V0f\ V1x)\ V2y)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\ A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\ ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V0y)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\ A_27a\ A_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). ((p\ (ap \\ & \quad (c.2Epred_set_2EFINITE\ A.27a)\ V0s)) \Rightarrow (\forall V1t \in (2^{A.27a}). \\ & ((p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a)\ V1t)\ V0s)) \Rightarrow (p\ (ap\ (c.2Epred_set_2EFINITE \\ & \quad A.27a)\ V1t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0s \in (2^{A.27a}). ((p\ (ap\ (c.2Epred_set_2EFINITE\ A.27a) \\ & \quad V0s)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}). (p\ (ap\ (c.2Epred_set_2EFINITE \\ & \quad A.27b)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27a\ A.27b)\ V1f)\ V0s)))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q) \vee (\neg(p V0p))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{37}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{38}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{39}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{40}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{41}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \forall V0f \in (A.27b^{A.27a}). (\forall V1r \in (2^{(ty_2Epair_2Eprod A.27a A.27a)}). \\
& (\forall V2s \in (2^{A.27a}). (((\forall V3x \in A.27a. (\forall V4y \in A.27a. \\
& (((ap V0f V3x) = (ap V0f V4y)) \Rightarrow (V3x = V4y)))) \wedge (p (ap (ap (c.2Eset_relation_2Efinite_prefixes \\
& A.27a A.27a) V1r) V2s))) \Rightarrow (p (ap (ap (c.2Eset_relation_2Efinite_prefixes \\
& A.27b A.27b) (ap (c.2Epred_set_2EGSPEC (ty_2Epair_2Eprod A.27b \\
& A.27b) (ty_2Epair_2Eprod A.27a A.27a)) (ap (c.2Epair_2EUNCURRY \\
& A.27a A.27a (ty_2Epair_2Eprod (ty_2Epair_2Eprod A.27b A.27b) \\
& 2)) (\lambda V5x \in A.27a. (\lambda V6y \in A.27a. (ap (ap (c.2Epair_2E_2C \\
& (ty_2Epair_2Eprod A.27b A.27b) 2) (ap (ap (c.2Epair_2E_2C A.27b \\
& A.27b) (ap V0f V5x)) (ap V0f V6y)))) (ap (ap (c.2Ebool_2EIN (ty_2Epair_2Eprod \\
& A.27a A.27a)) (ap (ap (c.2Epair_2E_2C A.27a A.27a) V5x) V6y)) V1r)))))) \\
& (ap (ap (c.2Epred_set_2EIMAGE A.27a A.27b) V0f) V2s))))))
\end{aligned}$$