

thm_2Eset_relation_2Efinite_strict_linear_order_has_minimal
 (TMd-
 jZL9gWBP1WAAMKejoBvDCTP38KvXUDnX)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ (ap } P \ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota.$

Definition 3 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 5 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t)).$

Definition 6 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type $\iota.$

Definition 7 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epair_2EABS_prod } A. 27a \ A. 27b \in ((\text{ty_2Epair_2Eprod } A. 27a \ A. 27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 9 We define `c_2Epair_2E_2C` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0x \in A. 27a. \lambda V1y \in A. 27b. (\text{ap } (\text{c_2Epair_2E_2C } A. 27a \ A. 27b))$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 11 We define $c_2Eset_relation_2Eminimal_elements$ to be $\lambda A_27a : \iota. \lambda V0xs \in (2^{A_27a}). \lambda V1r \in$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E40$

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 15 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2$

Definition 16 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ (2$

Definition 17 We define $c_2Eset_relation_2Etc$ to be $\lambda A_27a : \iota. (\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}).$

Definition 18 We define $c_2Eset_relation_2Eacyclic$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}$

Definition 19 We define $c_2Eset_relation_2Etransitive$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}$

Definition 20 We define $c_2Eset_relation_2Erangle$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}$

Definition 21 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ ($

Definition 22 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}$

Definition 23 We define $c_2Eset_relation_2Estrict_linear_order$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (12)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (13)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (15)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee (\neg(p\ V2r))) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (16)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (17)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (18)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). ((p \text{ (ap} \\ \text{(c_2Epred_set_2EFINITE } A_{27a}) V0s)) \Rightarrow (\neg(V0s = (\text{c_2Epred_set_2EEMPTY} \\ A_{27a}))) \Rightarrow (\forall V1r \in (2^{(\text{ty_2Epair_2Eprod } A_{27a} A_{27a})}). (\\ (p \text{ (ap (c_2Eset_relation_2Eacyclic } A_{27a}) V1r)) \Rightarrow (\exists V2x \in \\ A_{27a}. (p \text{ (ap (ap (c_2Ebool_2EIN } A_{27a}) V2x) (ap \text{ (ap (c_2Eset_relation_2Eminimal_elements} \\ A_{27a}) V0s) V1r)))))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0r \in (2^{(\text{ty_2Epair_2Eprod } A_{27a} A_{27a})}). \\ (\forall V1s \in (2^{A_{27a}}). ((p \text{ (ap (ap (c_2Eset_relation_2Estrict_linear_order} \\ A_{27a}) V0r) V1s)) \Rightarrow (p \text{ (ap (c_2Eset_relation_2Eacyclic } A_{27a}) \\ V0r)))))) \end{aligned} \quad (23)$$

Theorem 1

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (\forall V1r \in \\ (2^{(\text{ty_2Epair_2Eprod } A_{27a} A_{27a})}). (((p \text{ (ap (c_2Epred_set_2EFINITE} \\ A_{27a}) V0s)) \wedge ((p \text{ (ap (ap (c_2Eset_relation_2Estrict_linear_order} \\ A_{27a}) V1r) V0s)) \wedge (\neg(V0s = (\text{c_2Epred_set_2EEMPTY } A_{27a})))))) \Rightarrow \\ (\exists V2x \in A_{27a}. (p \text{ (ap (ap (c_2Ebool_2EIN } A_{27a}) V2x) (ap \text{ (ap} \\ \text{(c_2Eset_relation_2Eminimal_elements } A_{27a}) V0s) V1r)))))) \end{aligned}$$