

thm_2Eset__relation_2Eminimal__TC (TMYeWX7EYpkpdctuMBxGZ1yFTzfNxxhAiiT3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** *(the* $(\lambda x.x \in A \wedge p x)$ *of type* $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_2EIN$ to be $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ *of type* ι .

Definition 6 We define $c_2Ebool_2E_2E21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

Definition 7 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A.\lambda a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V2x \in 2.V2x)))$

Definition 8 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Ebool_2E_2E5C_2EF$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t))))$

Definition 10 We define $c_2Ebool_2E_2E7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF))$

Definition 11 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a : \iota.(\lambda V0b \in (2^{A-27a}).(\lambda V1c \in (2^{A-27a}).(ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V2x \in 2.V2x)))) \Rightarrow c_2Epair_2EABS_prod A a V0b V1c \in ((ty_2Epair_2Eprod A a V0b V1c)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a A_27b) 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 14 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a$

Definition 15 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a$

Definition 16 We define $c_2Eset_relation_2Etc$ to be $\lambda A_27a : \iota.(\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)}).$

Definition 17 We define $c_2Eset_relation_2Eminimal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (6)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V0P V3x))) \wedge (\forall V4x \in A.27a. (p (ap V1Q V4x))))))) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((p V0P) \wedge (\forall V2x \in A.27a. (p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a. ((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge ((p V2C) \vee (p V0A))) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ & \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & \quad (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \\ & \hspace{15em} (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ & \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (22) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \hspace{15em} (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \hspace{15em} (26) \end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\ & \hspace{15em} (28) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{32}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{33}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{34}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{35}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}), \\
& \quad ((\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a \\
& \quad A_27a)\ V1x)\ V2y))\ V0r)) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A_27a\ A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V1x)\ V2y))\ (ap \\
& \quad (c_2Eset_relation_2Etc\ A_27a)\ V0r)))))) \wedge (\forall V3x \in A_27a. \\
& \quad (\forall V4y \in A_27a. ((\exists V5z \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a \\
& \quad A_27a)\ V3x)\ V5z))\ (ap\ (c_2Eset_relation_2Etc\ A_27a)\ V0r))) \wedge (\\
& \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (ap \\
& \quad (c_2Epair_2E_2C\ A_27a\ A_27a)\ V5z)\ V4y))\ (ap\ (c_2Eset_relation_2Etc \\
& \quad A_27a)\ V0r)))))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a \\
& \quad A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V3x)\ V4y))\ (ap\ (c_2Eset_relation_2Etc \\
& \quad A_27a)\ V0r))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}), \\
& \quad (\forall V1tc_27 \in ((2^{A_27a})^{A_27a}). ((\forall V2x \in A_27a. (\forall V3y \in \\
& \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a)) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V2x)\ V3y))\ V0r)) \Rightarrow (p\ (ap\ (ap \\
& \quad V1tc_27\ V2x)\ V3y)))))) \wedge (\forall V4x \in A_27a. (\forall V5y \in A_27a. \\
& \quad ((\exists V6z \in A_27a. ((p\ (ap\ (ap\ V1tc_27\ V4x)\ V6z)) \wedge (p\ (ap\ (ap\ V1tc_27 \\
& \quad V6z)\ V5y)))))) \Rightarrow (p\ (ap\ (ap\ V1tc_27\ V4x)\ V5y)))))) \Rightarrow (\forall V7x \in A_27a. \\
& \quad (\forall V8y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A_27a\ A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V7x)\ V8y))\ (ap \\
& \quad (c_2Eset_relation_2Etc\ A_27a)\ V0r)) \Rightarrow (p\ (ap\ (ap\ V1tc_27\ V7x) \\
& \quad V8y))))))
\end{aligned} \tag{39}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1r \in \\
& \quad (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}). (((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET \\
& \quad A_27a)\ (ap\ (c_2Eset_relation_2Edomain\ A_27a\ A_27a)\ V1r))\ V0s)) \wedge \\
& \quad (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ (ap\ (c_2Eset_relation_2Erange \\
& \quad A_27a\ A_27a)\ V1r))\ V0s))) \Rightarrow ((ap\ (ap\ (c_2Eset_relation_2Eminimal_elements \\
& \quad A_27a)\ V0s)\ (ap\ (c_2Eset_relation_2Etc\ A_27a)\ V1r)) = (ap\ (ap\ (\\
& \quad c_2Eset_relation_2Eminimal_elements\ A_27a)\ V0s)\ V1r))))
\end{aligned}$$