

# thm\_2Eset\_\_relation\_2Etc\_\_cases\_\_left (TMFqAn- VMaND3rjZ6SbndnssRV5XPuNYfsyQ)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 5** We define `c_2Ebool_2E_2F` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2. V0t))$ .

**Definition 6** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \ P \Rightarrow \ p \ Q)$  of type  $\iota$ .

**Definition 7** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2. V2t))))$

**Definition 8** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t) \text{ c\_2Ebool\_2E\_2F}))))$

**Definition 9** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2. V2t))))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Epair\_2EABS\_prod } A. 27a \ A. 27b \in ((\text{ty\_2Epair\_2Eprod } A. 27a \ A. 27b))^{((2^{A-27b})^{A-27a})} \tag{2}$$

**Definition 10** We define `c_2Epair_2E_2C` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0x \in A. 27a. \lambda V1y \in A. 27b. (\text{ap } (\text{c\_2Epair\_2EABS\_prod } V0x \ V1y))$

**Definition 11** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \ (\text{ap } (\text{c\_2Emin\_2E\_40 } V0P))))$

**Definition 12** We define  $c\_Eset\_relation\_2Etc$  to be  $\lambda A\_27a : \iota. (\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})).$

**Definition 13** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Assume the following.

$$True \tag{3}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{4}$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \tag{6}$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{7}$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg (p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \tag{9}$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((\forall V3x \in A\_27a. (p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A\_27a. (p\ (ap\ V1Q\ V4x))))))))) \tag{10}$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \tag{11}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q)))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V1P V3x)) \vee (p V0Q)))))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (13)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (16)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg( \\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})). \\
& \quad ((\forall V1x \in A_{.27a}. (\forall V2y \in A_{.27a}. ((p (ap (ap (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } \\
& \quad A_{.27a}) V1x) V2y)) V0r)) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } \\
& \quad A_{.27a } A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V1x) V2y)) (ap \\
& \quad (c\_2Eset\_relation\_2Etc } A_{.27a}) V0r)))))) \wedge (\forall V3x \in A_{.27a}. \\
& \quad (\forall V4y \in A_{.27a}. ((\exists V5z \in A_{.27a}. ((p (ap (ap (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } \\
& \quad A_{.27a}) V3x) V5z)) (ap (c\_2Eset\_relation\_2Etc } A_{.27a}) V0r))) \wedge ( \\
& \quad p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) (ap (ap \\
& \quad (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V5z) V4y)) (ap (c\_2Eset\_relation\_2Etc \\
& \quad A_{.27a}) V0r)))))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } A_{.27a } \\
& \quad A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V3x) V4y)) (ap (c\_2Eset\_relation\_2Etc \\
& \quad A_{.27a}) V0r))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})). \\
& \quad (\forall V1tc_{.27} \in ((2^{A_{.27a}})^{A_{.27a}}). ((\forall V2x \in A_{.27a}. (\forall V3y \in \\
& \quad A_{.27a}. ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) \\
& \quad (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V2x) V3y)) V0r)) \Rightarrow (p (ap (ap \\
& \quad V1tc_{.27} V2x) V3y)))))) \wedge (\forall V4x \in A_{.27a}. (\forall V5y \in A_{.27a}. \\
& \quad ((\exists V6z \in A_{.27a}. ((p (ap (ap V1tc_{.27} V4x) V6z)) \wedge (p (ap (ap V1tc_{.27} \\
& \quad V6z) V5y)))))) \Rightarrow (p (ap (ap V1tc_{.27} V4x) V5y)))))) \Rightarrow (\forall V7x \in A_{.27a}. \\
& \quad (\forall V8y \in A_{.27a}. ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } \\
& \quad A_{.27a } A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V7x) V8y)) (ap \\
& \quad (c\_2Eset\_relation\_2Etc } A_{.27a}) V0r))) \Rightarrow (p (ap (ap V1tc_{.27} V7x) \\
& \quad V8y))))))
\end{aligned} \tag{31}$$

### Theorem 1

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})). \\
& \quad (\forall V1x \in A_{.27a}. (\forall V2y \in A_{.27a}. ((p (ap (ap (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } \\
& \quad A_{.27a}) V1x) V2y)) (ap (c\_2Eset\_relation\_2Etc } A_{.27a}) V0r))) \Leftrightarrow ( \\
& \quad (p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) (ap ( \\
& \quad ap (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V1x) V2y)) V0r)) \vee (\exists V3z \in \\
& \quad A_{.27a}. ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) \\
& \quad (ap (ap (c\_2Epair\_2E\_2C } A_{.27a } A_{.27a}) V1x) V3z)) V0r)) \wedge (p (ap (ap \\
& \quad (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod } A_{.27a } A_{.27a})) (ap (ap (c\_2Epair\_2E\_2C \\
& \quad A_{.27a } A_{.27a}) V3z) V2y)) (ap (c\_2Eset\_relation\_2Etc } A_{.27a}) V0r))))))
\end{aligned}$$