

# thm\_2Eset\_relation\_2Etc\_union (TMPTWCf1Qg25smbcx2FT26ugw5moLLT3BoE)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2E\_2ET)$ .

**Definition 4** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1t \in 2.V1t)) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define  $c\_2Ebool\_2E\_2E\_25C\_2E\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 8** We define  $c\_2Ebool\_2E\_2E\_2F\_2E\_25C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 9** We define  $c\_2Epair\_2E\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2EABS\_prod A\_27a A\_27b) (V0x V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{3}$$

**Definition 10** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c$

**Definition 11** We define  $c\_2Ebool\_2E21$  to be  $(ap (c\_2Ebool\_2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 12** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E3D\_3D\_3E V0t) c\_2Ebool\_2E7E$

**Definition 13** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E40$

**Definition 15** We define  $c\_2Eset\_relation\_2Etc$  to be  $\lambda A\_27a : \iota. (\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}).$

Assume the following.

$$True \tag{4}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{6}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{7}$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{8}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ & (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ & ((\forall V3x \in A\_27a. (p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A\_27a. (p\ ( \\ & \quad ap\ V1Q\ V4x))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in ( \\ & 2^{A\_27a}). ((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in \\ & \quad A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in ( \\ & 2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ ( \\ & \quad V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (13)$$

Assume the following.

$$(\forall V0v \in 2. ((p\ (ap\ c\_2Ebool\_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ & V2x)\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ ( \\ & \quad (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A\_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{25}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{26}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}), \\
& \quad ((\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\
& \quad A\_27a)\ V1x)\ V2y))\ V0r)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\
& \quad A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V1x)\ V2y))\ (ap \\
& \quad (c\_2Eset\_relation\_2Etc\ A\_27a)\ V0r)))))) \wedge (\forall V3x \in A\_27a. \\
& \quad (\forall V4y \in A\_27a. ((\exists V5z \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\
& \quad A\_27a)\ V3x)\ V5z))\ (ap\ (c\_2Eset\_relation\_2Etc\ A\_27a)\ V0r))) \wedge ( \\
& \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V5z)\ V4y))\ (ap\ (c\_2Eset\_relation\_2Etc \\
& \quad A\_27a)\ V0r)))))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a \\
& \quad A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V3x)\ V4y))\ (ap\ (c\_2Eset\_relation\_2Etc \\
& \quad A\_27a)\ V0r)))))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}), \\
& \quad (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\
& \quad A\_27a)\ V1x)\ V2y))\ (ap\ (c\_2Eset\_relation\_2Etc\ A\_27a)\ V0r))) \Leftrightarrow ( \\
& \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ ( \\
& \quad ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V1x)\ V2y))\ V0r)) \vee (\exists V3z \in \\
& \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)) \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V1x)\ V3z))\ (ap\ (c\_2Eset\_relation\_2Etc \\
& \quad A\_27a)\ V0r))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a \\
& \quad A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V3z)\ V2y))\ (ap\ (c\_2Eset\_relation\_2Etc \\
& \quad A\_27a)\ V0r)))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}), \\
& \quad (\forall V1tc\_27 \in ((2^{A\_27a})^{A\_27a}). ((\forall V2x \in A\_27a. (\forall V3y \in \\
& \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)) \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V2x)\ V3y))\ V0r)) \Rightarrow (p\ (ap\ (ap \\
& \quad V1tc\_27\ V2x)\ V3y)))))) \wedge (\forall V4x \in A\_27a. (\forall V5y \in A\_27a. \\
& \quad ((\exists V6z \in A\_27a. ((p\ (ap\ (ap\ V1tc\_27\ V4x)\ V6z)) \wedge (p\ (ap\ (ap\ V1tc\_27 \\
& \quad V6z)\ V5y)))) \Rightarrow (p\ (ap\ (ap\ V1tc\_27\ V4x)\ V5y)))))) \Rightarrow (\forall V7x \in A\_27a. \\
& \quad (\forall V8y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\
& \quad A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V7x)\ V8y))\ (ap \\
& \quad (c\_2Eset\_relation\_2Etc\ A\_27a)\ V0r))) \Rightarrow (p\ (ap\ (ap\ V1tc\_27\ V7x) \\
& \quad V8y)))))))))
\end{aligned} \tag{30}$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0r1 \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}). \\ & (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\ & A\_27a)\ V1x)\ V2y))\ (ap\ (c\_2Eset\_relation\_2Etc\ A\_27a)\ V0r1)))) \Rightarrow \\ & (\forall V3r2 \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}). (p\ (ap\ (ap\ ( \\ c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & A\_27a\ A\_27a)\ V1x)\ V2y))\ (ap\ (c\_2Eset\_relation\_2Etc\ A\_27a)\ (ap \\ & (ap\ (c\_2Epred\_set\_2EUNION\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ V0r1 \\ & V3r2)))))))))) \end{aligned}$$