

thm\_2Eset\_\_relation\_2Etransitive\_\_reln\_\_to\_\_rel\_\_conv  
(TML-  
gHaWJZwrvUi1HZgdMZzJY783QGYGii9m)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 6** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_2F\_5C$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (2)$$

**Definition 7** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_2C$

**Definition 8** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 9** We define  $c\_2Eset\_relation\_2Etransitive$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (3)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (4)$$

**Definition 10** We define  $c\_2Eset\_relation\_2Erel\_to\_rel$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$

**Definition 11** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a \times A\_27b})$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (5)$$

**Definition 12** We define  $c\_2Eset\_relation\_2Erel\_to\_reln$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27b})^{A\_27a})$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ 2.(((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0xy \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b).(\forall V1R \in (( \\ 2^{A\_27b})^{A\_27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\ A\_27a\ A\_27b))\ V0xy)\ (ap\ (c\_2Eset\_relation\_2Erel\_to\_reln\ A\_27a \\ A\_27b)\ V1R))) \Leftrightarrow (p\ (ap\ (ap\ V1R\ (ap\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b)\ V0xy)) \\ (ap\ (c\_2Epair\_2ESND\ A\_27a\ A\_27b)\ V0xy)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}), (\forall V1x \in \\ & \quad A\_27a. (\forall V2y \in A\_27b. ((p\ (ap\ (ap\ (ap\ (c\_2Eset\_relation\_2Ereln\_to\_rel \\ & \quad A\_27a\ A\_27b)\ V0r)\ V1x)\ V2y)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\ & \quad A\_27a\ A\_27b))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1x)\ V2y))\ V0r)))))) \\ & \hspace{15em} (12) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0R \in ((2^{A\_27b})^{A\_27a}), ((ap\ (c\_2Eset\_relation\_2Ereln\_to\_rel \\ & \quad A\_27a\ A\_27b)\ (ap\ (c\_2Eset\_relation\_2Erel\_to\_reln\ A\_27a\ A\_27b) \\ & \quad V0R)) = V0R)) \\ & \hspace{15em} (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}), ((ap\ (c\_2Eset\_relation\_2Erel\_to\_reln \\ & \quad A\_27a\ A\_27b)\ (ap\ (c\_2Eset\_relation\_2Ereln\_to\_rel\ A\_27a\ A\_27b) \\ & \quad V0r)) = V0r)) \\ & \hspace{15em} (14) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0r1 \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}), (\forall V1r2 \in \\ & \quad (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}), (((ap\ (c\_2Eset\_relation\_2Ereln\_to\_rel \\ & \quad A\_27a\ A\_27b)\ V0r1) = (ap\ (c\_2Eset\_relation\_2Ereln\_to\_rel\ A\_27a \\ & \quad A\_27b)\ V1r2)) \Leftrightarrow (V0r1 = V1r2)))) \\ & \hspace{15em} (15) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0R1 \in ((2^{A\_27b})^{A\_27a}), (\forall V1R2 \in ((2^{A\_27b})^{A\_27a}), \\ & \quad (((ap\ (c\_2Eset\_relation\_2Erel\_to\_reln\ A\_27a\ A\_27b)\ V0R1) = \\ & \quad (ap\ (c\_2Eset\_relation\_2Erel\_to\_reln\ A\_27a\ A\_27b)\ V1R2)) \Leftrightarrow \\ & \quad (V0R1 = V1R2)))) \\ & \hspace{15em} (16) \end{aligned}$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}), \\ & \quad ((p\ (ap\ (c\_2Eset\_relation\_2Etransitive\ A\_27a)\ V0r)) \Leftrightarrow (p\ (ap\ ( \\ & \quad c\_2Erelation\_2Etransitive\ A\_27a)\ (ap\ (c\_2Eset\_relation\_2Ereln\_to\_rel \\ & \quad A\_27a\ A\_27a)\ V0r)))))) \end{aligned}$$