

thm_2Eset_relation_2Euniv_reln_to_rel_conv (TMRd3GXZiNhMMkDf7oo1kuuVce8QzJ7d37R)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Ebool_2E_2E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a)^{(ty_2Epair_2Eprod A_27a A_27b)} \tag{3}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (ap\ V0P\ V1a)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in A_27b.(((ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in A_27b.(((ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b).((ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ (ap (c_2Epair_2EFST\ A_27a\ A_27b)\ V0x)) (ap (c_2Epair_2ESND\ A_27a\ A_27b)\ V0x)) = V0x)) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.((ap (c_2Epair_2EFST\ A_27a\ A_27b)\ (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.((ap (c_2Epair_2ESND\ A_27a\ A_27b)\ (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V1y))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c.nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}).(\forall V1x \in A_27a.(\forall V2y \in A_27b.((ap (ap (c_2Epair_2EUNCURRY\ A_27a\ A_27b\ A_27c)\ V0f)\ (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y)) = (ap (ap (V0f\ V1x)\ V2y)))))) \quad (18)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\
& \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Eprod_set_2EGSPEC \\
& \quad A_27a\ A_27b)\ V0f)))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\
& \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0s \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}). (\forall V1t \in \\
& \quad (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in \\
& \quad A_27a. (\forall V3y \in A_27b. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A_27a\ A_27b))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2x)\ V3y))\ V0s)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27b))\ (ap\ (\\
& \quad ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2x)\ V3y))\ V1t))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0xy \in (ty_2Epair_2Eprod\ A_27a\ A_27b). (\forall V1R \in ((\\
& \quad 2^{A_27b})^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A_27a\ A_27b))\ V0xy)\ (ap\ (c_2Eset_relation_2Erel_to_reln\ A_27a \\
& \quad A_27b)\ V1R))) \Leftrightarrow (p\ (ap\ (ap\ V1R\ (ap\ (c_2Epair_2EFST\ A_27a\ A_27b)\ V0xy)) \\
& \quad (ap\ (c_2Epair_2ESND\ A_27a\ A_27b)\ V0xy))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}). (\forall V1x \in \\
& \quad A_27a. (\forall V2y \in A_27b. ((p\ (ap\ (ap\ (ap\ (c_2Eset_relation_2Ereln_to_rel \\
& \quad A_27a\ A_27b)\ V0r)\ V1x)\ V2y)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A_27a\ A_27b))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y))\ V0r))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27b})^{A_27a}). ((ap\ (c_2Eset_relation_2Ereln_to_rel \\
& \quad A_27a\ A_27b)\ (ap\ (c_2Eset_relation_2Erel_to_reln\ A_27a\ A_27b) \\
& \quad V0R)) = V0R))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}). ((ap\ (c_2Eset_relation_2Erel_to_reln \\
& \quad A_27a\ A_27b)\ (ap\ (c_2Eset_relation_2Ereln_to_rel\ A_27a\ A_27b) \\
& \quad V0r)) = V0r))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0r1 \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}), (\forall V1r2 \in \\
& (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}), (((ap\ (c_2Eset_relation_2Ereln_to_rel \\
& \quad A_27a\ A_27b)\ V0r1) = (ap\ (c_2Eset_relation_2Ereln_to_rel\ A_27a \\
& \quad A_27b)\ V1r2)) \Leftrightarrow (V0r1 = V1r2)))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R1 \in ((2^{A_27b})^{A_27a}), (\forall V1R2 \in ((2^{A_27b})^{A_27a}). \\
& (((ap\ (c_2Eset_relation_2Erel_to_reln\ A_27a\ A_27b)\ V0R1) = \quad (26) \\
& (ap\ (c_2Eset_relation_2Erel_to_reln\ A_27a\ A_27b)\ V1R2)) \Leftrightarrow \\
& \quad (V0R1 = V1R2))))
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}), ((ap\ (c_2Eset_relation_2Euniv_reln \\
& \quad A_27a)\ V0s) = (ap\ (c_2Eset_relation_2Erel_to_reln\ A_27a\ A_27a) \\
& \quad (ap\ (c_2Eset_relation_2ERRUNIV\ A_27a)\ V0s))))
\end{aligned}$$