

thm_2Eset_relation_2Ezorns_lemma
(TMR44K9Trf2bVKDzD1bqRLwk1jLDq7Bqusi)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ecombin_2ES` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0 f \in ((A. 27c^{A. 27b})^{A. 27a})$

Definition 4 We define `c_2Ecombin_2EC` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0 f \in ((A. 27c^{A. 27b})^{A. 27a})$

Definition 5 We define `c_2Ecombin_2EK` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0 x \in A. 27a. (\lambda V1 y \in A. 27b. V0x))$

Definition 6 We define `c_2Ecombin_2EI` to be $\lambda A. 27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A. 27a \ (A. 27a^{A. 27a}) \ A. 27a))$

Definition 7 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) \ (\lambda V0 x \in 2. V0x)) \ (\lambda V1 x \in 2. V1x))$

Definition 8 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0 P \in (2^{A. 27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A. 27a}))$

Definition 9 We define `c_2Ecombin_2Eo` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda V0 f \in (A. 27b^{A. 27c}). \lambda V1 g \in (A. 27c^{A. 27b}).$

Definition 10 We define `c_2Emarker_2EAbbrev` to be $\lambda V0 x \in 2. V0x$.

Definition 11 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) \ (\lambda V0 t \in 2. V0t))$.

Definition 12 We define `c_2Epred_set_2EEMPTY` to be $\lambda A. 27a : \iota. (\lambda V0 x \in A. 27a. \text{c_2Ebool_2EF})$.

Definition 13 We define `c_2Ebool_2EIN` to be $\lambda A. 27a : \iota. (\lambda V0 x \in A. 27a. (\lambda V1 f \in (2^{A. 27a}). (\text{ap } V1 f \ V0x))$

Definition 14 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 15 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0 t1 \in 2. (\lambda V1 t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) \ (\lambda V2 t \in 2. V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (3)$$

Definition 17 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ s\ t)$

Definition 18 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ s\ t)$

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1\ t2))\ (\lambda V2t \in 2.(\lambda V3t \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t2\ t3))\ t1\ t2))\ t1\ t2$

Definition 20 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ x\ s)$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ A_27a)\ P)))$

Definition 22 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ P)$

Definition 23 We define $c_2Eset_relation_2Eantisym$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 24 We define $c_2Eset_relation_2Ereflexive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 25 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 26 We define $c_2Eset_relation_2Etransitive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 27 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 28 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ s\ t)$

Definition 29 We define $c_2Eset_relation_2Epartial_order$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 30 We define $c_2Eset_relation_2Emaximal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in (2^{A_27a}).(ap\ (c_2Eset_relation_2Eantisym\ A_27a)\ xs\ r)$

Definition 31 We define $c_2Eset_relation_2Eminimal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in (2^{A_27a}).(ap\ (c_2Eset_relation_2Eantisym\ A_27a)\ xs\ r)$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECHOICE\ A_27a \in (A_27a^{(2^{A_27a})}) \quad (4)$$

Definition 32 We define $c_2Eset_relation_2Eupper_bounds$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0s \in (2^{A_27b}). \lambda V$

Definition 33 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E7E$

Definition 34 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 35 We define $c_2Eset_relation_2Echain$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1r \in (2^{(ty_2Epair_2E$

Definition 36 We define $c_2Eset_relation_2Efchains$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V0t))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (13)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(V0x = V0x)) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p(ap V0P V2x)) \wedge (p(ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A.27a.(p(ap V0P V3x))) \wedge (\forall V4x \in A.27a.(p(ap V1Q V4x))))))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.(((\forall V2x \in A.27a.(p(ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A.27a.((p(ap V0P V3x)) \wedge (p V1Q)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((p V0P) \wedge (\forall V2x \in A.27a. (p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a. ((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V1P V3x))) \vee (p V0Q)))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x))))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in 2. ((\forall V2x \in A.27a. ((p (ap V0P V2x)) \Rightarrow (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x))) \Rightarrow (p V1Q)))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. ((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow \\ & ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \end{aligned} \quad (35)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}).(\forall V1v \in A_{.27a}.((\forall V2x \in A_{.27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (36)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2Ecombin_2EI} A_{.27a}) V0x) = V0x)) \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\ & \forall V0f \in (A_{.27b}^{A_{.27a}}).(((ap (ap (c_{.2Ecombin_2Eo} A_{.27a} A_{.27b} \\ & A_{.27b}) (c_{.2Ecombin_2EI} A_{.27b})) V0f) = V0f) \wedge ((ap (ap (c_{.2Ecombin_2Eo} \\ & A_{.27a} A_{.27b} A_{.27a}) V0f) (c_{.2Ecombin_2EI} A_{.27a})) = V0f))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\ & \forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in \\ & A_{.27b}.(((ap (ap (c_{.2Epair_2E_2C} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap \\ & (c_{.2Epair_2E_2C} A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\ & (2^{A_{.27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}.((p (ap (ap (c_{.2Ebool_2EIN} \\ & A_{.27a}) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_{.2Ebool_2EIN} A_{.27a}) V2x) V1t)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in \\ A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ A_27a\ A_27b)\ V0f)))) \Leftrightarrow (\exists V2x \in A_27b.((ap\ (ap\ (c_2Epair_2E \\ A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\neg(p\ (ap\ (ap \\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))))) \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).((\exists V1x \in \\ A_27a.(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s))) \Leftrightarrow (\neg(V0s = (c_2Epred_set_2EEMPTY \\ A_27a)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).((p\ (ap \\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V0s)\ (c_2Epred_set_2EEMPTY \\ A_27a))) \Leftrightarrow (V0s = (c_2Epred_set_2EEMPTY\ A_27a)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ (2^{A_27a}).(\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ (2^{A_27a}).((p\ (ap\ (ap\ (c_2Epred_set_2EDISJOINT\ A_27a)\ V0s)\ V1t))) \Leftrightarrow \\ (\neg(\exists V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge \\ (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).((p\ (ap \\ (ap\ (c_2Epred_set_2EDISJOINT\ A_27a)\ (c_2Epred_set_2EEMPTY \\ A_27a)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Epred_set_2EDISJOINT\ A_27a)\ V0s) \\ (c_2Epred_set_2EEMPTY\ A_27a)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ (2^{A_27a}).(\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EDIFF\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (\\ ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t)))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).((ap\ (ap\ (c_2Epred_set_2EDIFF\ A_{.27a})\ V0s)\ (c_2Epred_set_2EEMPTY\ A_{.27a})) = V0s)) \quad (49)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27a}.(\forall V2s \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_{.27a})\ V1y)\ V2s)))) \Leftrightarrow ((V0x = V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ V2s))))))) \quad (50)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1s \in (2^{A_{.27a}}).(\neg((ap\ (ap\ (c_2Epred_set_2EINSERT\ A_{.27a})\ V0x)\ V1s) = (c_2Epred_set_2EEMPTY\ A_{.27a})))))) \quad (51)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1s \in (2^{A_{.27a}}).(\forall V2t \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_2Epred_set_2EDISJOINT\ A_{.27a})\ V2t)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_{.27a})\ V0x)\ V1s)))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Epred_set_2EDISJOINT\ A_{.27a})\ V2t)\ V1s)) \wedge (\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ V2t))))))) \quad (52)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1s \in (2^{A_{.27a}}).(\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ V1s)))) \Rightarrow (\forall V2t \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_{.27a})\ V1s)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_{.27a})\ V0x)\ V2t)))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_{.27a})\ V1s)\ V2t)))))) \quad (53)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\neg(V0s = (c_2Epred_set_2EEMPTY\ A_{.27a}))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ (ap\ (c_2Epred_set_2ECHOICE\ A_{.27a})\ V0s))\ V0s)))) \quad (54)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1sos \in (2^{(2^{A_{.27a}})}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ (ap\ (c_2Epred_set_2EBIGUNION\ A_{.27a})\ V1sos)))) \Leftrightarrow (\exists V2s \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_{.27a}})\ V2s)\ V1sos))))))) \quad (55)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(2^{A-27a})}).((\\
& ((ap\ (c_2Epred_set_2EBIGUNION\ A.27a)\ V0P) = (c_2Epred_set_2EEMPTY \\
& A.27a)) \Leftrightarrow ((V0P = (c_2Epred_set_2EEMPTY\ (2^{A-27a}))) \vee (V0P = (ap \\
& (ap\ (c_2Epred_set_2EINSERT\ (2^{A-27a}))\ (c_2Epred_set_2EEMPTY \\
& A.27a))\ (c_2Epred_set_2EEMPTY\ (2^{A-27a})))))) \wedge (((c_2Epred_set_2EEMPTY \\
& A.27a) = (ap\ (c_2Epred_set_2EBIGUNION\ A.27a)\ V0P)) \Leftrightarrow ((V0P = (c_2Epred_set_2EEMPTY \\
& (2^{A-27a}))) \vee (V0P = (ap\ (ap\ (c_2Epred_set_2EINSERT\ (2^{A-27a})) \\
& (c_2Epred_set_2EEMPTY\ A.27a))\ (c_2Epred_set_2EEMPTY\ (2^{A-27a})))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0y \in (2^{A-27a}).((ap\ (c_2Epred_set_2EGSPEC \\
& A.27a\ A.27a)\ (\lambda V1x \in A.27a.(ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ 2) \\
& V1x)\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V1x)\ V0y)))) = V0y))
\end{aligned} \tag{57}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{58}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{61}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{67}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow (p \ V0p))) \tag{68}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{69}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q)) \Rightarrow \neg(p \ V0p))) \tag{70}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{71}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p)) \Rightarrow (p \ V0p))) \tag{72}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0x \in A_27a. (\forall V1r \in (2^{(ty_2Epair_2Eprod \ A_27a \ A_27b)}). \\
& ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V0x) \ (ap \ (c_2Eset_relation_2Edomain \\
& A_27a \ A_27b) \ V1r))) \Leftrightarrow (\exists V2y \in A_27b. (p \ (ap \ (ap \ (c_2Ebool_2EIN \\
& (ty_2Epair_2Eprod \ A_27a \ A_27b)) \ (ap \ (ap \ (c_2Epair_2E_2C \ A_27a \\
& A_27b) \ V0x) \ V2y)) \ V1r))))))
\end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0y \in A_27a. (\forall V1r \in (2^{(ty_2Epair_2Eprod \ A_27b \ A_27a)}). \\
& ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V0y) \ (ap \ (c_2Eset_relation_2Erange \\
& A_27a \ A_27b) \ V1r))) \Leftrightarrow (\exists V2x \in A_27b. (p \ (ap \ (ap \ (c_2Ebool_2EIN \\
& (ty_2Epair_2Eprod \ A_27b \ A_27a)) \ (ap \ (ap \ (c_2Epair_2E_2C \ A_27b \\
& A_27a) \ V2x) \ V0y)) \ V1r))))))
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod\ A_{.27a}\ A_{.27a})}). \\
& \quad (\forall V1s \in (2^{A_{.27a}}). (\forall V2x1 \in A_{.27a}. (\forall V3x2 \in A_{.27a}. \\
& \quad \quad ((p\ (ap\ (c_2Eset_relation_2Etransitive\ A_{.27a})\ V0r)) \wedge ((p\ (ap \\
& \quad (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V2x1)\ (ap\ (ap\ (c_2Eset_relation_2Eupper_bounds \\
& \quad A_{.27a}\ A_{.27a})\ V1s)\ V0r))) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A_{.27a}\ A_{.27a}))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_{.27a}\ A_{.27a})\ V2x1)\ V3x2)) \\
& \quad V0r)))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V3x2)\ (ap\ (ap\ (c_2Eset_relation_2Eupper_bounds \\
& \quad A_{.27a}\ A_{.27a})\ V1s)\ V0r))))))
\end{aligned} \tag{75}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod\ A_{.27a}\ A_{.27a})}). \\
& \quad (\forall V1s \in (2^{A_{.27a}}). (((\neg(V1s = (c_2Epred_set_2EEMPTY\ A_{.27a}))) \wedge \\
& \quad ((p\ (ap\ (ap\ (c_2Eset_relation_2Epartial_order\ A_{.27a})\ V0r)\ V1s)) \wedge \\
& \quad (\forall V2t \in (2^{A_{.27a}}). ((p\ (ap\ (ap\ (c_2Eset_relation_2Echain \\
& \quad A_{.27a})\ V2t)\ V0r)) \Rightarrow (\neg((ap\ (ap\ (c_2Eset_relation_2Eupper_bounds \\
& \quad A_{.27a}\ A_{.27a})\ V2t)\ V0r) = (c_2Epred_set_2EEMPTY\ A_{.27a})))))) \Rightarrow \\
& \quad (\exists V3x \in A_{.27a}. (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V3x)\ (ap\ (ap \\
& \quad (c_2Eset_relation_2Emaximal_elements\ A_{.27a})\ V1s)\ V0r))))))
\end{aligned}$$