

thm_2Esorting_2EFILTER_EQ.rep
(TMdM2TqDqFq92rVdfWQC1Tqs7abArwLhUvN)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o$ ($x = y$) of type $\iota \rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap \ (ap \ (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^A)^{27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^A)^{27a})\ V)\ P)$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty *ty_2Enum_2Enum* (1)

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (2)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (\text{ty_2Enum_2Enum}(\text{ty_2Elist_2Elist } A_27a))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \rightarrow \iota$.

Definition 10 We define $c_2\text{-Ebool-2ECOND}$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2EFILTER\ A_{27a} \in (((ty_2Elist_2Elist\ A_{27a})^{(ty_2Elist_2Elist\ A_{27a})})^{(2^{A_{27a}})}) \quad (4)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ECONS\ A_{27a} \in (((ty_2Elist_2Elist\ A_{27a})^{(ty_2Elist_2Elist\ A_{27a})})^{A_{27a}}) \quad (5)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (8)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m\ V0)$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ENIL\ A_{27a} \in (ty_2Elist_2Elist\ A_{27a}) \quad (9)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Definition 12 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Erich_list_2EREPLICATE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Erich_list_2EREPLICATE\ A_{27a} \in (((ty_2Elist_2Elist\ A_{27a})^{A_{27a}})^{ty_2Enum_2Enum}) \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\ ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))) \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ & V5y_27))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (((ap(c_2Elist_2ELENGTH A_{27a}) \\
& \quad (c_2Elist_2ENIL A_{27a})) = c_2Enum_2E0) \wedge (\forall V0h \in A_{27a}.(\\
& \quad \forall V1t \in (ty_2Elist_2Elist A_{27a}).((ap(c_2Elist_2ELENGTH \\
& \quad A_{27a}) (ap(ap(c_2Elist_2ECONS A_{27a}) V0h) V1t)) = (ap c_2Enum_2ESUC \\
& \quad (ap(c_2Elist_2ELENGTH A_{27a}) V1t)))))) \\
& \quad (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow ((\forall V0P \in (2^{A_{27a}}).((ap(\\
& \quad ap(c_2Elist_2EFILTER A_{27a}) V0P) (c_2Elist_2ENIL A_{27a})) = (c_2Elist_2ENIL \\
& \quad A_{27a}))) \wedge (\forall V1P \in (2^{A_{27a}}).(\forall V2h \in A_{27a}.(\forall V3t \in \\
& \quad (ty_2Elist_2Elist A_{27a}).((ap(ap(c_2Elist_2EFILTER A_{27a}) \\
& \quad V1P) (ap(ap(c_2Elist_2ECONS A_{27a}) V2h) V3t)) = (ap(ap(ap(c_2Ebool_2ECOND \\
& \quad (ty_2Elist_2Elist A_{27a})) (ap V1P V2h)) (ap(ap(c_2Elist_2ECONS \\
& \quad A_{27a}) V2h) (ap(ap(c_2Elist_2EFILTER A_{27a}) V1P) V3t))) (ap(ap \\
& \quad (c_2Elist_2EFILTER A_{27a}) V1P) V3t))))))) \\
& \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_{27a})}). \\
& \quad (((p(ap V0P (c_2Elist_2ENIL A_{27a}))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad A_{27a}).(p(ap V0P V1t)) \Rightarrow (\forall V2h \in A_{27a}.(p(ap V0P (ap \\
& \quad (c_2Elist_2ECONS A_{27a}) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A_{27a}).(p(ap V0P V3l)))))) \\
& \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0a0 \in A_{27a}.(\forall V1a1 \in \\
& \quad (ty_2Elist_2Elist A_{27a}).(\forall V2a0_27 \in A_{27a}.(\forall V3a1_27 \in \\
& \quad (ty_2Elist_2Elist A_{27a}).(((ap(ap(c_2Elist_2ECONS A_{27a}) V0a0) \\
& \quad V1a1) = (ap(ap(c_2Elist_2ECONS A_{27a}) V2a0_27) V3a1_27)) \Leftrightarrow ((V0a0 = \\
& \quad V2a0_27) \wedge (V1a1 = V3a1_27))))))) \\
& \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow ((\forall V0x \in A_{27a}.((ap(ap(c_2Erich_list_2EREPLICATE \\
& \quad A_{27a}) c_2Enum_2E0) V0x) = (c_2Elist_2ENIL A_{27a}))) \wedge (\forall V1n \in \\
& \quad ty_2Enum_2Enum.(\forall V2x \in A_{27a}.((ap(ap(c_2Erich_list_2EREPLICATE \\
& \quad A_{27a}) (ap c_2Enum_2ESUC V1n)) V2x) = (ap(ap(c_2Elist_2ECONS A_{27a}) \\
& \quad V2x) (ap(ap(c_2Erich_list_2EREPLICATE A_{27a}) V1n) V2x)))))) \\
& \quad (27)
\end{aligned}$$

Theorem 1

$$\begin{aligned} \forall A_27a. & nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1l \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EFILTER\ A_27a) \\ & (ap\ (c_2Emin_2E_3D\ A_27a)\ V0x))\ V1l) = (ap\ (ap\ (c_2Erich_list_2EREPLICATE \\ & A_27a)\ (ap\ (c_2Elist_2ELENGTH\ A_27a)\ (ap\ (ap\ (c_2Elist_2EFILTER \\ & A_27a)\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V0x))\ V1l)))\ V0x)))) \end{aligned}$$