

thm_2Esorting_2EPART__MEM (TMaZDb- VKzVpZQuK7wL3f56ZQ8vTtDND7DrC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 4 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 5 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a})).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) P))$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_5C_2F))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (2)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (3)$$

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EFILTER\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (4)$$

Definition 12 We define $c_2Esorting_2Eperm$ to be $\lambda A_27a : \iota. \lambda V0L1 \in (ty_2Elist_2Elist\ A_27a). \lambda V1L2$

Definition 13 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (5)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (8)$$

Let $c_2Esorting_2Epart : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Esorting_2Epart\ A_27a \in (((((ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a)\ (ty_2Elist_2Elist\ A_27a))^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (9)$$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (30)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2E}combin_{.2E}I A_{.27a}) V0x) = V0x)) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0l \in (ty_{.2E}list_{.2E}list A_{.27a}).((ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) (c_{.2E}list_{.2E}ENIL A_{.27a})) V0l) = V0l)) \wedge (\forall V1l1 \in (ty_{.2E}list_{.2E}list A_{.27a}).(\forall V2l2 \in (ty_{.2E}list_{.2E}list A_{.27a}).(\forall V3h \in A_{.27a}.((ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) (ap (ap (c_{.2E}list_{.2E}CONS A_{.27a}) V3h) V1l1)) V2l2) = (ap (ap (c_{.2E}list_{.2E}CONS A_{.27a}) V3h) (ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) V1l1) V2l2)))))) \Rightarrow (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{(ty_{.2E}list_{.2E}list A_{.27a})}).(((p (ap V0P (c_{.2E}list_{.2E}ENIL A_{.27a}))) \wedge (\forall V1t \in (ty_{.2E}list_{.2E}list A_{.27a}).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_{.27a}.(p (ap V0P (ap (ap (c_{.2E}list_{.2E}CONS A_{.27a}) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_{.2E}list_{.2E}list A_{.27a}).(p (ap V0P V3l)))))) \Rightarrow (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0l1 \in (ty_{.2E}list_{.2E}list A_{.27a}).(\forall V1l2 \in (ty_{.2E}list_{.2E}list A_{.27a}).(\forall V2l3 \in (ty_{.2E}list_{.2E}list A_{.27a}).((ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) V0l1) (ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) V1l2) V2l3)) = (ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) (ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) V0l1) V1l2)) V2l3)))))) \Rightarrow (35)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.2E}pair_{.2E}2C A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.2E}pair_{.2E}2C A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \Rightarrow (36)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (51)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0L \in (ty_2Elist_2Elist A_27a). (p (ap (ap (c_2Esorting_2EPERM A_27a) V0L) V0L))) \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in (ty_2Elist_2Elist \\ & \quad A_27a). (\forall V1y \in (ty_2Elist_2Elist A_27a). (\forall V2z \in \\ & \quad (ty_2Elist_2Elist A_27a). ((p (ap (ap (c_2Esorting_2EPERM A_27a) \\ & \quad (ty_2Elist_2Elist A_27a) V1y)) \wedge (p (ap (ap (c_2Esorting_2EPERM A_27a) V1y) V2z))) \Rightarrow (\\ & \quad p (ap (ap (c_2Esorting_2EPERM A_27a) V0x) V2z)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1L \in \\ & \quad (ty_2Elist_2Elist A_27a). (\forall V2M \in (ty_2Elist_2Elist A_27a). \\ & \quad (\forall V3N \in (ty_2Elist_2Elist A_27a). ((p (ap (ap (c_2Esorting_2EPERM \\ & \quad A_27a) V1L) (ap (ap (c_2Elist_2EAPPEND A_27a) V2M) V3N))) \Rightarrow (p (ap \\ & \quad (ap (c_2Esorting_2EPERM A_27a) (ap (ap (c_2Elist_2ECONS A_27a) \\ & \quad V0x) V1L)) (ap (ap (c_2Elist_2EAPPEND A_27a) V2M) (ap (ap (c_2Elist_2ECONS \\ & \quad A_27a) V0x) V3N)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ & \quad A_27a). (\forall V1l2 \in (ty_2Elist_2Elist A_27a). ((p (ap (ap (c_2Esorting_2EPERM \\ & \quad A_27a) V0l1) V1l2)) \Rightarrow (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN \\ & \quad A_27a) V2x) (ap (c_2Elist_2ELIST_TO_SET A_27a) V0l1))) \Leftrightarrow (p (\\ & \quad ap (ap (c_2Ebool_2EIN A_27a) V2x) (ap (c_2Elist_2ELIST_TO_SET \\ & \quad A_27a) V1l2)))))))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0P \in (2^{A_{.27a}}).(\forall V1l1 \in \\
& \quad (ty_2Elist_2Elist\ A_{.27a}).(\forall V2l2 \in (ty_2Elist_2Elist\ A_{.27a}). \\
& \quad ((ap\ (ap\ (ap\ (ap\ (c_2Esorting_2EPART\ A_{.27a})\ V0P)\ (c_2Elist_2ENIL \\
& \quad A_{.27a}))\ V1l1)\ V2l2) = (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist \\
& \quad A_{.27a})\ (ty_2Elist_2Elist\ A_{.27a}))\ V1l1)\ V2l2)))) \wedge (\forall V3P \in \\
& \quad (2^{A_{.27a}}).(\forall V4h \in A_{.27a}.(\forall V5rst \in (ty_2Elist_2Elist \\
& \quad A_{.27a}).(\forall V6l1 \in (ty_2Elist_2Elist\ A_{.27a}).(\forall V7l2 \in \\
& \quad (ty_2Elist_2Elist\ A_{.27a}).((ap\ (ap\ (ap\ (ap\ (c_2Esorting_2EPART \\
& A_{.27a})\ V3P)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{.27a})\ V4h)\ V5rst)))\ V6l1)\ V7l2) = \\
& \quad (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Epair_2Eprod\ (ty_2Elist_2Elist \\
& \quad A_{.27a})\ (ty_2Elist_2Elist\ A_{.27a}))\ (ap\ V3P\ V4h))\ (ap\ (ap\ (ap\ (ap\ (\\
& \quad c_2Esorting_2EPART\ A_{.27a})\ V3P)\ V5rst)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A_{.27a})\ V4h)\ V6l1))\ V7l2))\ (ap\ (ap\ (ap\ (ap\ (c_2Esorting_2EPART\ A_{.27a}) \\
& \quad V3P)\ V5rst)\ V6l1)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{.27a})\ V4h)\ V7l2)))))))))) \\
& \hspace{15em} (56)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1L \in \\
& \quad (ty_2Elist_2Elist\ A_{.27a}).(\forall V2a1 \in (ty_2Elist_2Elist\ A_{.27a}). \\
& \quad (\forall V3a2 \in (ty_2Elist_2Elist\ A_{.27a}).(\forall V4l1 \in (ty_2Elist_2Elist \\
& \quad A_{.27a}).(\forall V5l2 \in (ty_2Elist_2Elist\ A_{.27a}).(((ap\ (ap\ (c_2Epair_2E_2C \\
& \quad (ty_2Elist_2Elist\ A_{.27a})\ (ty_2Elist_2Elist\ A_{.27a}))\ V2a1)\ V3a2) = \\
& \quad (ap\ (ap\ (ap\ (ap\ (c_2Esorting_2EPART\ A_{.27a})\ V0P)\ V1L)\ V4l1)\ V5l2))) \Rightarrow \\
& \quad (\forall V6x \in A_{.27a}.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V6x)\ (ap\ (\\
& \quad c_2Elist_2ELIST_TO_SET\ A_{.27a})\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_{.27a}) \\
& \quad V1L)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_{.27a})\ V4l1)\ V5l2)))))) \Leftrightarrow (p\ (ap\ (\\
& \quad ap\ (c_2Ebool_2EIN\ A_{.27a})\ V6x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_{.27a}) \\
& \quad (ap\ (ap\ (c_2Elist_2EAPPEND\ A_{.27a})\ V2a1)\ V3a2))))))))))
\end{aligned}$$