

thm\_2Esorting\_2EPERM\_\_ALL\_\_DISTINCT  
 (TMZi-  
 AHBmY7LdvGDEWdbyQ5hRLCN23dvUrG1)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (2)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (3)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

Let  $c\_2Elist\_2EALL\_DISTINCT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EALL\_DISTINCT A\_27a \in (2^{(ty\_2Elist\_2Elist A\_27a)}) \quad (5)$$

**Definition 10** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2EFILTER A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (6)$$

**Definition 12** We define  $c\_2Esorting\_2EPERM$  to be  $\lambda A\_27a : \iota. \lambda V0L1 \in (ty\_2Elist\_2Elist A\_27a). \lambda V1L2$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))) \quad (12) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg \neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \quad (13) \end{aligned}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\ & A\_27a.(((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF \\ & V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a.(((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ & V5y\_27)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0P \in (2^{A\_27a}).((ap\ ( \\
& ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL \\
& A\_27a))) \wedge (\forall V1P \in (2^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in \\
& (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a) \\
& V1P)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND \\
& (ty\_2Elist\_2Elist\ A\_27a))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2h)\ (ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V1P)\ V3t))))\ (ap\ (ap \\
& (c\_2Elist\_2EFILTER\ A\_27a)\ V1P)\ V3t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\
& (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
& A\_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist \\
& A\_27a).(\forall V1a0 \in A\_27a.(\neg((c\_2Elist\_2ENIL\ A\_27a) = (ap\ ( \\
& ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V1a0)\ V0a1))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((p\ (ap\ (ap \\
& (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a) \\
& (c\_2Elist\_2ENIL\ A\_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A\_27a.(\forall V2h \in \\
& A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V3t))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a).((p\ (ap\ (c\_2Elist\_2EALL\_DISTINCT\ A\_27a)\ V0l)) \Leftrightarrow (\forall V1x \in \\
& A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& A\_27a)\ V0l))) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ (ap\ (c\_2Emin\_2E\_3D \\
& A\_27a)\ V1x))\ V0l) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V1x)\ (c\_2Elist\_2ENIL \\
& A\_27a))))))
\end{aligned} \tag{26}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{27}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (41)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0l1 \in (\text{ty\_2Elist\_2Elist} \\ & A_{27a}). (\forall V1l2 \in (\text{ty\_2Elist\_2Elist } A_{27a}). (((p (\text{ap } (c\_2Elist\_2EALL\_DISTINCT \\ & A_{27a}) V0l1)) \wedge (p (\text{ap } (c\_2Elist\_2EALL\_DISTINCT } A_{27a}) V1l2))) \wedge \\ & (\forall V2x \in A_{27a}. ((p (\text{ap } (\text{ap } (c\_2Ebool\_2EIN } A_{27a}) V2x) (\text{ap } ( \\ & c\_2Elist\_2ELIST\_TO\_SET } A_{27a}) V0l1))) \Leftrightarrow (p (\text{ap } (\text{ap } (c\_2Ebool\_2EIN \\ & A_{27a}) V2x) (\text{ap } (c\_2Elist\_2ELIST\_TO\_SET } A_{27a}) V1l2)))))) \Rightarrow \\ & (p (\text{ap } (\text{ap } (c\_2Esorting\_2Eperm } A_{27a}) V0l1) V1l2)))) \end{aligned}$$