

thm\_2Esorting\_2EPERM\_\_CONS\_\_EQ\_\_APPEND  
(TMTMVF-  
fzXsCBi6MdSQGjtUaJ1Hp14SG4Svu)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then** *(the*  $(\lambda x.x \in A \wedge p x)$  *of type*  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  *of type*  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A a))))$

**Definition 4** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{4}$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda a.nonempty\ A \Rightarrow c\_2Elist\_2ELENGTH\ A.\lambda a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A.\lambda a)}) \tag{5}$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (6)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (7)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (8)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (9)$$

**Definition 6** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (11)$$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ ($

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V0t1)\ V2t2))))$

**Definition 12** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ V2t2))))$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V0t1)\ V2t2))))$

**Definition 14** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EFILTER\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (12)$$

**Definition 15** We define  $c\_2\text{Esorting\_2EPERM}$  to be  $\lambda A\_27a : \iota.\lambda V0L1 \in (ty\_2Elist\_2Elist\ A\_27a).\lambda V1L2$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \Rightarrow (p\ V1t2)) \wedge ((p\ V1t2) \Rightarrow (p\ V0t1))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0b \in 2. (\forall V1f \in (A\_27b^{A\_27a}). (\forall V2g \in (A\_27b^{A\_27a}). (\forall V3x \in A\_27a. ((ap\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (A\_27b^{A\_27a})\ V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V0b)\ (ap\ V1f\ V3x))\ (ap\ V2g\ V3x)))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1b \in 2. (\forall V2x \in A\_27a. (\forall V3y \in A\_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V1b)\ (ap\ V0f\ V2x))\ (ap\ V0f\ V3y)))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_{.27a}. (\forall V3x_{.27} \in A_{.27a}. (\forall V4y \in A_{.27a}. \\
& (\forall V5y_{.27} \in A_{.27a}. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_{.27})))))) \Rightarrow ((ap\ (ap\ (ap\ (c_{.2Ebool\_2ECOND}\ A_{.27a}) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_{.2Ebool\_2ECOND}\ A_{.27a})\ V1Q)\ V3x_{.27}) \\
& V5y_{.27})))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0a \in A_{.27a}. (\exists V1x \in A_{.27a}. (V1x = V0a))) \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}. (\forall V1t2 \in \\
& A_{.27a}. ((ap\ (ap\ (ap\ (c_{.2Ebool\_2ECOND}\ A_{.27a})\ c_{.2Ebool\_2ET})\ V0t1) \\
& V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}. (\forall V3t2 \in A_{.27a}. ((ap \\
& (ap\ (ap\ (c_{.2Ebool\_2ECOND}\ A_{.27a})\ c_{.2Ebool\_2EF})\ V2t1)\ V3t2) = V3t2))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist \\
& A_{.27a}). ((ap\ (ap\ (c_{.2Elist\_2EAPPEND}\ A_{.27a})\ (c_{.2Elist\_2ENIL}\ A_{.27a})) \\
& V0l) = V0l)) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist\ A_{.27a}). (\forall V2l2 \in \\
& (ty\_2Elist\_2Elist\ A_{.27a}). (\forall V3h \in A_{.27a}. ((ap\ (ap\ (c_{.2Elist\_2EAPPEND} \\
& A_{.27a})\ (ap\ (ap\ (c_{.2Elist\_2ECONS}\ A_{.27a})\ V3h)\ V1l1))\ V2l2) = (ap\ (ap \\
& (c_{.2Elist\_2ECONS}\ A_{.27a})\ V3h)\ (ap\ (ap\ (c_{.2Elist\_2EAPPEND}\ A_{.27a}) \\
& V1l1)\ V2l2)))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (((ap\ (c_{.2Elist\_2ELENGTH}\ A_{.27a}) \\
& (c_{.2Elist\_2ENIL}\ A_{.27a})) = c_{.2Enum\_2E0}) \wedge (\forall V0h \in A_{.27a}. ( \\
& \forall V1t \in (ty\_2Elist\_2Elist\ A_{.27a}). ((ap\ (c_{.2Elist\_2ELENGTH} \\
& A_{.27a})\ (ap\ (ap\ (c_{.2Elist\_2ECONS}\ A_{.27a})\ V0h)\ V1t)) = (ap\ c_{.2Enum\_2ESUC} \\
& (ap\ (c_{.2Elist\_2ELENGTH}\ A_{.27a})\ V1t))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0P \in (2^{A_{.27a}}). ((ap\ ( \\
& ap\ (c_{.2Elist\_2EFILTER}\ A_{.27a})\ V0P)\ (c_{.2Elist\_2ENIL}\ A_{.27a})) = (c_{.2Elist\_2ENIL} \\
& A_{.27a})) \wedge (\forall V1P \in (2^{A_{.27a}}). (\forall V2h \in A_{.27a}. (\forall V3t \in \\
& (ty\_2Elist\_2Elist\ A_{.27a}). ((ap\ (ap\ (c_{.2Elist\_2EFILTER}\ A_{.27a}) \\
& V1P)\ (ap\ (ap\ (c_{.2Elist\_2ECONS}\ A_{.27a})\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c_{.2Ebool\_2ECOND} \\
& (ty\_2Elist\_2Elist\ A_{.27a})\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c_{.2Elist\_2ECONS} \\
& A_{.27a})\ V2h)\ (ap\ (ap\ (c_{.2Elist\_2EFILTER}\ A_{.27a})\ V1P)\ V3t)))\ (ap\ (ap \\
& (c_{.2Elist\_2EFILTER}\ A_{.27a})\ V1P)\ V3t)))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}), \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a).(p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\ & c\_2Elist\_2ECONS\ A\_27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a0 \in A\_27a.(\forall V1a1 \in \\ & (ty\_2Elist\_2Elist\ A\_27a).(\forall V2a0\_27 \in A\_27a.(\forall V3a1\_27 \in \\ & (ty\_2Elist\_2Elist\ A\_27a).(((ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0a0) \\ & V1a1) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2a0\_27)\ V3a1\_27)) \Leftrightarrow ((V0a0 = \\ & V2a0\_27) \wedge (V1a1 = V3a1\_27)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1a0 \in A\_27a.(\neg((c\_2Elist\_2ENIL\ A\_27a) = (ap\ ( \\ & ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V1a0)\ V0a1)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1a0 \in A\_27a.(\neg((ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a) \\ & V1a0)\ V0a1) = (c\_2Elist\_2ENIL\ A\_27a)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ & A\_27a).((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l)\ (c\_2Elist\_2ENIL \\ & A\_27a)) = V0l)) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V2l3 \in \\ & (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a) \\ & V0l1)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V1l2)\ V2l3)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l1)\ V1l2))\ V2l3)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V2l3 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a) \\
& \quad V0l1)\ V1l2) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\
& \quad V2l3)))))) \wedge (\forall V3l1 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V4l2 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V5l3 \in (ty\_2Elist\_2Elist\ A\_27a). \\
& \quad (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad A\_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3)))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V2l1\_27 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V3l2\_27 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(((ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V0l1) = (ap\ (c\_2Elist\_2ELENGTH \\
& \quad A\_27a)\ V2l1\_27)) \Rightarrow (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l1)\ V1l2) = \\
& \quad (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V2l1\_27)\ V3l2\_27)) \Leftrightarrow ((V0l1 = \\
& \quad V2l1\_27) \wedge (V1l2 = V3l2\_27)))))) \wedge (\forall V4l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(\forall V5l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V6l1\_27 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V7l2\_27 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(((ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V5l2) = (ap\ (c\_2Elist\_2ELENGTH \\
& \quad A\_27a)\ V7l2\_27)) \Rightarrow (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V4l1)\ V5l2) = \\
& \quad (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V6l1\_27)\ V7l2\_27)) \Leftrightarrow ((V4l1 = \\
& \quad V6l1\_27) \wedge (V5l2 = V7l2\_27)))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1L \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V2M \in (ty\_2Elist\_2Elist\ A\_27a). \\
& \quad ((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad A\_27a)\ V1L)\ V2M)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EFILTER \\
& \quad A\_27a)\ V0P)\ V1L))\ (ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P)\ V2M))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((p\ (ap\ (ap \\
& \quad (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a) \\
& \quad (c\_2Elist\_2ENIL\ A\_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A\_27a.(\forall V2h \in \\
& \quad A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad A\_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& \quad V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V3t)))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ c\_2Enum\_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))) \quad (47)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (56)$$



Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\ & 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c.2Ebool.2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow \\ & (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge \\ & (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p))))))))))))) \quad (58) \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (63)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0t \in (ty.2Elist.2Elist \\ & A.27a). (\forall V1L \in (ty.2Elist.2Elist A.27a). (\forall V2h \in \\ & A.27a. ((p (ap (ap (c.2Esorting.2Eperm A.27a) (ap (ap (c.2Elist.2ECONS \\ & A.27a) V2h) V0t)) V1L)) \Leftrightarrow (\exists V3M \in (ty.2Elist.2Elist A.27a). \\ & (\exists V4N \in (ty.2Elist.2Elist A.27a). ((V1L = (ap (ap (c.2Elist.2EAPPEND \\ & A.27a) V3M) (ap (ap (c.2Elist.2ECONS A.27a) V2h) V4N))) \wedge (p (ap ( \\ & ap (c.2Esorting.2Eperm A.27a) V0t) (ap (ap (c.2Elist.2EAPPEND \\ & A.27a) V3M) V4N)))))))))) \end{aligned}$$