

thm_2Esorting_2EPERM_FUN_APPEND_APPEND_2
(TMGMvjVxDnBYPaUoYBPmz-
dUu8vHNUhL5hpJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{3}$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{ty_2Elist_2Elist\ A_27a})^{ty_2Elist_2Elist\ A_27a}) \tag{4}$$

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EFILTER\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (5)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (6)$$

Definition 8 We define $c_2Esorting_2EPERM$ to be $\lambda A_27a : \iota.\lambda V0L1 \in (ty_2Elist_2Elist\ A_27a).\lambda V1L2 \in$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \quad (7)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n)\ V2p) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)))))) \quad (8)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.(((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n)\ V2p) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)) \Leftrightarrow (V0m = V1n)))))) \quad (9)$$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\ & V0l1)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l2)\ V2l3)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\ & (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2))\ V2l3)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ELENGTH \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2)) = (ap\ (ap\ c_2Earithmetic_2E_2B \\ & (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V0l1))\ (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1l2)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1L \in \\ & (ty_2Elist_2Elist\ A_27a). (\forall V2M \in (ty_2Elist_2Elist\ A_27a). \\ & ((ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1L)\ V2M)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ V1L))\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ V2M)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0L1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1L2 \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Esorting_2Eperm \\ & A_27a)\ V0L1)\ V1L2)) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ (c_2Elist_2ELENGTH\ A_27a)\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V2x))\ V0L1)) = (ap\ (c_2Elist_2ELENGTH\ A_27a)\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V2x))\ V1L2)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Elist_2Elist \\
& A_27a). (\forall V1y \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ V0x)\ V1y)) \Leftrightarrow ((ap\ (c_2Esorting_2EPERM\ A_27a)\ V0x) = (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ V1y))))))
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\
& A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in \\
& (ty_2Elist_2Elist\ A_27a). (\forall V3l4 \in (ty_2Elist_2Elist\ A_27a). \\
& (((ap\ (c_2Esorting_2EPERM\ A_27a)\ V0l1) = (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l2)\ V2l3)))) \Rightarrow ((ap\ (c_2Esorting_2EPERM \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V3l4)\ V0l1)) = (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l2)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& A_27a)\ V3l4)\ V2l3))))))))))
\end{aligned}$$