

thm_2Esorting_2EPERM__FUN__APPEND__C
(TMYGEui75PhbgkWwRgok3uE2CJ5Z2myk59n)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (V0P))))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2Eappend : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2Eappend A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))(ty_2Elist_2Elist A_27a)) \quad (2)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Elist_2Efilter : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2Efilter A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))(2^{A_27a})) \quad (3)$$

Definition 8 We define $c_2Esorting_2Eperm$ to be $\lambda A_27a : \iota.\lambda V0L1 \in (ty_2Elist_2Elist A_27a).\lambda V1L2 \in (ty_2Elist_2Elist A_27a)$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (5)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (6) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (7) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \quad (9) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (10) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0L1 \in (ty_2Elist_2Elist \\ & A_27a). (\forall V1L2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2L3 \in \\ & (ty_2Elist_2Elist\ A_27a). (\forall V3L4 \in (ty_2Elist_2Elist\ A_27a). \\ & (((p\ (ap\ (ap\ (c_2Esorting_2Eperm\ A_27a)\ V0L1)\ V2L3)) \wedge (p\ (ap\ (ap \\ & (c_2Esorting_2Eperm\ A_27a)\ V1L2)\ V3L4))) \Rightarrow (p\ (ap\ (ap\ (c_2Esorting_2Eperm \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2Eappend\ A_27a)\ V0L1)\ V1L2))\ (ap\ (ap\ (c_2Elist_2Eappend \\ & A_27a)\ V2L3)\ V3L4)))))) \quad (12) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Elist_2Elist \\
& A_27a). (\forall V1y \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ V0x)\ V1y)) \Leftrightarrow ((ap\ (c_2Esorting_2EPERM\ A_27a)\ V0x) = (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ V1y))))))
\end{aligned} \tag{13}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\
& A_27a). (\forall V1l1_27 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l2 \in \\
& (ty_2Elist_2Elist\ A_27a). (\forall V3l2_27 \in (ty_2Elist_2Elist \\
& A_27a). (((ap\ (c_2Esorting_2EPERM\ A_27a)\ V0l1) = (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ V1l1_27)) \Rightarrow (((ap\ (c_2Esorting_2EPERM\ A_27a)\ V2l2) = (ap \\
& (c_2Esorting_2EPERM\ A_27a)\ V3l2_27)) \Rightarrow ((ap\ (c_2Esorting_2EPERM \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V2l2)) = (ap\ (c_2Esorting_2EPERM \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l1_27)\ V3l2_27))))))))))
\end{aligned}$$