

thm\_2Esorting\_2EPERM\_\_MAP (TMHXfM-  
BRmpKMhe733wHfFy6QCHdDVQit1D7)

October 26, 2020

**Definition 1** We define  $c_2Emin_2E_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o(x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_Ebool\_2ET$  to be  $(ap \ (ap \ (c\_Emin\_2E\_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A0) \quad (1)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a \ A\_27b \in (((ty\_2Elist\_2Elist \ A\_27b)^{(ty\_2Elist\_2Elist \ A\_27a)})^{(A\_27b^A\_27a)}) \end{aligned} \quad (2)$$

**Definition 3** We define  $c_{\text{Ebool\_2E\_21}}$  to be  $\lambda A. \text{_27a} : \iota. (\lambda V0P \in (2^{A-27a}).(ap (ap (ap (c_{\text{Emin\_2E\_3D}} (2^{A-27a})$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c_2$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t_1 \in 2.(\lambda V1t_2 \in 2.(ap(c\_2Ebool\_2E\_21 2))(\lambda V2t \in 2.$

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A \_27a. nonempty\ A \_27a \Rightarrow c\_2Elist\_2EFILTER\ A \_27a \in (((ty\_2Elist\_2Elist\ A \_27a)(ty\_2Elist\_2Elist\ A \_27a))^{(2^{A \_27a})})$$

**Definition 8.** We define a 2Esort-ing 2EFERM to be  $\lambda \in \text{2EFERM} \subseteq (\text{tr}, \text{2Elist}, \text{2Elist}, 4, 27)$ ,  $\lambda \text{VOL1} \subseteq$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{\_27a}. \text{nonempty } A_{\_27a} \Rightarrow c_{\_2Elist\_\_2EAPPEND} A_{\_27a} \in (((ty\_\_2Elist\_\_2Elist A_{\_27a})^{(ty\_\_2Elist\_\_2Elist A_{\_27a})})^{(ty\_\_2Elist\_\_2Elist A_{\_27a})}) \quad (4)$$

**Definition 10** We define  $c_2Emin_2E_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap \ P \ x)) \ \text{then } (\lambda x.x \in A \wedge \text{of type } \iota \Rightarrow \iota)$ .

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\;V0P\;(ap\;(c\_2Emin\_2E\_40$

Assume the following.

*True* (5)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2))))))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\;V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.((p\;V0t) \vee (\neg(p\;V0t)))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \vee V0t)) \Leftrightarrow (p \vee V0t)) \wedge (((p \vee V0t) \wedge True) \Leftrightarrow (p \vee V0t)) \wedge (((False \wedge (p \vee V0t)) \Leftrightarrow False) \wedge (((p \vee V0t) \wedge False) \Leftrightarrow False) \wedge (((p \vee V0t) \wedge (p \vee V0t)) \Leftrightarrow (p \vee V0t))))))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t))))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (13)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (14)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (17)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B))))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & \quad \forall V0f \in (A\_27b^{A\_27a}).(\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a). \\ & \quad (\forall V2l2 \in (ty\_2Elist\_2Elist A\_27a).((ap (ap (c\_2Elist\_2EMAP \\ & \quad A\_27a A\_27b) V0f) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) V1l1) V2l2)) = \\ & \quad (ap (ap (c\_2Elist\_2EAPPEND A\_27b) (ap (ap (c\_2Elist\_2EMAP A\_27a \\ & \quad A\_27b) V0f) V1l1)) (ap (ap (c\_2Elist\_2EMAP A\_27a A\_27b) V0f) V2l2))))))) \end{aligned} \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (31)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0f \in ((ty\_2Elist\_2Elist A_{27b})^{(ty\_2Elist\_2Elist A_{27a})}). \\
& ((\forall V1x1 \in (ty\_2Elist\_2Elist A_{27a}).(\forall V2x2 \in (ty\_2Elist\_2Elist \\
& A_{27a}).(\forall V3x3 \in (ty\_2Elist\_2Elist A_{27a}).(\exists V4x1\_27 \in \\
& (ty\_2Elist\_2Elist A_{27b}).(\exists V5x2\_27 \in (ty\_2Elist\_2Elist \\
& A_{27b}).(\exists V6x3\_27 \in (ty\_2Elist\_2Elist A_{27b}).(((ap V0f \\
& (ap (ap (c\_2Elist\_2EAPPEND A_{27a}) (ap (ap (c\_2Elist\_2EAPPEND A_{27a}) \\
& V1x1) V2x2)) V3x3)) = (ap (ap (c\_2Elist\_2EAPPEND A_{27b}) (ap (ap ( \\
& c\_2Elist\_2EAPPEND A_{27b}) V4x1\_27) V5x2\_27)) V6x3\_27))) \wedge ((ap V0f \\
& (ap (ap (c\_2Elist\_2EAPPEND A_{27a}) (ap (ap (c\_2Elist\_2EAPPEND A_{27a}) \\
& V1x1) V3x3)) V2x2)) = (ap (ap (c\_2Elist\_2EAPPEND A_{27b}) (ap (ap ( \\
& c\_2Elist\_2EAPPEND A_{27b}) V4x1\_27) V6x3\_27)) V5x2\_27))))))) \Rightarrow \\
& (\forall V7x \in (ty\_2Elist\_2Elist A_{27a}).(\forall V8y \in (ty\_2Elist\_2Elist \\
& A_{27a}).((p (ap (ap (c\_2Esorting\_2EPERM A_{27a}) V7x) V8y)) \Rightarrow (p (ap \\
& (ap (c\_2Esorting\_2EPERM A_{27b}) (ap V0f V7x)) (ap V0f V8y))))))) \\
\end{aligned} \tag{32}$$

### Theorem 1

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1l1 \in (ty\_2Elist\_2Elist A_{27a}). \\
& (\forall V2l2 \in (ty\_2Elist\_2Elist A_{27a}).((p (ap (ap (c\_2Esorting\_2EPERM \\
& A_{27a}) V1l1) V2l2)) \Rightarrow (p (ap (ap (c\_2Esorting\_2EPERM A_{27b}) (ap ( \\
& ap (c\_2Elist\_2EMAP A_{27a} A_{27b}) V0f) V1l1)) (ap (ap (c\_2Elist\_2EMAP \\
& A_{27a} A_{27b}) V0f) V2l2)))))))
\end{aligned}$$