

thm_2Esorting_2EPERM_SINGLE_SWAP_CONS
 (TMFv-
 doWB2bAJa7RwkCmGV9KynFZ9shG7y6u)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))A_27a) \quad (3)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))(ty_2Elist_2Elist A_27a)) \quad (4)$$

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.))$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40) A_27a)))$

Definition 9 We define `c_2Esorting_2E_2PERM_SINGLE_SWAP` to be $\lambda A_27a : \iota.\lambda V0l1 \in (ty_2Elist_2Elist A_27a)$

Assume the following.

$$True \tag{5}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{7}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{8}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist \\ & A_27a).((ap (ap (c_2Elist_2EAPPEND A_27a) (c_2Elist_2ENIL A_27a)) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty_2Elist_2Elist A_27a).(\forall V2l2 \in \\ & (ty_2Elist_2Elist A_27a).(\forall V3h \in A_27a.((ap (ap (c_2Elist_2EAPPEND \\ & A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V3h) V1l1)) V2l2) = (ap (ap \\ & (c_2Elist_2ECONS A_27a) V3h) (ap (ap (c_2Elist_2EAPPEND A_27a) \\ & V1l1) V2l2)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\
& \quad V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\
& \quad V2a0_27) \wedge (V1a1 = V3a1_27))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l1 \in (ty_2Elist_2Elist \\
& \quad A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\
& \quad V0l1)\ V1l2) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\
& \quad V2l3)))) \wedge (\forall V3l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V4l2 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (\forall V5l3 \in (ty_2Elist_2Elist\ A_27a). \\
& \quad (((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad A_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))
\end{aligned} \tag{13}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0M \in (ty_2Elist_2Elist \\
& \quad A_27a). (\forall V1N \in (ty_2Elist_2Elist\ A_27a). (\forall V2x \in \\
& \quad A_27a. ((p\ (ap\ (ap\ (c_2Esorting_2Eperm_single_swap\ A_27a)\ V0M) \\
& \quad V1N)) \Rightarrow (p\ (ap\ (ap\ (c_2Esorting_2Eperm_single_swap\ A_27a)\ (ap \\
& \quad (ap\ (c_2Elist_2ECONS\ A_27a)\ V2x)\ V0M))\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A_27a)\ V2x)\ V1N))))))
\end{aligned}$$