

thm_2Esorting_2EPERM_SPLIT (TMGuQX- oGLk2TM5KpstyTTU3UMHM1Dfh2pxk)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (P \Rightarrow Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

Definition 7 We define `c_2Ecombin_2Eo` to be $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. \lambda A. \lambda 27c : \iota. \lambda V0f \in (A. 27b^{A-27c}). \lambda V1g \in (A. 27c^{A-27b}). \text{inj_o } (f = g)$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2ENIL } A. 27a \in (\text{ty_2Elist_2Elist } A. 27a) \quad (2)$$

Definition 8 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

Let `c_2Elist_2EFILTER` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2EFILTER } A. 27a \in (((\text{ty_2Elist_2Elist } A. 27a)^{(\text{ty_2Elist_2Elist } A. 27a)})^{(2^{A-27a})}) \quad (3)$$

Let `c_2Elist_2EAPPEND` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2EAPPEND } A. 27a \in (((\text{ty_2Elist_2Elist } A. 27a)^{(\text{ty_2Elist_2Elist } A. 27a)})^{(\text{ty_2Elist_2Elist } A. 27a)}) \quad (4)$$

Definition 9 We define $c_2Esorting_2EPERM$ to be $\lambda A_27a : \iota.\lambda V0L1 \in (ty_2Elist_2Elist\ A_27a).\lambda V1L2 \in$

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E\ V0t) \in 2))$

Let $c_2Elist_2EEVERY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEVERY\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27a^{A_27c}). \\ & (\forall V2x \in A_27c.((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a)\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0c \in 2.(\forall V1l \in (\\ & ty_2Elist_2Elist\ A_27a).(p\ (ap\ (ap\ (c_2Elist_2EEVERY\ A_27a)\ (\lambda V2x \in A_27a.V0c)\ V1l)) \Leftrightarrow ((V1l = (c_2Elist_2ENIL\ A_27a)) \vee \\ & (p\ V0c)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\ & (2^{A_27a}).(\forall V2l \in (ty_2Elist_2Elist\ A_27a).(p\ (ap\ (ap \\ & (c_2Elist_2EEVERY\ A_27a)\ (\lambda V3x \in A_27a.(ap\ (ap\ (c_2Emin_2E_3D \\ & 2)\ (ap\ V0P\ V3x))\ (ap\ c_2Ebool_2E_7E\ (ap\ V1Q\ V3x))))))\ V2l)) \Rightarrow (p\ (ap \\ & (ap\ (c_2Esorting_2EPERM\ A_27a)\ V2l)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2EFILTER\ A_27a)\ V0P)\ V2l))\ (ap\ (ap\ (c_2Elist_2EFILTER \\ & A_27a)\ V1Q)\ V2l)))))) \end{aligned} \quad (12)$$

Theorem 1

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}). (\forall V1l \in \\ (ty_2Elist_2Elist \ A_{27a}). (p \ (ap \ (ap \ (c_2Esorting_2EPERM \ A_{27a}) \\ V1l) \ (ap \ (ap \ (c_2Elist_2EAPPEND \ A_{27a}) \ (ap \ (ap \ (c_2Elist_2EFILTER \\ A_{27a}) \ V0P) \ V1l)) \ (ap \ (ap \ (c_2Elist_2EFILTER \ A_{27a}) \ (ap \ (ap \ (c_2Ecombin_2Eo \\ A_{27a} \ 2 \ 2) \ c_2Ebool_2E_7E) \ V0P)) \ V1l))))))$$