

# thm\_2Esorting\_2EPERM\_SPLIT\_IF (TMQPEv- jAZMZgivkkUDHCA1F4RLFDjFW7BtW)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

**Definition 6** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EFILTER A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (2)$$

Let  $c\_2Elist\_2EEVERY : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EEVERY A\_27a \in ((2^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (4)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (5)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (6)$$

**Definition 11** We define  $c\_2Esorting\_2EPERM$  to be  $\lambda A\_27a : \iota.\lambda V0L1 \in (ty\_2Elist\_2Elist\ A\_27a).\lambda V1L2$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (12)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p V0t))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\
& A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\
& V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\
& V0t1) V1t2) = V1t2))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\
& 2. (((((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\
& (\forall V5y\_27 \in A\_27a. (((((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\
& ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\
& V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\
& V5y\_27)))))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (((\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a). ((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (c\_2Elist\_2ENIL A\_27a)) \\
& V0l) = V0l) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a). (\forall V2l2 \in \\
& (ty\_2Elist\_2Elist A\_27a). (\forall V3h \in A\_27a. ((ap (ap (c\_2Elist\_2EAPPEND \\
& A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) V1l1)) V2l2) = (ap (ap \\
& (c\_2Elist\_2ECONS A\_27a) V3h) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) \\
& V1l1) V2l2)))))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0P \in (2^{A\_27a}).((ap\ ( \\
& ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V0P)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL \\
& A\_27a))) \wedge (\forall V1P \in (2^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in \\
& (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a) \\
& V1P)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND \\
& (ty\_2Elist\_2Elist\ A\_27a))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2h)\ (ap\ (ap\ (c\_2Elist\_2EFILTER\ A\_27a)\ V1P)\ V3t))))))\ (ap\ (ap \\
& (c\_2Elist\_2EFILTER\ A\_27a)\ V1P)\ V3t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0P \in (2^{A\_27a}).((p\ (ap \\
& (ap\ (c\_2Elist\_2EEVERY\ A\_27a)\ V0P)\ (c\_2Elist\_2ENIL\ A\_27a))) \Leftrightarrow True)) \wedge \\
& (\forall V1P \in (2^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist \\
& A\_27a).((p\ (ap\ (ap\ (c\_2Elist\_2EEVERY\ A\_27a)\ V1P)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \wedge (p\ (ap\ (ap\ (c\_2Elist\_2EEVERY \\
& A\_27a)\ V1P)\ V3t))))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\
& (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
& A\_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0L \in (ty\_2Elist\_2Elist\ A\_27a).(p\ (ap\ (ap\ (c\_2Esorting\_2EPERM\ A\_27a)\ V0L)\ V0L))) \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\
& A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V2x \in \\
& A\_27a.((p\ (ap\ (ap\ (c\_2Esorting\_2EPERM\ A\_27a)\ V0l1)\ V1l2)) \Rightarrow (p\ ( \\
& ap\ (ap\ (c\_2Esorting\_2EPERM\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a) \\
& V2x)\ V0l1))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2x)\ V1l2))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1L \in \\
& \quad (ty\_2Elist\_2Elist\ A.27a). (\forall V2M \in (ty\_2Elist\_2Elist\ A.27a). \\
& \quad (\forall V3N \in (ty\_2Elist\_2Elist\ A.27a). ((p\ (ap\ (ap\ (c\_2Esorting\_2EPERM \\
& \quad A.27a)\ V1L)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A.27a)\ V2M)\ V3N)))) \Rightarrow (p\ (ap \\
& \quad (ap\ (c\_2Esorting\_2EPERM\ A.27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a) \\
& \quad V0x)\ V1L))\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A.27a)\ V2M)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad A.27a)\ V0x)\ V3N)))))))))
\end{aligned} \tag{26}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in \\
& \quad (2^{A.27a}). (\forall V2l \in (ty\_2Elist\_2Elist\ A.27a). ((p\ (ap\ (ap \\
& \quad (c\_2Elist\_2EVERY\ A.27a)\ (\lambda V3x \in A.27a. (ap\ (ap\ (c\_2Emin\_2E\_3D \\
& \quad 2)\ (ap\ V0P\ V3x))\ (ap\ c\_2Ebool\_2E\_7E\ (ap\ V1Q\ V3x))))))\ V2l)) \Rightarrow (p\ (ap \\
& \quad (ap\ (c\_2Esorting\_2EPERM\ A.27a)\ V2l)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad A.27a)\ (ap\ (ap\ (c\_2Elist\_2EFILTER\ A.27a)\ V0P)\ V2l))\ (ap\ (ap\ (c\_2Elist\_2EFILTER \\
& \quad A.27a)\ V1Q)\ V2l)))))))))
\end{aligned}$$