

thm_2Esorting_2EQSORT3_SORTED

(TMGfFe3ZoGq5Nr8ZeZLeJU7UNn8Qx6jZWdN)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Esorting_2ESORTED : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Esorting_2ESORTED A_27a \in ((2^{(ty_2Elist_2Elist A_27a)}))^{(2^{A_27a})^{A_27a}} \quad (2)$$

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EFILTER A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})} \quad (3)$$

Definition 7 We define $c_2Esorting_2Eperm$ to be $\lambda A_27a : \iota.\lambda V0L1 \in (ty_2Elist_2Elist A_27a).\lambda V1L2 \in$

Let $c_2Esorting_2EQSORT3 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Esorting_2EQSORT3 A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})^{A_27a}} \quad (4)$$

Definition 8 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 9 We define $c_Esorting_2ESORTS$ to be $\lambda A_27a : \iota.\lambda V0f \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist$

Definition 10 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 11 We define $c_ERelation_2Etotal$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_Ebool_2E_21 2)$

Definition 12 We define $c_ERelation_2Etransitive$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_Ebool_2E_21 2)$

Assume the following.

$$True \tag{5}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (((p (ap (c_ERelation_2Etransitive A_27a) V0R)) \wedge (p (ap (c_ERelation_2Etotal \\ & A_27a) V0R))) \Rightarrow (p (ap (ap (c_Esorting_2ESORTS A_27a) (c_Esorting_2EQSORT3 \\ & A_27a)) V0R)))) \end{aligned} \tag{7}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (\forall V1L \in (ty_2Elist_2Elist A_27a).(((p (ap (c_ERelation_2Etransitive \\ & A_27a) V0R)) \wedge (p (ap (c_ERelation_2Etotal A_27a) V0R))) \Rightarrow (p (ap \\ & (ap (c_Esorting_2ESORTED A_27a) V0R) (ap (ap (c_Esorting_2EQSORT3 \\ & A_27a) V0R) V1L)))))) \end{aligned}$$