

thm\_2Esorting\_2ESORTED\_\_GENLIST\_\_PLUS  
 (TMHskW-  
 tam1RiFDsNGbU4qQxiw3eEoBY5VZX)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Elist\_2EGENLIST\_AUX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EGENLIST\_AUX A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{ty\_2Elist\_2Elist A\_27a})^{ty\_2Enum\_2Enum})(A\_27a^{ty\_2Enum\_2Enum}) \quad (3)$$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) P)))$

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EGENLIST A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{ty\_2Enum\_2Enum})(A\_27a^{ty\_2Enum\_2Enum})) \quad (4)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num)$

**Definition 12** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$

**Definition 15** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.))$

**Definition 18** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool\_2ECOND$

Let  $c\_Earithmetic\_EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEXP \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (11)$$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (12)$$

Let  $c\_Earithmetic\_E\_2A : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2A \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (13)$$

**Definition 19** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

**Definition 20** We define  $c\_Enumeral\_EiSUC$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ c\_Enum\_ESUC\ (ap$

Let  $c\_Earithmetic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (14)$$

**Definition 21** We define  $c\_Enumeral\_EiZ$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

**Definition 22** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic\_EBIT2$

**Definition 23** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic\_EBIT1$

**Definition 24** We define  $c\_Earithmetic\_EZERO$  to be  $c\_Enum\_E0$ .

**Definition 25** We define  $c\_Earithmetic\_E\_3C\_3D$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum.V1n$

Let  $c\_Elist\_ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Elist\_ENIL\ A\_27a \in (ty\_Elist\_Elist\ A\_27a) \quad (15)$$

Let  $c\_Elist\_ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Elist\_ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_Elist\_Elist\ A\_27a)}) \quad (16)$$

**Definition 26** We define  $c\_Ebool\_EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Let  $c\_Elist\_ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Elist\_ECONS\ A\_27a \in (((ty\_Elist\_Elist\ A\_27a)^{(ty\_Elist\_Elist\ A\_27a)})^{A\_27a}) \quad (17)$$

Let  $c\_2Esorting\_2ESORTED : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esorting\_2ESORTED\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})^{A\_27a}}) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m)) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Enum\_2E0)\ V0m) = V0m) \wedge (((ap\ ( \\ & ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & V0m)\ V1n))) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Enum\_2ESUC \\ & V1n)) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & V1n)\ V0m)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & V1n)\ V0m)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & \forall V2p \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m) \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V2p)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))\ V2p)))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0m)\ V1n)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ & (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n)))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ c\_2Enum\_2E0)\ V0n))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1n) V0m))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n))))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
& V2p) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) \Leftrightarrow (V0m = V1n))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{31}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V1n)) V0m)))))) \quad (32)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((ap c\_2Enum\_2ESUC V0n) = (ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0n))) \quad (33)$$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (40)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (42)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27b^{A\_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a. ((ap V0f V2x) = (ap V1g V2x)))))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B))))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A) \vee (p V1B))))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (47)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (48)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))) \quad (49)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c.nonempty A\_27c \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27c^{A\_27b}). (\forall V2x \in A\_27c. ((ap (ap (ap (c.2Ecombin\_2Eo A\_27c A\_27b A\_27a) V0f) V1g) V2x) = (ap V0f (ap V1g V2x))))) \quad (50)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a) \\
& V0f)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ ( \\
& ap\ V0f\ c\_2Enum\_2E0))\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ (ap\ (ap \\
& (c\_2Ecombin\_2Eo\ ty\_2Enum\_2Enum\ A\_27a\ ty\_2Enum\_2Enum)\ V0f)\ c\_2Enum\_2ESUC)) \\
& V1n))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& (\forall V1n \in ty\_2Enum\_2Enum. (((ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a) \\
& V0f)\ c\_2Enum\_2E0) = (c\_2Elist\_2ENIL\ A\_27a)) \wedge ((ap\ (ap\ (c\_2Elist\_2EGENLIST \\
& A\_27a)\ V0f)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n)) = (ap\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\_AUX \\
& A\_27a)\ V0f)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n))\ (c\_2Elist\_2ENIL \\
& A\_27a))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1f \in \\
& (A\_27a^{ty\_2Enum\_2Enum}). (\forall V2n \in ty\_2Enum\_2Enum. ((p\ (ap \\
& (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ V1f)\ V2n)))) \Leftrightarrow (\exists V3m \in \\
& ty\_2Enum\_2Enum. ((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V3m)\ V2n)) \wedge (V0x = \\
& (ap\ V1f\ V3m))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{54}$$



Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ ( \\
& ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ ( \\
& ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ ( \\
& ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap \\
& c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC \\
& (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ c\_2Earithmetic\_2EZERO)) = ( \\
& ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ ( \\
& ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m))))))))))))))))))))))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m)) \Leftrightarrow (\neg (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n)))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{58}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{61}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (( \\
& \neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (65)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (67)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (69)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & (p \ (ap \ (ap \ (c.2Esorting\_2ESORTED \ A.27a) \ V0R) \ (c.2Elist\_2ENIL \ A.27a)))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} & (\forall V0L \in (ty\_2Elist\_2Elist \ ty\_2Enum\_2Enum).(\forall V1x \in \\ & ty\_2Enum\_2Enum.((p \ (ap \ (ap \ (c.2Esorting\_2ESORTED \ ty\_2Enum\_2Enum) \\ & \ c.2Eprim\_rec.2E\_3C) \ (ap \ (ap \ (c.2Elist\_2ECONS \ ty\_2Enum\_2Enum) \\ & \ V1x) \ V0L))) \Leftrightarrow ((p \ (ap \ (ap \ (c.2Esorting\_2ESORTED \ ty\_2Enum\_2Enum) \\ & \ c.2Eprim\_rec.2E\_3C) \ V0L)) \wedge (\forall V2y \in ty\_2Enum\_2Enum.(( \\ & \ p \ (ap \ (ap \ (c.2Ebool\_2EIN \ ty\_2Enum\_2Enum) \ V2y) \ (ap \ (c.2Elist\_2ELIST\_TO\_SET \\ & \ ty\_2Enum\_2Enum) \ V0L)))) \Rightarrow (p \ (ap \ (ap \ c.2Eprim\_rec.2E\_3C \ V1x) \ V2y)))))) \end{aligned} \quad (71)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1k \in ty\_2Enum\_2Enum.( \\ & \ p \ (ap \ (ap \ (c.2Esorting\_2ESORTED \ ty\_2Enum\_2Enum) \ c.2Eprim\_rec.2E\_3C) \\ & \ (ap \ (ap \ (c.2Elist\_2EGENLIST \ ty\_2Enum\_2Enum) \ (ap \ c.2Earithmetic\_2E\_2B \\ & \ V1k)) \ V0n)))) \end{aligned}$$