

thm_2Esorting_2ESUM__IMAGE__count__SUM__GENLIST
(TM-
FkoSVgvZhj9QYcZC62YLd7bmXEJVLufvV)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ecombin_2Eo$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda V0f \in (A.\lambda b^{A-27c}).\lambda V1g$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (4)$$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET \\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (5)$$

Definition 9 We define $c_2Epred_set_2ESUM_IMAGE$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Enum_2Enum^{A_27a})$.

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ V2t\ t1\ t2))))$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ V2t\ t1\ t2))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ A0\ A1) \end{aligned} \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (7)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ x\ y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (8)$$

Definition 14 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Epair_2E_2C\ x\ s))$

Definition 15 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 16 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ s)$

Definition 17 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x\ y))$

Definition 18 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 19 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a}))\ A_27a))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (9)$$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EGENLIST\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{ty_2Enum_2Enum})^{(A_27a^{ty_2Enum_2Enum})}) \quad (10)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \quad (11)$$

Let $c_2Elist_2ESUM : \iota$ be given. Assume the following.

$$c_2Elist_2ESUM \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)}) \quad (12)$$

Let $c_2Erich_list_2ECOUNT_LIST : \iota$ be given. Assume the following.

$$c_2Erich_list_2ECOUNT_LIST \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (15)$$

Definition 20 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 21 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ P)))$

Definition 23 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ V1n\ (ap\ (c_2Emin_2E_40\ V0m)\ V1n))$

Definition 24 We define $c_2Epred_set_2Ecount$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2Epred_set_2EGENLIST\ V0n)\ (ap\ (c_2Emin_2E_40\ V0n)\ V0n))$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (16)$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECHOICE\ A_27a \in (A_27a^{(2^{A_27a})}) \quad (17)$$

Definition 25 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 26 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (a$

Definition 27 We define $c_2Epred_set_2EREST$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (ap (c_2Epred_set_2E$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))A_27a) \quad (18)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (19)$$

Definition 28 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 29 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E$

Definition 30 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1$

Definition 31 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 32 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 33 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 34 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 35 We define $c_2Elist_2ESET_TO_LIST$ to be $\lambda A_27a : \iota.(ap (ap (c_2Erelation_2EWFREC (2^{A_27a})$

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EFILTER A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))(2^{A_27a})) \quad (20)$$

Definition 36 We define $c_2Esorting_2Eperm$ to be $\lambda A_27a : \iota.\lambda V0L1 \in (ty_2Elist_2Elist A_27a).\lambda V1L2$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}).(((ap (ap (c_2Ecombin_2Eo A_27a A_27b \\
& A_27b) (c_2Ecombin_2EI A_27b)) V0f) = V0f) \wedge ((ap (ap (c_2Ecombin_2Eo \\
& A_27a A_27b A_27a) V0f) (c_2Ecombin_2EI A_27a)) = V0f)))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27a^{ty_2Enum_2Enum}). \\
& (\forall V2n \in ty_2Enum_2Enum.(((ap (ap (c_2Elist_2EMAP A_27a A_27b) \\
& V0f) (ap (ap (c_2Elist_2EGENLIST A_27a) V1g) V2n)) = (ap (ap (c_2Elist_2EGENLIST \\
& A_27b) (ap (ap (c_2Ecombin_2Eo ty_2Enum_2Enum A_27b A_27a) V0f) \\
& V1g)) V2n))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1f \in \\
& (ty_2Enum_2Enum^{A_27a}).((p (ap (c_2Epred_set_2EFINITE A_27a) \\
& V0s)) \Rightarrow ((ap (ap (c_2Epred_set_2ESUM_IMAGE A_27a) V1f) V0s) = \\
& (ap c_2Elist_2ESUM (ap (ap (c_2Elist_2EMAP A_27a ty_2Enum_2Enum) \\
& V1f) (ap (c_2Elist_2ESET_TO_LIST A_27a) V0s))))))
\end{aligned} \tag{26}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (c_2Epred_set_2EFINITE ty_2Enum_2Enum) (ap c_2Epred_set_2Ecount V0n)))) \tag{27}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(((ap c_2Erich_list_2ECOUNT_LIST V0n) = (ap (ap (c_2Elist_2EGENLIST ty_2Enum_2Enum) (c_2Ecombin_2EI ty_2Enum_2Enum)) V0n)))) \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in (ty_2Elist_2Elist \\
& A_27a).(\forall V1y \in (ty_2Elist_2Elist A_27a).((V0x = V1y) \Rightarrow (\\
& p (ap (ap (c_2Esorting_2EPERM A_27a) V0x) V1y))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (ty_2Elist_2Elist \\ A.27a).(\forall V1y \in (ty_2Elist_2Elist\ A.27a).(\forall V2z \in \\ (ty_2Elist_2Elist\ A.27a).((p\ (ap\ (ap\ (c.2Esorting_2Eperm\ A.27a) \\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ (c.2Esorting_2Eperm\ A.27a)\ V1y)\ V2z)))) \Rightarrow (\\ p\ (ap\ (ap\ (c.2Esorting_2Eperm\ A.27a)\ V0x)\ V2z)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}).(\forall V1l1 \in (ty_2Elist_2Elist\ A.27a). \\ (\forall V2l2 \in (ty_2Elist_2Elist\ A.27a).((p\ (ap\ (ap\ (c.2Esorting_2Eperm \\ A.27a)\ V1l1)\ V2l2)) \Rightarrow (p\ (ap\ (ap\ (c.2Esorting_2Eperm\ A.27b)\ (ap\ (\\ ap\ (c.2Elist_2EMAP\ A.27a\ A.27b)\ V0f)\ V1l1))\ (ap\ (ap\ (c.2Elist_2EMAP \\ A.27a\ A.27b)\ V0f)\ V2l2))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} (\forall V0l1 \in (ty_2Elist_2Elist\ ty_2Enum_2Enum).(\forall V1l2 \in \\ (ty_2Elist_2Elist\ ty_2Enum_2Enum).((p\ (ap\ (ap\ (c.2Esorting_2Eperm \\ ty_2Enum_2Enum)\ V0l1)\ V1l2)) \Rightarrow ((ap\ c.2Elist_2ESUM\ V0l1) = (ap\ c.2Elist_2ESUM \\ V1l2)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ (c.2Esorting_2Eperm\ ty_2Enum_2Enum) \\ (ap\ (c.2Elist_2ESET_TO_LIST\ ty_2Enum_2Enum)\ (ap\ c.2Epred_set_2Ecount \\ V0n))))\ (ap\ c.2Erich_list_2ECOUNT_LIST\ V0n)))) \end{aligned} \quad (33)$$

Theorem 1

$$\begin{aligned} (\forall V0f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}).(\forall V1n \in \\ ty_2Enum_2Enum.((ap\ (ap\ (c.2Epred_set_2ESUM_IMAGE\ ty_2Enum_2Enum) \\ V0f)\ (ap\ c.2Epred_set_2Ecount\ V1n)) = (ap\ c.2Elist_2ESUM\ (ap\ (\\ ap\ (c.2Elist_2EGENLIST\ ty_2Enum_2Enum)\ V0f)\ V1n)))))) \end{aligned}$$