

thm_2Esorting_2Esorted_perm_count_list
 (TMK8kCoM6jhDV2VB1QVqgmMbiUnLmPxuyTk)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) a))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (t1 = t2))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-2^{\lceil a \rceil}}). (ap\ V0P\ (ap\ (c_2Emin_2E\ 40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define c_2 to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define c_2Earthmetic_2E_3E_3D to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

define c_2Enum_2E0 to be (ap c_2Enum_2EABS__num c_2E

Definition 16 We define $c_2\text{-Ebool-2ECOND}$ to be $\lambda A.\lambda 27a:\iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let c be given. Assume the following.

$c : \text{Earithmetic} \rightarrow \text{EXP} \in ((tu : \text{Enum} \rightarrow \text{Enum})^{\text{ty_Enum_Enum}})$

(8)

Let c_2 be given. Assume the following.

$\circ 2E_{\text{arithmetica}} \circ 2E_{\text{2D}} \in ((tu \circ 2E_{\text{num}} \circ 2E_{\text{enum}}) tu \circ 2E_{\text{num}} \circ 2E_{\text{enum}})$

Let c_2 be given. Assume the following. (9)

$$(10)$$

DEFINITION 13 We define standard deviation to be $\sqrt{\sigma^2}$, where σ^2 is the variance.

© 2010 Pearson Education, Inc., publishing as Pearson Addison Wesley.

Let $\mathcal{C} \subseteq \mathcal{B}(X)$ be a metric space. Assume the following.

$$c_2 \text{Earthmet}_2 \text{E}_2 B \in ((\nu_2 \text{Earthmet}_2 \text{Earthmet}_2)^*)^*$$

Definition 26 We define $c_{\text{ZLArithmetic}} \text{EBITZ}$ to be $\lambda V \ \forall n \in \text{tg-ZEname-ZEname} . (ap \ (ap \ c_{\text{ZLArithmetic}} \ (V \ n) \ n) \ n)$

Definition 21 We define $c_{\text{ZLArithmetc}}\text{EBT1}$ to be $\lambda v \ \forall n \in \text{tg_ZENam_ZENam} . (ap \ (ap \ c_{\text{ZLArithmetc}}\text{EBT1} \ v) \ n)$

Definition 22 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_0.nonempty\ A_0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A_0) \quad (12)$$

Let $c_2Elist_2EFILTER : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EFILTER\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \\ \end{aligned} \quad (13)$$

Definition 23 We define $c_2Esorting_2EPERM$ to be $\lambda A_27a : \iota. \lambda V0L1 \in (ty_2Elist_2Elist\ A_27a). \lambda V1L2 \in (ty_2Elist_2Elist\ A_27a)$

Definition 24 We define $c_2Erelation_2Eantisymmetric$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap\ (c_2Eb))$

Let $c_2Erich_list_2ECOUNT_LIST : \iota$ be given. Assume the following.

$$c_2Erich_list_2ECOUNT_LIST \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{ty_2Enum_2Enum}) \quad (14)$$

Definition 25 We define $c_2Earithmetic_2C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 26 We define $c_2Erelation_2Einr_image$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27b})^{A_27b}). \lambda V1R \in ((2^{A_27a})^{A_27a})$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (15)$$

Let $c_2Esorting_2ESORTED : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Esorting_2ESORTED\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{((2^{A_27a})^{A_27a})}) \quad (16)$$

Definition 27 We define $c_2Erelation_2Etransitive$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap\ (c_2Ebool_2E))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Enum_2E0)\ V0m) = V0m) \wedge (((ap\ (\\ & ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m) \wedge (((ap\ (ap\ c_2Earithmetic_2E_2B\ \\ & (ap\ c_2Enum_2ESUC\ V0m))\ V1n) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ \\ & V0m)\ V1n))) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ c_2Enum_2ESUC\ \\ & V1n)) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n))))))) \\ & \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ \\ & V1n)\ V0m)))) \end{aligned} \quad (18)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D c_2Enum_2E0) V0n))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\ & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\ & (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\ & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\ & V0m) V1n))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\ & ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap c_2Enum_2ESUC V1n)) V0m)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\ & V0m)) V1n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\ & V1n)) V0m)))))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0n))) \quad (25)$$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (29)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (30)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p (ap V1P V3x)) \vee (p V0Q)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge \\ (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee \\ (p V1B)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (37)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (38)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ 2. (((((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \\ (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \quad (39)$$

Assume the following.

$((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2EiZ (ap (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum.((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP V14n) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \wedge ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP (ap c_2Earithmetic_2ENUMERAL V15n)) (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2EEEXP V15n) V16m))))))) \wedge (((ap c_2Enum_2ESUC c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum.((ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2ESUC V17n))))))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Eprim_rec_2EPRE V18n))))))) \wedge ((\forall V19n \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum.((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V23n)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V24n))))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.((\forall V26m \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n)) (ap c_2Earithmetic_2ENUMERAL V26m)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n) V26m))))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL V28n)) c_2Enum_2E0) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V28n))))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.((\forall V30m \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V29n)) (ap c_2Earithmetic_2ENUMERAL V30m)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V29n))))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V32n)) \Leftrightarrow False))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V33n)) \Leftrightarrow True))) \wedge ((\forall V34n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V34n)) \Leftrightarrow False)))$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{41}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{42}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \\
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p \\
& V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \\
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & (\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (((p (ap (c_2Erelation_2Etransitive A_27a) V0R)) \wedge (p (ap (c_2Erelation_2Eantisymmetric \\ A_27a) V0R))) \Rightarrow (\forall V1l1 \in (ty_2Elist_2Elist A_27a). (\forall V2l2 \in \\ (ty_2Elist_2Elist A_27a). (((p (ap (ap (c_2Esoring_2ESORTED \\ A_27a) V0R) V1l1)) \wedge ((p (ap (ap (c_2Esoring_2ESORTED A_27a) V0R) \\ V2l2)) \wedge (p (ap (ap (c_2Esoring_2EPERM A_27a) V1l1) V2l2))) \Rightarrow (\\ V1l1 = V2l2))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap (c_2Esoring_2ESORTED \\ ty_2Enum_2Enum) c_2Earithmetic_2E_3C_3D) (ap c_2Erith_list_2ECOUNT_LIST \\ V0n)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow (\\ & \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1f \in (A_27a)^{A_27b}). (\forall V2l \in \\ (ty_2Elist_2Elist A_27b). ((p (ap (c_2Erelation_2Etransitive \\ A_27a) V0R)) \Rightarrow ((p (ap (ap (c_2Esoring_2ESORTED A_27a) V0R) (ap \\ (ap (c_2Elist_2EMAP A_27b A_27a) V1f) V2l))) \Leftrightarrow (p (ap (ap (c_2Esoring_2ESORTED \\ A_27b) (ap (ap (c_2Erelation_2Einv_image A_27b A_27a) V0R) V1f)) \\ V2l))))))) \end{aligned} \quad (56)$$

Theorem 1

$$\begin{aligned}
 & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \\
 & \forall V0y \in A_{27a}. (\forall V1f \in (ty_2Enum_2Enum^{A_{27b}}). (\forall V2l \in \\
 & (ty_2Elist_2Elist A_{27b}). (\forall V3n \in ty_2Enum_2Enum. (((p \\
 & (ap (ap (c_2Esorting_2ESORTED A_{27b}) (ap (ap (c_2Erelation_2Einv_image \\
 & A_{27b} ty_2Enum_2Enum) c_2Earithmetic_2E_3C_3D) V1f)) V2l)) \wedge \\
 & (p (ap (ap (c_2Esorting_2EPERM ty_2Enum_2Enum) (ap (ap (c_2Elist_2EMAP \\
 & A_{27b} ty_2Enum_2Enum) V1f) V2l)) (ap c_2Erich_list_2ECOUNT_LIST \\
 & V3n)))) \Rightarrow ((ap (ap (c_2Elist_2EMAP A_{27b} ty_2Enum_2Enum) V1f) V2l) = \\
 & (ap c_2Erich_list_2ECOUNT_LIST V3n)))))))
 \end{aligned}$$