

thm_2Esorting_2Esum_of_sums (TMKtXKXDf- STTawnhNL7enmRz96EFRDAzBcq)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (4)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}})^{A_27a}) \quad (5)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (6)$$

Definition 11 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0x\ V1s)$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)\ V0t)$

Definition 13 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0s\ V1t)$

Definition 14 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap\ (c_2Epred_set_2EDIFF\ A_27a\ A_27a)\ V0s\ V1x)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ 2)\ V0s)$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 17 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ V0m)$

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 19 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c_Emin_2E_40$

Definition 20 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 21 We define $c_Epred_set_2Ecount$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (c_Epred_set_2EG$

Let $c_Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epred_set_2EITSET \\ A_27a A_27b \in (((A_27b^{A_27b})^{(2^{A-27a})})^{((A_27b^{A-27b})^{A-27a})}) \end{aligned} \quad (13)$$

Definition 22 We define $c_Epred_set_2ESUM_IMAGE$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Enum_2Enum^{A-27a}$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ (ap (ap c_Earithmetic_2E_2B V0m) V1n) = (ap (ap c_Earithmetic_2E_2B \\ V1n) V0m)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_Earithmetic_2E_2A V0m) \\ c_2Enum_2E0) = c_2Enum_2E0)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ (ap (ap c_Earithmetic_2E_2A V0m) V1n) = (ap (ap c_Earithmetic_2E_2A \\ V1n) V0m)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ (ap (ap c_Earithmetic_2E_2A V0m) V1n) = (ap (ap c_Earithmetic_2E_2A \\ V1n) V0m)))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum. (\forall V1r \in ty_2Enum_2Enum. (\\ (p (ap (ap c_Eprim_rec_2E_3C V1r) V0n)) \Rightarrow (\forall V2q \in ty_2Enum_2Enum. \\ ((ap (ap c_Earithmetic_2EDIV (ap (ap c_Earithmetic_2E_2B (ap \\ (ap c_Earithmetic_2E_2A V2q) V0n)) V1r)) V0n) = V2q)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1r \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Eprim_rec_2E_3C V1r) V0n)) \Rightarrow (\forall V2q \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B (ap \\
& (ap c_2Earithmetic_2E_2A V2q) V0n)) V1r)) V0n) = V1r))))))
\end{aligned} \tag{19}$$

Assume the following.

$$True \tag{20}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{21}$$

Assume the following.

$$\begin{aligned}
\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
A_27a.(p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{24}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \tag{25}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{26}$$

Assume the following.

$$\begin{aligned}
\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
A_27a. ((V0x = V1y) \Rightarrow (V1y = V0x))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p V0t))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_{.27a}}). ((\forall V2x \in A_{.27a}. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_{.27a}. (p\ (ap\ V1P\ V3x))) \vee (p\ V0Q)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_{.27})) \wedge ((p\ V1x_{.27}) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_{.27})))))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_{.27}) \Rightarrow (p\ V3y_{.27})))))) \quad (32)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V0m)\ (ap\ c_2Epred_set_2Ecount\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))) \quad (33)$$

Assume the following.

$$((ap\ c_2Epred_set_2Ecount\ c_2Enum_2E0) = (c_2Epred_set_2EEMPTY\ ty_2Enum_2Enum)) \quad (34)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (c_2Epred_set_2EFINITE\ ty_2Enum_2Enum)\ (ap\ c_2Epred_set_2Ecount\ V0n)))) \quad (35)$$

Assume the following.

$$(\forall V0n1 \in ty_2Enum_2Enum. (\forall V1n2 \in ty_2Enum_2Enum. (((ap\ c_2Epred_set_2Ecount\ V0n1) = (ap\ c_2Epred_set_2Ecount\ V1n2)) \Leftrightarrow (V0n1 = V1n2)))) \quad (36)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_{.27a}}). (((ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A_{.27a})\ V0f)\ (c_2Epred_set_2EEMPTY\ A_{.27a})) = c_2Enum_2E0) \wedge (\forall V1e \in A_{.27a}. (\forall V2s \in (2^{A_{.27a}}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_{.27a})\ V2s)) \Rightarrow ((ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A_{.27a})\ V0f)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_{.27a})\ V1e)\ V2s)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ V0f\ V1e))\ (ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A_{.27a})\ V0f)\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_{.27a})\ V2s)\ V1e)))))))))) \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0s1 \in (2^{A.27a}).(\forall V1s2 \in \\ & (2^{A.27a}).(\forall V2f1 \in (ty_2Enum_2Enum^{A.27a}).(\forall V3f2 \in \\ & (ty_2Enum_2Enum^{A.27a}).(((V0s1 = V1s2) \wedge (\forall V4x \in A.27a.(\\ & (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V4x)\ V1s2)) \Rightarrow ((ap\ V2f1\ V4x) = (ap \\ & V3f2\ V4x)))))) \Rightarrow ((ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A.27a)\ V2f1) \\ & V0s1) = (ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A.27a)\ V3f2)\ V1s2)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0f \in (ty_2Enum_2Enum^{A.27a}). \\ & (\forall V1s \in (2^{A.27a}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A.27a) \\ & V1s)) \Rightarrow (((ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A.27a)\ V0f)\ V1s) = \\ & c_2Enum_2E0) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\ & V2x)\ V1s)) \Rightarrow ((ap\ V0f\ V2x) = c_2Enum_2E0)))))) \end{aligned} \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (44)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(\\ p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (p \ V1q) \Rightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r)) \wedge (\neg(p \ V1q)) \vee ((p \ V2r) \vee \neg(p \ V0p)))))))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (\neg(p \ V1q)) \vee \neg(p \ V0p)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow (p \ V0p)))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow \neg(p \ V1q)))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q)) \Rightarrow \neg(p \ V0p)))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q)) \Rightarrow \neg(p \ V1q)))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p)) \Rightarrow (p \ V0p))) \quad (53)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1g \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). (\forall V2f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). (\forall V3k \in ty_2Enum_2Enum. ((\forall V4m \in ty_2Enum_2Enum. ((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \ V4m) \ V0n)) \Rightarrow ((ap \ V1g \ V4m) = (ap \ (ap \ (c_2Epred_set_2ESUM_IMAGE \ ty_2Enum_2Enum) \ (\lambda V5x \in ty_2Enum_2Enum. (ap \ V2f \ (ap \ (ap \ c_2Earithmetic_2E_2B \ V5x) \ (ap \ (ap \ c_2Earithmetic_2E_2A \ V3k) \ V4m)))))) \ (ap \ c_2Epred_set_2Ecount \ V3k)))))) \Rightarrow ((ap \ (ap \ (c_2Epred_set_2ESUM_IMAGE \ ty_2Enum_2Enum) \ V2f) \ (ap \ c_2Epred_set_2Ecount \ (ap \ (ap \ c_2Earithmetic_2E_2A \ V3k) \ V0n))) = (ap \ (ap \ (c_2Epred_set_2ESUM_IMAGE \ ty_2Enum_2Enum) \ V1g) \ (ap \ c_2Epred_set_2Ecount \ V0n)))))))))) \quad (54)$$

Theorem 1

$$(\forall V0f \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}). (\forall V1a \in ty_2Enum_2Enum. (\forall V2b \in ty_2Enum_2Enum. (ap \ (ap \ (c_2Epred_set_2ESUM_IMAGE \ ty_2Enum_2Enum) \ (\lambda V3m \in ty_2Enum_2Enum. (ap \ (ap \ (c_2Epred_set_2ESUM_IMAGE \ ty_2Enum_2Enum) \ (ap \ V0f \ V3m)) \ (ap \ c_2Epred_set_2Ecount \ V1a)))) \ (ap \ c_2Epred_set_2Ecount \ V2b)) = (ap \ (ap \ (c_2Epred_set_2ESUM_IMAGE \ ty_2Enum_2Enum) \ (\lambda V4m \in ty_2Enum_2Enum. (ap \ (ap \ V0f \ (ap \ (ap \ c_2Earithmetic_2EDIV \ V4m) \ V1a)) \ (ap \ (ap \ c_2Earithmetic_2EMOD \ V4m) \ V1a)))) \ (ap \ c_2Epred_set_2Ecount \ (ap \ (ap \ c_2Earithmetic_2E_2A \ V1a) \ V2b)))))) \quad (55)$$