

# thm\_2Esptree\_2EALOOKUP\_\_toAList (TMY6qF6G3Wrz5rULhrumBx5SQ4LkJsououp)

October 26, 2020

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (3)$$

Let  $c\_2Ealist\_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b})^{(ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))}) \quad (4)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1t \in 2.V1t))\ (\lambda V2t \in 2.V2t))$

**Definition 4** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_2E21\ 2)\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a\ V0P))))$

**Definition 9** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E\_3F)\ (ap\ (c\_2Emin\_2E\_40\ A\_27a\ V2t)))))))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (5)$$

**Definition 10** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone. V0x))$

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_5C\_2F))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (6)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (7)$$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (8)$$

**Definition 13** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (c\_2Ebool\_2E\_7E\ A\_27a))$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 15** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Esptree\_2Espt\ A0) \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Esptree\_2Elookup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Elookup\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (12)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (13)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega \omega}) \quad (14)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (15)$$

**Definition 17** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (16)$$

Let  $c\_2Esptree\_2Efoldi : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esptree\_2Efoldi\ A\_27a\ A\_27b \in (((A\_27a^{(ty\_2Esptree\_2Espt\ A\_27b)})^{A\_27a})^{ty\_2Enum\_2Enum})^{((A\_27a^{A\_27a})^{A\_27b})^{ty\_2Enum\_2Enum}} \quad (17)$$

**Definition 18** We define  $c\_2Esptree\_2EtoAList$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (ap\ (c\_2Esptree\_2Efoldi\ (ty\_2Elist\_2Elist\ A\_27a)\ A\_27a)\ A\_27a)\ A\_27a)\ A\_27a)$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (18)$$

**Definition 19** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0l \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)). \\ & \quad (\forall V1x \in A\_27b.(((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ A\_27b)\ V0l)\ V1x) = (c\_2Eoption\_2ENONE\ A\_27a)) \Leftrightarrow (\forall V2k \in A\_27b.(\forall V3v \in \\ & \quad A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E2C\ A\_27b\ A\_27a)\ V2k)\ V3v))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a)\ V0l)))) \Rightarrow (\neg(V2k = V1x)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0al \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\
& \quad (\forall V1k \in A\_27a. (\forall V2v \in A\_27b. (((ap\ (ap\ (c\_2Ealist\_2EALOOKUP \\
& \quad A\_27b\ A\_27a)\ V0al)\ V1k) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V2v)) \Rightarrow ( \\
& \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1k)\ V2v))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))\ V0al))))))
\end{aligned} \tag{20}$$

Assume the following.

$$True \tag{21}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{22}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \tag{23}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{24}$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
((\neg False) \Leftrightarrow True))) \tag{25}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\
True)) \tag{26}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\
(p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
p\ V0t)))))) \tag{27}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\
(p\ V0A)))))) \tag{28}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee \\
(p\ V1B)))))) \tag{29}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}). (\forall V1v \in A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (ap\ V0f\ V1v)))))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption\ A\_27a). ((V0opt = (c\_2Eoption\_2ENONE\ A\_27a)) \vee (\exists V1x \in A\_27a. (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x)))))) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. (((ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg((c\_2Eoption\_2ENONE\ A\_27a) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x)))) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in (ty\_2Esptree\_2Espt\ A\_27a). (\forall V1k \in ty\_2Enum\_2Enum. (\forall V2v \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ A\_27a)\ V1k)\ V2v))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ A\_27a))\ (ap\ (c\_2Esptree\_2EtoAList\ A\_27a)\ V0t)))) \Leftrightarrow ((ap\ (ap\ (c\_2Esptree\_2Elookup\ A\_27a)\ V1k)\ V0t) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V2v)))))) \quad (34)$$

### Theorem 1

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in (ty\_2Esptree\_2Espt\ A\_27a). (\forall V1x \in ty\_2Enum\_2Enum. ((ap\ (ap\ (c\_2Ealist\_2EALOOKUP\ A\_27a\ ty\_2Enum\_2Enum)\ (ap\ (c\_2Esptree\_2EtoAList\ A\_27a)\ V0t))\ V1x) = (ap\ (ap\ (c\_2Esptree\_2Elookup\ A\_27a)\ V1x)\ V0t))))$$