

thm_2Esptree_2Edifference__sub
(TMHXU2EC6Kb23ZQ8WU bipZ98nGmf22ztGs4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(\lambda V1f V1f V0x)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\lambda V1f \in (2^{A_27a}).(\lambda V1f V1f V0P)))$

Definition 6 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(\lambda V1t V1t V0s)$

Definition 7 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 8 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Esptree_2Espt : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Esptree_2Espt A0) \quad (1)$$

Let $c_2Esptree_2EBS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Esptree_2EBS A_27a \in (((ty_2Esptree_2Espt A_27a)^{(ty_2Esptree_2Espt A_27a)})^{A_27a})^{(ty_2Esptree_2Espt A_27a)} \quad (2)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (5)$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 14 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (10)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (11)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (12)$$

Definition 18 We define $c_2\text{Epred_set_2EIMAGE}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 19 We define $c_2\text{Epred_set_2EUNION}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2$

Let $c_2\text{Esptree_2EBN} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Esptree_2EBN } A_27a \in (((ty_2\text{Esptree_2Espt } A_27a)^{(ty_2\text{Esptree_2Espt } A_27a)})^{(ty_2\text{Esptree_2Espt } A_27a)}) \quad (13)$$

Definition 20 We define $c_2\text{Epred_set_2EINSERT}$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2$

Let $c_2\text{Esptree_2ELS} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Esptree_2ELS } A_27a \in ((ty_2\text{Esptree_2Espt } A_27a)^{A_27a}) \quad (14)$$

Definition 21 We define $c_2\text{Epred_set_2EEMPTY}$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2\text{Ebool_2EF})$.

Let $c_2\text{Esptree_2ELN} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Esptree_2ELN } A_27a \in (ty_2\text{Esptree_2Espt } A_27a) \quad (15)$$

Definition 22 We define $c_2\text{Epred_set_2EDIFF}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2$

Let $c_2\text{Esptree_2Edifference} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2\text{Esptree_2Edifference } A_27a A_27b \in (((ty_2\text{Esptree_2Espt } A_27a)^{(ty_2\text{Esptree_2Espt } A_27b)})^{(ty_2\text{Esptree_2Espt } A_27a)}) \quad (16)$$

Let $c_2\text{Esptree_2Edomain} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Esptree_2Edomain } A_27a \in ((2^{ty_2\text{Enum_2Enum}})^{(ty_2\text{Esptree_2Espt } A_27a)}) \quad (17)$$

Assume the following.

$$\text{True} \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t))))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\neg(p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EEMPTY A_27a)))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27a}).(\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) (ap (ap (c_2Epred_set_2EDIFF A_27a) V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \wedge (\neg(p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t))))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (((\text{ap } (c_{.2Esptree_2Edomain } A_{.27a}) \\
& (c_{.2Esptree_2ELN } A_{.27a})) = (c_{.2Epred_set_2EEMPTY } ty_{.2Enum_2Enum})) \wedge \\
& ((\forall V0v0 \in A_{.27a}. ((\text{ap } (c_{.2Esptree_2Edomain } A_{.27a}) (\text{ap } (c_{.2Esptree_2ELS} \\
& A_{.27a}) V0v0)) = (\text{ap } (\text{ap } (c_{.2Epred_set_2EINSERT } ty_{.2Enum_2Enum}) \\
& c_{.2Enum_2E0}) (c_{.2Epred_set_2EEMPTY } ty_{.2Enum_2Enum})))) \wedge ((\\
& \forall V1t1 \in (ty_{.2Esptree_2Espt } A_{.27a}). (\forall V2t2 \in (ty_{.2Esptree_2Espt} \\
& A_{.27a}). ((\text{ap } (c_{.2Esptree_2Edomain } A_{.27a}) (\text{ap } (\text{ap } (c_{.2Esptree_2EBN} \\
& A_{.27a}) V1t1) V2t2)) = (\text{ap } (\text{ap } (c_{.2Epred_set_2EUNION } ty_{.2Enum_2Enum}) \\
& (\text{ap } (\text{ap } (c_{.2Epred_set_2EIMAGE } ty_{.2Enum_2Enum } ty_{.2Enum_2Enum}) \\
& (\lambda V3n \in ty_{.2Enum_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic_2E_2B} (\text{ap } (\text{ap} \\
& c_{.2Earithmetic_2E_2A} (\text{ap } c_{.2Earithmetic_2ENUMERAL} (\text{ap } c_{.2Earithmetic_2EBIT2} \\
& c_{.2Earithmetic_2EZERO})))) V3n)) (\text{ap } c_{.2Earithmetic_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic_2EBIT2} c_{.2Earithmetic_2EZERO})))))) (\text{ap } (c_{.2Esptree_2Edomain} \\
& A_{.27a}) V1t1))) (\text{ap } (\text{ap } (c_{.2Epred_set_2EIMAGE } ty_{.2Enum_2Enum} \\
& ty_{.2Enum_2Enum}) (\lambda V4n \in ty_{.2Enum_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic_2E_2B} \\
& (\text{ap } (\text{ap } c_{.2Earithmetic_2E_2A} (\text{ap } c_{.2Earithmetic_2ENUMERAL} (\text{ap} \\
& c_{.2Earithmetic_2EBIT2} c_{.2Earithmetic_2EZERO})))) V4n)) (\text{ap } c_{.2Earithmetic_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic_2EBIT1} c_{.2Earithmetic_2EZERO})))))) (\text{ap } (c_{.2Esptree_2Edomain} \\
& A_{.27a}) V2t2)))))) \wedge (\forall V5t1 \in (ty_{.2Esptree_2Espt } A_{.27a}). \\
& (\forall V6v1 \in A_{.27a}. (\forall V7t2 \in (ty_{.2Esptree_2Espt } A_{.27a}). \\
& ((\text{ap } (c_{.2Esptree_2Edomain } A_{.27a}) (\text{ap } (\text{ap } (\text{ap } (c_{.2Esptree_2EBS} \\
& A_{.27a}) V5t1) V6v1) V7t2)) = (\text{ap } (\text{ap } (c_{.2Epred_set_2EUNION } ty_{.2Enum_2Enum}) \\
& (\text{ap } (\text{ap } (c_{.2Epred_set_2EUNION } ty_{.2Enum_2Enum}) (\text{ap } (\text{ap } (c_{.2Epred_set_2EINSERT} \\
& ty_{.2Enum_2Enum}) c_{.2Enum_2E0}) (c_{.2Epred_set_2EEMPTY } ty_{.2Enum_2Enum})))) \\
& (\text{ap } (\text{ap } (c_{.2Epred_set_2EIMAGE } ty_{.2Enum_2Enum } ty_{.2Enum_2Enum}) \\
& (\lambda V8n \in ty_{.2Enum_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic_2E_2B} (\text{ap } (\text{ap} \\
& c_{.2Earithmetic_2E_2A} (\text{ap } c_{.2Earithmetic_2ENUMERAL} (\text{ap } c_{.2Earithmetic_2EBIT2} \\
& c_{.2Earithmetic_2EZERO})))) V8n)) (\text{ap } c_{.2Earithmetic_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic_2EBIT2} c_{.2Earithmetic_2EZERO})))))) (\text{ap } (c_{.2Esptree_2Edomain} \\
& A_{.27a}) V5t1))) (\text{ap } (\text{ap } (c_{.2Epred_set_2EIMAGE } ty_{.2Enum_2Enum} \\
& ty_{.2Enum_2Enum}) (\lambda V9n \in ty_{.2Enum_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic_2E_2B} \\
& (\text{ap } (\text{ap } c_{.2Earithmetic_2E_2A} (\text{ap } c_{.2Earithmetic_2ENUMERAL} (\text{ap} \\
& c_{.2Earithmetic_2EBIT2} c_{.2Earithmetic_2EZERO})))) V9n)) (\text{ap } c_{.2Earithmetic_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic_2EBIT1} c_{.2Earithmetic_2EZERO})))))) (\text{ap } (c_{.2Esptree_2Edomain} \\
& A_{.27a}) V7t2)))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\\
& \forall V0t1 \in (ty_{.2Esptree_2Espt } A_{.27a}). (\forall V1t2 \in (ty_{.2Esptree_2Espt} \\
& A_{.27b}). ((\text{ap } (c_{.2Esptree_2Edomain } A_{.27a}) (\text{ap } (\text{ap } (c_{.2Esptree_2Edifference} \\
& A_{.27a} A_{.27b}) V0t1) V1t2)) = (\text{ap } (\text{ap } (c_{.2Epred_set_2EDIFF } ty_{.2Enum_2Enum}) \\
& (\text{ap } (c_{.2Esptree_2Edomain } A_{.27a}) V0t1)) (\text{ap } (c_{.2Esptree_2Edomain} \\
& A_{.27b}) V1t2))))))
\end{aligned} \tag{37}$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\ & \quad \forall V0a \in (ty_2Esptree_2Espt\ A_{27a}).(\forall V1b \in (ty_2Esptree_2Espt \\ & \quad A_{27b}).(((ap\ (ap\ (c_2Esptree_2Edifference\ A_{27a}\ A_{27b})\ V0a)\ V1b) = \\ & \quad (c_2Esptree_2ELN\ A_{27a})) \Rightarrow (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET \\ & \quad ty_2Enum_2Enum)\ (ap\ (c_2Esptree_2Edomain\ A_{27a})\ V0a))\ (ap\ (c_2Esptree_2Edomain \\ & \quad A_{27b})\ V1b)))))) \end{aligned}$$